

1894

Nº 295



A Catalogue of Price 1/-  
NEW, RARE AND BEAUTIFUL  
PLANTS AND ORCHIDS

OFFERED  
BY

WILLIAM BULL, FLS.

F.R.G.S. F.Z.S. F.R.H.S. M.A.I.

FRBS. & M.S.A.

Socc. Hort. Berol.

Bruxell., St Petersburg

et Paris, et Soc.

Agric. et Bot

Gandav Socius.

New  
Plant  
Merchant.



536,

KING'S ROAD,

(and Ashburnham Park)

CHELSEA.

LONDON.

S W



# MR. WILLIAM BULL'S ESTABLISHMENT FOR NEW AND RARE PLANTS

Has been favoured with the distinguished Patronage of

HER MOST GRACIOUS MAJESTY THE QUEEN  
HIS ROYAL HIGHNESS THE PRINCE OF WALES  
HIS ROYAL HIGHNESS THE DUKE OF EDINBURGH  
HIS ROYAL HIGHNESS PRINCE CHRISTIAN  
HIS SERENE HIGHNESS THE DUKE OF TECK  
HER ROYAL HIGHNESS THE DUCHESS OF ALBANY  
HIS MAJESTY THE EMPEROR OF GERMANY  
HIS MAJESTY THE EMPEROR OF RUSSIA  
HIS MAJESTY THE EMPEROR OF AUSTRIA  
HIS MAJESTY THE KING OF THE BELGIANS  
HIS MAJESTY THE KING OF SWEDEN  
HIS MAJESTY THE KING OF SIAM  
HIS EXCELLENCY THE LORD LIEUTENANT OF IRELAND  
HIS IMPERIAL HIGHNESS THE GRAND DUKE CONSTANTINE  
HIS HIGHNESS PRINCE LIECHTENSTEIN  
HIS HIGHNESS PRINCE WITTGENSTEIN  
SON ALTESSE LE PRINCE SALM SALM

HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR ENGLAND  
HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR IRELAND

His Grace the DUKE OF NORFOLK  
His Grace the DUKE OF RICHMOND  
His Grace the DUKE OF ST. ALBANS  
His Grace the DUKE OF BEDFORD  
His Grace the DUKE OF DEVONSHIRE  
His Grace the DUKE OF RUTLAND  
His Grace the DUKE OF HAMILTON  
His Grace the DUKE OF BUCLEUCH  
His Grace the DUKE OF ARGYLL  
His Grace the DUKE OF ROXBURGHE  
His Grace the DUKE OF PORTLAND  
His Grace the DUKE OF NEWCASTLE  
His Grace the DUKE OF NORTHUMBERLAND  
His Grace the DUKE OF WELLINGTON  
His Grace the DUKE OF SUTHERLAND  
His Grace the DUKE OF CLEVELAND  
His Grace the DUKE OF WESTMINSTER  
His Grace the DUKE OF LEINSTER  
His Grace the DUKE OF ABERCORN  
His Grace the DUKE OF FIFE  
The Most Hon. the MARQUESS OF LORNE  
The Most Hon. the MARQUESS OF HUNTLY  
The Most Hon. the MARQUESS OF LOTHIAN  
The Most Hon. the MARQUESS OF LANDOWNE  
The Most Hon. the MARQUESS OF SALISBURY  
The Most Hon. the MARQUESS OF HERTFORD  
The Most Hon. the MARQUESS OF BUTE  
The Most Hon. the MARQUESS OF WATERFORD  
The Most Hon. the MARQUESS OF DOWNSHIRE  
The Most Hon. the MARQUESS OF DROGHEDA  
The Most Hon. the MARQUESS OF ELY  
The Most Hon. the MARQUESS OF HEADFORT  
The Most Hon. the MARQUESS OF EXETER  
The Most Hon. the MARQUESS OF BREADALBANE  
The Most Hon. the MARQUESS OF NORTHAMPTON  
The Most Hon. the MARQUESS OF CARMEN  
The Most Hon. the MARQUESS OF ANGLESEY  
The Most Hon. the MARQUESS OF CONYNGHAM  
The Most Hon. the MARQUESS OF LONDONDERRY  
The Most Hon. the MARQUESS OF AILESBURY  
The Most Hon. the MARQUESS OF BRISTOL  
The Most Hon. the MARQUESS OF ABERGAVENNY  
The Most Hon. the MARQUESS OF TAVISTOCK  
The Most Hon. the MARQUESS OF RIPON  
The Most Hon. the MARQUESS OF ZETLAND  
The Right Hon. the EARL PERCY  
The Right Hon. the EARL OF SHREWSBURY AND  
TAIBOT  
The Right Hon. the EARL OF DERBY  
The Right Hon. the EARL OF PEMBROKE  
The Right Hon. the EARL OF DEVON  
The Right Hon. the EARL OF DENBIGH  
The Right Hon. the EARL OF WESTMORELAND  
The Right Hon. the EARL OF LINDSEY  
The Right Hon. the EARL OF SANDWICH

The Right Hon. the EARL OF ESSEX  
The Right Hon. the EARL OF JERSEY  
The Right Hon. the EARL POULETT  
The Right Hon. the EARL OF CRAWFORD AND  
BALCARRES  
The Right Hon. the EARL OF MORTON  
The Right Hon. the EARL OF RIGLINTON AND  
WINTON  
The Right Hon. the EARL OF HADDINGTON  
The Right Hon. the EARL OF STRATHMORE  
The Right Hon. the EARL OF MAR AND KELLIE  
The Right Hon. the EARL OF GALLOWAY  
The Right Hon. the EARL OF LAUDERDALE  
The Right Hon. the EARL OF WEMYSS AND MARCH  
The Right Hon. the EARL OF SOUTHESK  
The Right Hon. the EARL OF KINNOULL  
The Right Hon. the EARL OF DALHOUSIE  
The Right Hon. the EARL OF DYSART  
The Right Hon. the EARL OF KINTORE  
The Right Hon. the EARL OF SFAFIELD  
The Right Hon. the EARL OF ROSEBERY  
The Right Hon. the EARL OF STAIR  
The Right Hon. the EARL OF HOPETOUN  
The Right Hon. the EARL OF DARTMOUTH  
The Right Hon. the EARL FERRERS  
The Right Hon. the EARL OF AYLSFORD  
The Right Hon. the EARL COWPER  
The Right Hon. the EARL OF MACCLESFIELD  
The Right Hon. the EARL OF ASHBURNHAM  
The Right Hon. the EARL OF ILCHESTER  
The Right Hon. the EARL OF RADNOR  
The Right Hon. the EARL SPENCER  
The Right Hon. the EARL BATHURST  
The Right Hon. the EARL OF CLARENDON  
The Right Hon. the EARL OF MANSFIELD  
The Right Hon. the EARL OF MEATH  
The Right Hon. the EARL FITZWILLIAM  
The Right Hon. the EARL OF DARNLEY  
The Right Hon. the EARL OF WARWICK  
The Right Hon. the EARL OF CORK AND ORRERY  
The Right Hon. the EARL OF SEFTON  
The Right Hon. the EARL OF LISBURNE  
The Right Hon. the EARL OF ANTRIM  
The Right Hon. the EARL OF ANNESLEY  
The Right Hon. the EARL OF ERNE  
The Right Hon. the EARL OF CARNARVON  
The Right Hon. the EARL OF CLONMELL  
The Right Hon. the EARL OF LEITRIM  
The Right Hon. the EARL OF BANDON  
The Right Hon. the EARL OF CASTLE-STUART  
The Right Hon. the EARL OF CALEDON  
The Right Hon. the EARL OF WILTON  
The Right Hon. the EARL OF ROSSLYN  
The Right Hon. the EARL OF CLANCARTY  
The Right Hon. the EARL OF POWIS



# LIST OF PATRONS—Continued.

The Right Hon. the EARL GREY  
The Right Hon. the EARL MANVERS  
The Right Hon. the EARL OF NORMANTON  
The Right Hon. the EARL CADOGAN  
The Right Hon. the EARL NELSON  
The Right Hon. the EARL OF HAREWOOD  
The Right Hon. the EARL BEAUCHAMP  
The Right Hon. the EARL BROWNLOW  
The Right Hon. the EARL OF MORLEY  
The Right Hon. the EARL OF ST. GERMANS  
The Right Hon. the EARL HOWE  
The Right Hon. the EARL OF STRADBROKE  
The Right Hon. the EARL OF DUNRAVEN  
The Right Hon. the EARL OF LISTOWEL  
The Right Hon. the EARL AMHERST  
The Right Hon. the EARL CAWDOR  
The Right Hon. the EARL OF CAMPERDOWN  
The Right Hon. the EARL OF LICHFIELD  
The Right Hon. the EARL OF DURHAM  
The Right Hon. the EARL OF EFFINGHAM  
The Right Hon. the EARL OF YARBOROUGH  
The Right Hon. the EARL OF DUCIE  
The Right Hon. the EARL OF LEICESTER  
The Right Hon. the EARL OF ELLESMERE  
The Right Hon. the EARL OF STRAFFORD  
The Right Hon. the EARL OF COTTENHAM  
The Right Hon. the EARL OF DARTREY  
The Right Hon. the EARL OF FEVERSHAM  
The Right Hon. the EARL OF RAVENSWORTH  
The Right Hon. the EARL OF NORTHBROOK  
The Right Hon. the EARL OF WHARNCLIFFE  
The Right Hon. the EARL OF LATHOM  
The Right Hon. the EARL SONDES  
The Right Hon. the EARL OF SELBORNE  
The Right Hon. the EARL OF BECTIVE  
The Right Hon. VISCOUNT FALMOUTH  
The Right Hon. VISCOUNT DILLON  
The Right Hon. VISCOUNT VALENTIA  
The Right Hon. VISCOUNT DOWNE  
The Right Hon. VISCOUNT BOYNE  
The Right Hon. VISCOUNT GAGE  
The Right Hon. VISCOUNT GALWAY  
The Right Hon. VISCOUNT POWERSCOURT  
The Right Hon. VISCOUNT ASHBROOK  
The Right Hon. VISCOUNT BANGOR  
The Right Hon. VISCOUNT CLIFDEN  
The Right Hon. VISCOUNT DONERAILE  
The Right Hon. VISCOUNT MONCK  
The Right Hon. VISCOUNT MELVILLE  
The Right Hon. VISCOUNT TEMPLETOWN  
The Right Hon. VISCOUNT GOUGH  
The Right Hon. VISCOUNT EVERSLEY  
The Right Hon. VISCOUNT HALIFAX  
The Right Hon. VISCOUNT BRIDPORT  
The Right Hon. VISCOUNT PORTMAN  
The Right Hon. VISCOUNT CRANBROOK  
The Right Hon. VISCOUNT SHERBROOKE  
The Right Hon. VISCOUNT NEWPORT  
The Right Hon. VISCOUNT HOLMESDALE  
The Right Hon. VISCOUNT STORMONT  
The Right Hon. VISCOUNT EMILYN  
The Right Hon. LORD BROOKE  
The Right Hon. LORD ESME GORDON  
The Right Hon. LORD KILMARNOCK  
The Right Hon. LORD JAMES W. BUTLER  
The Right Hon. LORD HASTINGS  
The Right Hon. LORD CLINTON  
The Right Hon. LORD DACRE  
The Right Hon. LORD WINDSOR  
The Right Hon. LORD STAFFORD  
The Right Hon. LORD HERRIES  
The Right Hon. LORD ELPHINSTONE  
The Right Hon. LORD WINDSOR  
The Right Hon. LORD ST. JOHN OF BLETSOE  
The Right Hon. LORD BALFOUR OF BURLEIGH  
The Right Hon. LORD REAV  
The Right Hon. LORD KINNAIRD  
The Right Hon. LORD MIDDLETON  
The Right Hon. LORD SCARSDALE  
The Right Hon. LORD BOSTON  
The Right Hon. LORD FOLEY  
The Right Hon. LORD BAGOT  
The Right Hon. LORD DYNFVOR  
The Right Hon. LORD WALSHINGHAM  
The Right Hon. LORD SUFFIELD  
The Right Hon. LORD KENVON  
The Right Hon. LORD BRAVBROOKE  
The Right Hon. LORD AUCKLAND  
The Right Hon. LORD CALTHORPE  
The Right Hon. LORD BOLTON

The Right Hon. LORD DUNSANY  
The Right Hon. LORD CLONBROCK  
The Right Hon. LORD HENNIKER  
The Right Hon. LORD CLARINA  
The Right Hon. LORD VENTRY  
The Right Hon. LORD SANDVS  
The Right Hon. LORD ELLENBOROUGH  
The Right Hon. LORD CREWE  
The Right Hon. LORD RENDLESHAM  
The Right Hon. LORD DELAMERE  
The Right Hon. LORD RAYLEIGH  
The Right Hon. LORD POLTIMORE  
The Right Hon. LORD CLONCURRY  
The Right Hon. LORD DE L'ISLE & DUDLEY  
The Right Hon. LORD ASHBURTON  
The Right Hon. LORD CAREW  
The Right Hon. LORD WENLOCK  
The Right Hon. LORD SEATON  
The Right Hon. LORD WROTESLEY  
The Right Hon. LORD STANLEY OF ALDERLEY  
The Right Hon. LORD LEIGH  
The Right Hon. LORD LONDESBOROUGH  
The Right Hon. LORD TRURO  
The Right Hon. LORD AVELAND  
The Right Hon. LORD BELPER  
The Right Hon. LORD FERMOY  
The Right Hon. LORD EBURY  
The Right Hon. LORD CHESHAM  
The Right Hon. LORD ELPHINSTONE  
The Right Hon. LORD LECONFIELD  
The Right Hon. LORD ECKERTON OF TATTON  
The Right Hon. LORD TREDEGAR  
The Right Hon. LORD WESTBURY  
The Right Hon. LORD FITZHARDINGE  
The Right Hon. LORD ANNALY  
The Right Hon. LORD ATHLUNNEY  
The Right Hon. LORD HYLTON  
The Right Hon. LORD PENRHYN  
The Right Hon. LORD O'NEILL  
The Right Hon. LORD HOWARD OF GLOSSOP  
The Right Hon. LORD LAWRENCE  
The Right Hon. LORD WOLVERTON  
The Right Hon. LORD HARLECH  
The Right Hon. LORD SACKVILLE  
The Right Hon. LORD ALINGTON  
The Right Hon. LORD WIMBORNE  
The Right Hon. LORD ARDILAUN  
The Right Hon. LORD TREVOR  
The Right Hon. LORD LAMINGTON  
The Right Hon. LORD DERWENT  
The Right Hon. LORD HOTHFIELD  
The Right Hon. LORD NORTHBORNE  
The Right Hon. LORD MONKSWELL  
The Right Hon. LORD HILLINGDON  
The Right Hon. LORD ROTHSCILD  
The Right Hon. LORD ST. OSWALD  
The Right Hon. LORD WANTAGE  
The Right Hon. LORD ESHER  
The Right Hon. LORD BURTON  
The Right Hon. LORD BRASSEY  
The Right Hon. LORD HAMILTON OF DALZELL  
The Right Hon. LORD HINDLIPI  
The Right Hon. LORD ARMSTRONG  
The Right Hon. LORD CHEVLESMORE  
The Right Hon. LORD IVEAGH.  
The Right Hon. LORD MASHAM  
PRINCE DORIA  
PRINCE OF FURSTENBURG  
M. LE DUC DE MASSA  
M. LE COMTE DE PARIS  
M. LE COMTE DE GERMINY  
M. LE COMTE DE JAUCOURT  
The BARON DE ROTHSCHILD  
The BARON ADOLPHE DE ROTHSCHILD  
The BARON ALPHONSE DE ROTHSCHILD  
The ROYAL HORTICULTURAL SOCIETY  
The ROYAL BOTANIC GARDENS, KEW, REGENT'S  
PARK, EDINBURGH, DUBLIN AND BELFAST  
The ROYAL GARDENS AT HYDE & BATTERSEA PARKS  
The BOTANIC GARDENS, OXFORD, MANCHESTER,  
LIVERPOOL AND HULL  
The IMPERIAL GARDENS, ST. PETERSBURG  
The ROYAL BOTANIC GARDENS, CALCUTTA AND  
CEYLON  
The BOTANIC GARDENS, ADELAIDE, NATAL,  
BUTTENZORG AND ZURICH  
The ROYAL HORTICULTURAL SOCIETY OF SOUTH  
AUSTRALIA  
The AGRI-HORTICULTURAL SOCIETIES, BOMBAY,  
CALCUTTA, LAHORE AND MYSORE

AND MOST MEMBERS OF THE ARISTOCRACY IN THE UNITED KINGDOM INTERESTED IN  
HORTICULTURE.

WILLIAM BULL, F.L.S.,

BEGS TO ANNOUNCE THAT HE IS NOW OFFERING SEVERAL

BEAUTIFUL PLANTS,

WHICH ARE

PERFECTLY NEW TO THIS COUNTRY,

*An Inspection of which is invited.*

---

THE PRINCE CONSORT'S GOLD MEDAL,

THE LINDLEY MEDAL,

MANY GOLD MEDALS,

UPWARDS OF ONE THOUSAND PRIZES AND AWARDS

HAVE BEEN MADE TO

WILLIAM BULL, F.L.S.,

FOR NEW AND RARE PLANTS ALONE,

AT THE PRINCIPAL LONDON AND INTERNATIONAL FLOWER SHOWS.

Mr. W. BULL mentions this as conveying some idea of the importance of his collection.

---

#### NOTICE.

*The Illustrations in Mr. W. B.'s Catalogues have been carefully drawn and engraved by eminent artists, from plants introduced at great expense from their native habitats; the Catalogue has, therefore, been registered and the copyright is reserved, and any infringement will be proceeded against.*



1894.



## NEW PLANTS



ANNOUNCED FOR THE FIRST TIME

BY

WILLIAM BULL, F.L.S.

## DIANELLA TASMANICA VARIEGATA.

A very striking and desirable variegated greenhouse plant introduced from Tasmania. The leaves, which are broadly ensiform and minutely spinose on the margins, are dark green, handsomely striated with creamy yellow, forming a very effective variegation. The pale blue flowers are produced on a loose, many-branched panicle, and are followed in due course by large and handsome bright blue berries. These hang on hair-like pedicels, and for many weeks form a highly ornamental and conspicuous adornment to the conservatory. 21s.

## GESNERA, CALYPSO.

A pretty hybrid variety raised from *Donkelaari* crossed with *macrantha* partaking of the characters of both parents. The flowers, which are freely borne in compound terminal heads, are about  $2\frac{1}{2}$  inches long, of a soft shade of salmon crimson, much brighter on the lobes; the throat is cream coloured with dark crimson markings showing through the exterior of the flowers. 7s. 6d.

For other Tuberous-rooted Gesneras, *vide* page 17.

## HÆMANTHUS CANDIDUM.

A most beautiful white-flowered species introduced from the Transvaal. It belongs to the distichous leaved group, and produces its handsome spikes of flowers from the side of the bulb, usually after developing a pair of leaves. The scape, which is about 9 inches long, carries a large dense head of pure white flowers, of which the petals are semi-erect, the charming appearance of the heads of bloom being greatly enhanced by the golden yellow anthers borne on the tips of much exerted filaments. The coriaceous leaves are sessile, spatulate, spreading and recurved, about 9 inches long by 4 to 5 inches broad in the widest part, and thickly pubescent on both surfaces. 21s.

## PHYLLANTHUS ELONGATUM.

A pretty ornamental species introduced from Brazil. The leaves are alternately pinnate, the leaflets flat, linear-lanceolate, tapering to both ends, entire at the base, remotely and finely toothed near the apex. It will form a very elegant evergreen plant for the warm greenhouse or stove, especially suitable for table and other decorative purposes. 10s. 6d.

**PTYCHOCOCCUS PARADOXUS.**

An elegant Palm from New Guinea, originally described under the genus *Ptychosperma*. In the young state the leaves are sheathing at the base and two-lobed, the lobes being oblong wedge-shaped, oblique at the summit and jagged at the margins. When mature, the leaves are deeply pinnately divided, the pinnæ lanceolate, attached by a broad base to the triangular rachis, oblique at the apex and jagged, the two upper pinnæ confluent at the base. 21s.

**TODEA MOOREI.**

A distinct and attractive new Filmy Fern introduced from Lord Howe's Island. It bears a crown of handsome glabrous fronds, broadly lanceolate and thrice pinnately divided, the primary pinnæ lanceolate and spreading horizontally, central ones about 4 inches long by  $1\frac{1}{2}$  wide, those at the base and apex shorter; secondary pinnules oblong, decurrent along the winged rachis, the lower pinnule of each pinna turned downwards, appressed against the main rachis, and overlapping the corresponding pinnule of the neighbouring pinna; ultimate or tertiary segments linear oblong, obtuse crenately toothed. The sori are circular, and placed at the base of some of the lowermost segments near the midrib.  $1\frac{1}{2}$  and 2 guineas.

**NEW SHOW PELARGONIUMS.**

**ALTAIR**, upper petals rosy carmine, heavily blotched and feathered with blackish maroon surrounded with fiery crimson, lower petals clear rose pink; light centre. 10s. 6d.

**DELVINO**, blush veined with rose, the upper petals having a central blotch of blackish maroon, surrounded with bright crimson; light centre. 10s. 6d.

For General Collection, *vide* page 88.

**NEW SPOTTED PELARGONIUMS.**

**MELAS**, a well shaped flower, upper petals heavily blotched with rich crimson maroon surrounded with fiery crimson shading to rose at the margin, lower petals rose, very distinctly spotted with maroon on crimson; light centre. 10s. 6d.

**SOCRATES**, a large decorative flower, white tinted with blush, upper petals blotched and feathered with maroon on a ground colour of crimson lake, petals prettily undulated. 10s. 6d.

For General Collection, *vide* page 89.

**NEW REGAL PELARGONIUM.**

**DUCHESS OF YORK**, a very distinct and pretty variety bearing large trusses of elegantly crimped and undulated flowers of a soft and pleasing shade of purplish magenta edged with white, the upper petals feathered with a darker shade of the same colour; light centre. 10s. 6d.

For General Collection, *vide* page 87.

**NEW HYBRID PELARGONIUM.**

**LUCINDA**, a pretty new hybrid variety with scented leaves, producing trusses of medium sized, well shaped white flowers, the upper petals being marked and feathered with purplish crimson. 7s. 6d.

**NEW DOUBLE-FLOWERED IVY-LEAVED PELARGONIUMS.**

**CLOVIS**, good trusses of bright rosy carmine flowers, upper petals feathered with crimson. 7s. 6d.

**DAPHNE**, flowers soft carmine rose, prettily marked in the upper petals with crimson maroon. 7s. 6d.

**MENCIO**, large semi-double flowers of a rich shade of rosy carmine, shaded with magenta. 7s. 6d.

For General Collection, *vide* page 90.





LICUALA GRANDIS.

**LICUALA GRANDIS.**

This was discovered in the South Sea Islands by one of Mr. W. B.'s Plant Collectors, and takes rank amongst the most distinct and attractive Palms ever introduced. It is of robust, compact habit, producing large, handsome leaves, which are nearly orbicular in general outline, with a wedge-shaped, somewhat truncate base; the margin for the greater part of the circumference is divided into narrow oblong lobes, each of which is slightly notched. The leaves are originally flat, but become convex above as they grow older; they are of a dark shining green colour above, paler beneath, and the surface is quite destitute of pubescence. This striking Palm was originally introduced as *Pritchardia grandis*, and hitherto has been very scarce and expensive; now, however, having a good stock, Mr. W. B. can offer it in nice plants at 1½ guinea each.



**AGLAONEMA VERSICOLOR.**

An attractive ornamental foliage stove plant, belonging to the Aroid family, introduced from the East Indies. It is of neat growth and bears on an erect stem beautifully mottled shortly stalked spreading leaves, the petioles sheathing with membranous edges. The leaf blades obliquely oblong, rounded at the base, acute at the apex, irregularly blotched with patches of dark velvety green, interspersed among patches of lighter green, and some of milky white. 15s.



# NEW, RARE AND DESIRABLE STOVE PLANTS.

## ABROMA SINUOSA.

An interesting plant from Madagascar. The leaves, which grow on slender petioles, are broadly ovate, with oblong obtuse lobes and broad open sinuses, and from their peculiar and remarkable character, the plant is very pleasing and attractive. 5s.

**ACALYPHA ILLUSTRATA**, 2s. 6d. and 3s. 6d.

**MACROPHYLLA**, 2s. 6d. and 3s. 6d.

**OBOVATA**, 3s. 6d.

**ACALYPHA TRIUMPHANS**, 3s. 6d.

**ACANTHOPANAX**, *vide* page 28.

**ACANTHUS MONTANUS**, 3s. 6d.

## ADANSONIA DIGITATA.

This is the celebrated African Baobab Tree. 10s. 6d.

**ÆCHMEA AMAZONICA**, 5s. and 7s. 6d.

**FULGENS**, *vide* *Lamprococcus fulgens*.

**MINIATA**, *vide* *Lamprococcus miniata*.

**MARIE REGINÆ**, 10s. 6d.

**PANICULOERA**, 10s. 6d.

**ÆCHMEA VEITCHII**, *vide* *Chevalliera Veitchii*.

**WEILBACHII**, *vide* *Lamprococcus Weilbachii*.

**ÆSCHYNANTHUS GRANDIFLORUS**, 3s. 6d.

**LOBBIANUS**, 2s. 6d. and 3s. 6d.

of sorts, 2s. 6d. and 3s. 6d.

## AGLAONEMA PICTA COMPACTA.

An ornamental and interesting stove plant, with very short erect green stems and stalked leaves, the petioles of which are sheathing, green with a membranous whitish margin. The leaf-blades are short, oblong-ovate, acuminate, unequal-sided, of a dark sap green, sparingly blotched with grey, and of a pale green beneath. This plant is a native of Java. 5s.

**AGLAONEMA MARANTÆFOLIA** (oblongifolia), 5s.

**PICTA GRACILIS**, 5s.

**VERSICOLOR**, *vide* page 6.

**ALLAMANDA CHELSONI**, 3s. 6d.

**HENDERSONI**, 3s. 6d.

**MAGNIFICA**, 10s. 6d.

**NERIIFOLIA**, 3s. 6d.

**NOBILIS**, 3s. 6d.

**WILLIAMSHI**, 5s. and 7s. 6d.

**ALOCASIA CHANTRIERI**, 21s.

**EDULIS**, 3s. 6d.

**GIGANTEA** (LONCLOBA), 3s. 6d. and 5s.

**GRANDIS**, 5s.

**HYBRIDA**, 7s. 6d.

**INTERMEDIA**, 7s. 6d.

**JENNINGSII**, 2s. 6d.

**MARGINATA**, 7s. 6d.

**MARSHALLII**, 2s. 6d.

**METALLICA**, 3s. 6d. and 5s.

**PRINCEPS**, 1 & 1½ guinea.

(SCHISTOCASIA) **PORTEI**, 10s. 6d. and 15s.

**SANDERIANA**, *vide* page 8.

**THIBAUTIANA**, 5s. and 7s. 6d.

**ZEBRINA**, 7s. 6d. and 10s. 6d.

**ALPINIA MUTICA**, 7s. 6d.

**VITTATA**, 3s. 6d. and 5s.

**AMARYLLIS ACHIEVEMENT**, 7s. 6d.

**ACHILLES**, 10s. 6d.

**ACRAMANNI PULCHERRIMA**, 15s.

**AMAZON**, 10s. 6d.

**AMBASSADOR**, 7s. 6d.

**ARIADNE**, 10s. 6d.

**ASPASIA**, 5s.

**AULICA**, 3s. 6d.

— **SUPERBA**, 5s. and 7s. 6d.

**BARON**, 5s.

**BRILLIANT**, 7s. 6d.

**CERBERUS**, 10s. 6d.

**COMMANDER**, 7s. 6d.

**COQUETTE**, 5s.

**CORSAIR**, 10s. 6d.

**COUNTESS**, 10s. 6d.



**AMARYLLIS.**

**AMARYLLIS CYRUS**, 10s. 6d.

**DIADEM**, 15s.

**DR. MASTERS**, 10s. 6d.

**ELECTRA**, 10s. 6d.

**EMMELINE**, 7s. 6d.

**EMPRESS OF INDIA**, 7s. 6d.

**EUROPA**, 21s.

**EUTERPE**, 15s.

**FIGARO**, 7s. 6d.

**FORMOSISSIMA** (*Jacobæa Lily*), 6d.

**GENERAL**, 21s.

**IMPERATRICE DE BRAZIL**, *vide* *procera*.

**HEROINE**, 10s. 6d.

**IGNESCENS**, 2s. 6d. and 3s. 6d.

**IMPERIALIS**, 21s.

**JOHNSONII**, 5s.

**JUPITER**, 7s. 6d.



### **ALOCASIA SANDERIANA.**

A remarkably handsome and truly grand Arad, from the Eastern Archipelago, forming one of the finest of variegated-leaved stove plants. The colour of the young leaves is bright glossy green, and on the older leaves the surface has a metallic blue reflection. The leaf-blade is arrow-shaped, the front portion with about three triangular lobes on each side, the basal portion with one or two smaller lobes; the thick costa and the stout cross veins are white, conspicuously bordered with ivory-white, the margins also being white. This is certainly the most beautiful of all the Alocasias, and a most magnificent foliage plant. 5s. and 7s. 6d.



**AMARYLLIS MABEL**, 10s. 6d.

METEOR, 10s. 6d.  
 NEPTUNE, 10s. 6d.  
 NEMOD, 5s.  
 OBERON, 21s.  
 ONDINE, 10s. 6d.  
 OPTIMA, 10s. 6d.  
 OSOAR, 10s. 6d.  
 PAULINE, 15s.  
 PORTIA, 5s.  
 PRINCEPS, 1½ guinea  
 PROCERA, 10s. 6d. and 15s.  
 REGALIS, 21s.  
 REGINA, 7s. 6d.  
 RETICULATA, 5s.

**AMARYLLIS**, choice selections of good sorts, 3, 4 and 5 guineas per dozen.

**AMOMUM VITTATUM.**

A very remarkable plant, on account of its striking resemblance to a *Maranta*. It is of dwarf habit, and produces from a creeping rootstock tufts of lanceolate coriaceous green leaves, having whitish bars or stripes between the nerves, of which there are six or eight principal pairs. The flowers are rosy-red, borne in dense spikes at the foot of the leafstalks. It has been figured in the *Botanical Magazine*, Tab. 6832. 5s.

**AMASONIA CALYCINA**, 5s.

**AMORPHOPHALLUS CAMPANULATUS**, fine tubers of this gigantic Aroid. 5s. and 7s. 6d.

OIGANTEUS, 5s.

VIOSUS, a remarkable Aroid, a good illustration of which is given in the *Botanical Magazine* for February, 1888. 3 guineas.

**AMARYLLIS ROMEO**, 7s. 6d.

ROSALIND, 5s.  
 SAPHO, 7s. 6d.  
 SOUVENIR, 7s. 6d.  
 STELLA, 7s. 6d.  
 SUITANA, 10s. 6d.  
 SYLVIA, 7s. 6d.  
 THOMAS SPEED, 10s. 6d.  
 TITANIA, 7s. 6d.  
 TROJAN, 10s. 6d.  
 URANIE, 7s. 6d.  
 VERONA, 15s.  
 VESTA, 10s. 6d.  
 VESUVIUS, 7s. 6d.  
 VICTORIA, 10s. 6d.

**ANONA MURICATA** (*Sour Sap*), 15s.

RETICULATA (*Netted-leaf Custard Apple*), 15s.

**ANANASSA PENANGENSIS VARIEGATA**, 21s.**ANCHOMANES DUBIUS**, 10s. 6d.**ANCYLOGYNE LONOIFLORA**, 3s. 6d.**ANTHURIUM ANDREANUM**, 5s. and 7s. 6d.

BAKERI, 10s. 6d.

**ANTHURIUM CARNEUM.**

A handsome and attractive new hybrid, between *Anthurium ornatum* and *A. Andreanum*. The spathe is heart-shaped, from six to seven inches long and five to six inches broad, and is of a charming rosy-carmine colour. Of vigorous growth, this splendid variety freely produces its grand flowers, each spathe remaining in beauty several months, thus rendering it of the greatest value for decorative purposes. 5s. and 7s. 6d.

**ANTHURIUM CANDIDUM**, 3s. 6d.

CHANTRIERI, 10s. 6d. and 15s.

CHELSEIENSE, *vide* page 10.

CRUENTUM, 15s. and 21s.

CRYSTALLINUM, 3s. 6d., 5s. and 7s. 6d.

DECHARDI, 3s. 6d. and 5s.

**ANTHURIUM FERRIERENSE**, 3s. 6d. and 5s.

FLORIBUNDUM, 3s. 6d.

GALEOTTIANUM, 5s.

HARRISII PULCHRUM, 7s. 6d. and 10s. 6d.

HYBRIDUM, 7s. 6d. and 10s. 6d.

INTERMEDIUM, 7s. 6d. and 10s. 6d.

**ANTHURIUM INSIGNE.**

A noble and striking Aroid imported from the United States of Colombia. The leaf-blade is three-lobed, the middle lobe lanceolate, and the two lateral lobes semi-ovate. The young leaves have a bronzy tinge before taking on the full green of the mature foliage. This distinct plant has been frequently shown in Mr. W. B.'s winning collections of New Plants. 7s. 6d. and 10s. 6d.

**ANTHURIUM LIEVENSI**, 15s. and 21s.

LEUCONEURUM, 3s. 6d.

LUCIDUM, 5s.

MACROLOBUM, 5s. and 7s. 6d.

MAGNIFICUM—*syn.* *A. grande* and *A. cordifolium*, 3s. 6d.

MARQUIS DE BEAUVOIR, 2 guineas.

MOOREANUM, 15s. and 21s.

NYMPHEFOLIUM, 10s. 6d.

REGALE, 3s. 6d. and 5s.

REINE DES BELGES, 10s. 6d.

ROTHSCHILDIANUM.

**ANTHURIUM SCHERZERIANUM**, 3s. 6d. and 5s.

SCHERZERIANUM ALBUM GRANDIFLORUM, 15s. and 21s.

— FORMOSUM, 2 and 3 guineas.

— GIGANTEUM, 1, 1½ and 2 guineas.

— MAXIMUM, *vide* page 11.

— RUBRUM, 1 and 1½ guinea

— SPLENDENS, 1, 1½ and 2 guineas.

— WARDII, 1, 1½ and 2 guineas.

— WILLIAMSI, 3s. 6d.

TRIUMPHANS, 10s. 6d. and 15s.

**ANTHURIUM SCHERZERIANUM ROSEUM.**

An extremely pretty variety of the well-known Flamingo Plant, *Anthurium Scherzerianum*, producing charming rose-coloured spathes flushed with salmon, in striking contrast to the rich scarlet spathes of the type. Owing to the enduring character of the spathes, *Anthuriums* are most desirable plants for the decoration of Stove-houses and Conservatories. 1 and 1½ guinea.

**ANTHURIUM SCHERZERIANUM SANGUINEUM.**

A very handsome and distinct variety of the well known *A. Scherzerianum*, differing from the type in the colour of its spathes, which, instead of being bright scarlet, are of a deep blood-red or dark crimson colour. This is a most desirable acquisition for exhibition, or for any decorative purpose, its attractive spathes lasting a long time in perfection. 10s. 6d., 15s. and 21s.

**ANTHURIUM CHELSEIENSE.**

An extremely handsome hybrid between *A. Veitchii* and *A. Andreanum*, with leaves resembling those of the first named. The spathes are broadly cordate, cuspidate at the apex, about 5 inches long by  $3\frac{1}{2}$  inches broad, of an intense shining rich crimson colour. The spadix is about two-thirds the length of the spathe, and slightly tapering, the basal part white, the tip tinged with a yellowish shade. The beautiful spathes are freely produced, and last a long time in perfection. 1 and  $1\frac{1}{2}$  guinea.



**ANTHURIUM SCHERZERIANUM MAXIMUM.**

A magnificent variety of this attractive flowering plant, producing gigantic flower spathes, which measure about nine inches in length by four inches in breadth, and are of a most brilliant scarlet colour. As a decorative and exhibition plant, this splendid variety will always occupy a foremost place. 3, 4 and 5 guineas.

**ANTHURIUM VEITCHII.**

VICOMTE AMEDÉ DE LA COMBE, 2 guineas.

WAROQUEANUM, 3s. 6d., 5s. and 7s. 6d.

Fine Plants, 10s. 6d. and 15s.

**ANTIGONON INSIGNE.** 7s. 6d.

SPECIOSUM, 7s. 6d.

**APHELANDRA AURANTIACA ROEZLII,**

2s. 6d. and 3s. 6d.

**APHELANDRA BLANCHETIANA (AMÆNA).**

A very pretty ornamental foliaged stove plant, with ovate acuminate leaves of a deep green colour, very attractively variegated with silvery grey on each side of the midrib and primary veins, which curve gracefully forward. It has been introduced from Brazil. 3s. 6d. and 5s.

**APHELANDRA CHAMISSONIANA,** 3s. 6d.

and 5s.

CHRYSOPS, 5s. and 7s. 6d.

ORISTATA, 2s. 6d.

LEOPOLDII, 2s. 6d.

**ARALIA CHABRIERI, vide ELEOEN-**

DRON ORIENTALE.

ELEGANTISSIMA, 5s.

FILICIFOLIA, 3s. 6d.

GUILFOYLEI, 5s.

LEPTOPHYLLA, 3s. 6d.

LONGIPES, 10s. 6d.

RETICULATA, 3s. 6d.

ROTUNDA, 7s. 6d.

VEITCHII, 5s.

— GRACILLIMA, 3s. 6d. and 5s.

See also page 28.

**ARDISIA MAMILLATA,** 3s. 6d.

OLIVERI, 3s. 6d.

POLYCEPHALA, 5s. and 7s. 6d.

**ARDISIAS, of sorts,** 2s. 6d. and 3s. 6d.**ARISTOLOCHIA ELEGANS.**

A beautiful free-flowering species with handsome and elegant flowers of a rich dark purple colour, ornamented throughout with irregular branched markings of a creamy white, and having a golden yellow eye surrounded by rich velvety purple. Its blossoms are produced in the greatest profusion. 3s. 6d.

**ARISTOLOCHIA RIDICULA.**

A very remarkable and interesting species introduced from Brazil. The upper portion of the flower is somewhat conical, widening towards the mouth, which is prolonged into two ascending and backwardly directed lobes, diverging from each other at an obtuse angle. The entire limb is of a tawny colour, with dark purple reticulations on a cream-coloured ground. 5s.

**ARISTOLOCHIA CAUDATA,** 10s. 6d.

GIOANTEA.

ORNITHOCEPHALA, 5s. and 7s. 6d.

SACCATA, 5s.

TRICAUDATA, 5s.

TRILOBATA, 3s. 6d. and 5s.

**ARTOCARPUS CANNONI, see Ficus.**

EBURNEUS, 5s.

INTEGRIFOLIUS (The Jack Fruit), 10s. 6d.

LACINIATUS METALLICUS, see Ficus.

**ASPARAGUS, of sorts, vide page 28.****BARLERIA ARGENTEA,** 5s.**BATATAS PANICULATA,** 3s. 6d. and 5s.**BAUHINIAS, of sorts,** 5s. and 7s. 6d.**BEGONIA, vide Index.****BELOPERONE ATROPURPUREA,** 5s.**BERTOLONIA FORMOSA,** 7s. 6d.

GUTTATA SPLENDENS, 15s.

MARGARITACEA SUPERBA, 7s. 6d. and 10s. 6d.

MARMOREA SUPERBA, 3s. 6d. and 5s.

PUBESCENS, 3s. 6d.

**ARISTOLOCHIA ELEGANS.****BERTOLONIA VAN HOUTTEI,** 5s.

VELUTINA, 5s.

VITTATA, 7s. 6d.

**BIGNONIA AURANTIACA,** 7s. 6d. and 10s. 6d.

CHAMBERLAYNII, 3s. 6d. and 5s.

PICTA, 3s. 6d. and 5s.

RETICULATA, 5s.

ROEZLIANA, 5s.

— VILLOSA, 5s.

VENUSTA, 3s. 6d. and 5s.

See also pages 29 and 43.

**BILLBERGIA CHLOROSTICTA,** 10s. 6d. and 15s.

EXSCAPA, 21s.

FARINOSA, 10s. 6d.

LEOPOLDII, 7s. 6d.

SAUNDERSII, 10s. 6d.

**BOUGAINVILLEA GLABRA,** 2s. 6d. and 3s. 6d.

LATERITIA, 2s. 6d. and 3s. 6d.

REFULGENS, 7s. 6d.

SPECIOSA, 2s. 6d. and 3s. 6d.

SPECTABILIS, 2s. 6d. and 3s. 6d.





**BROSIMUM**, *vide* GALACTODENDRON.

**BROWNEA** COCCINEA, 21s.

ERECTA, 1 and 1½ guinea.

GRANDICEPS, 10s. 6d.

HYBRIDA, 1½ guinea.

**BRUNFELSIA** AMERICANA, 3s. 6d.

**BURCHELLIA** CAPENSIS, 2s. 6d. and 3s. 6d.

**CALADIUM**, *vide* Index.

**CALLIPHURIA** HARTWEGIANA, 2s. 6d.

SUBEDENTATA, 2s. 6d.

**CALPICARPUM** GRNATUM, 21s.

### CAMOËNSIA MAXIMA.

One of the most gorgeously beautiful of tropical climbers, a native of West Africa. The splendid bunches of pendulous milk-white flowers, tinged with gold on the edges of the petals, grow in erect racemes from the axils of the leaves; the petals are white, venose, frilled at the margin, where they are tinted with golden-yellow. This plant has been described and illustrated in Vol. XXV. of the Transactions of the Linnean Society, p. 301, t. 36. 2 and 3 guineas.

**CAMPYLOBOTRYS**, *vide* Hoffmannia.

**CAPPARIS** FRONDOSA, 5s.

**CARAGUATA**, *vide* Tillandsia.

**CAREX** ELEGANS VARIEGATA, 2s. 6d. and 3s. 6d.

### CAREX SCAPOSA.

This ornamental species has been introduced from the mountains of Southern China. The flowers are borne in crowded cymes on long scapes, the spikelets being of a deep rose colour, while the anthers and filaments are pure white, affording a most pleasing contrast, the elegant and feathery appearance of the inflorescence being exceedingly charming. 5s. and 7s. 6d.

**CARLUDOVICA**, *vide* Index.

**CENTRADENIA** FLORIBUNDA ROSEA, 3s. 6d.

**CEROPEGIA** GARDNERI, 3s. 6d. and 5s.

**CENTROSOLENIA** BULLATA (EPISCIA TESSELLATA), 5s.

**CHAMÆCLADON** RUBENS, 5s.

**CHAMERANTHEMUM** BEYRICHI VARIEGATUM, 3s. 6d.

**CHEVALLIERA** (ECHMEA) VEITCHII, 7s. 6d. and 10s. 6d.

**CHIRITA** SINENSIS, 3s. 6d.

**CHRYSOPHYLLUM** IMPERIALE, 10s. 6d., 15s. and 21s.

**CINNAMOMUM** CASSIA (*Cassia*), 10s. 6d.

ZEYLANICUM (*Cinnamon*), 7s. 6d.

**CISSUS** ALBO-NITENS, 3s. 6d.

DISSEGLOR, 2s. 6d. and 3s. 6d.

LINDENI, 3s. 6d. and 5s.

PORPHYROPHYLLA, 3s. 6d. and 5s.

**CLERODENDRON** BALFOURIANUM, 2s. 6d. & 3s. 6d.

DELECTUM, 3s. 6d. and 5s.

FALLAX, 3s. 6d.

FRAGRANS FLORE PLENO, 2s. 6d.

### CLERODENDRON MACROSIPHON.

A very elegant stove shrub from Zanzibar. The leaves, which are about an inch broad and from two to three inches long, being irregularly toothed along the margins. The pure white flowers have slender tubes, about four and a half inches long, the limb being about one and a half inch in diameter, and five-lobed. The stamens and style are reddish-purple. 3s. 6d. and 5s.

**CLERODENDRON** NUTANS, 3s. 6d. and 5s.

SPECTIOSUM, 3s. 6d.

SPLENDENS, 3s. 6d. and 5s.

**COCHLIOSTEMA** JACOBIANUM, 5s., 7s. 6d. & 10s. 6d.

**COFFEA** ARABICA, 3s. 6d. and 5s.

LIBERICA, 3s. 6d. and 5s.

**COLA** ACUMINATA (KOLA NUT), 15s.

**COLOCASIA**, *vide* Alocasia.

**COMBRETUM** GRANDIFLORUM, 5s.

**CORYNOSTYLIS** HYBANTHUS ALBIFLORA, 3s. 6d.

**COSSIGNIA** BORBONICA, 10s. 6d.

**COSTUS** ALBESCENS, 7s. 6d.

ELEGANS, 5s.

**CRINUM** ASIATICUM, 3s. 6d.

FIMBRIATULUM, flowers in umbels, very large and showy, striped white and carmine; very fragrant. 3s. 6d.

GIGANTEUM, 7s. 6d.

**CRINUM** KIRKII, *vide* page 31.

LONGIFLORUM, 5s.

ORNATUM, 5s.

ZEYLANICUM, 3s. 6d.

*See also* page 31.

**CROTON** (CODIÆUM) AIGBUETHENSIS, 3s. 6d. & 5s.

AIGBURTH GEM, 7s. 6d.

ANDREANUS, 3s. 6d.

ANEITUMENSIS, 3s. 6d. and 5s.

ANGUSTIFOLIUS, 2s. 6d.

AUREG-PUNCTATUS, 3s. 6d.

BARON FRANK SEILLIÈRE, 3s. 6d.

BARONNE JAMES DE ROTHSCHILD, 3s. 6d.

BROOMFIELDII, 5s.

CERBERUS, 5s.

CGUNTESS, 3s. 6d. and 5s.

CYRUS, 5s.

DISRAELI, 3s. 6d.

### CROTON DELIGHT.

An extremely handsome variety, imported from the Antipodes. It has oblong acute leaves, six to eight inches long by one and a half to two inches wide. In the young state they are of a bright yellow colour, margined with green, the costa and primary veins being cream-coloured; as the leaves attain maturity, the bright central variegation changes to a clear ivory-white, with here and there a few dots of the same colour scattered through the margin of the leaf. 10s. 6d.

**CROTON** DRUGGETII, 5s.

DUKE OF BUCCLEUCH, 3s. 6d.

EARL OF DEEY, 3s. 6d.

EBURNEUS, 3s. 6d. and 5s.

**CROTON** ETNA, 3s. 6d. and 5s.

EVANSIANUS, 3s. 6d.

EXCURRENS, 10s. 6d.

FASCIATUS, *vide* C. Hendersoni.



**CROTON FLAMINGO.**

This attractive variety has been imported from the Antipodes, and is the most handsome of all the bright red or high-coloured Crotons. It has very dark bronzy green leaves, the costa and a narrow portion of the leaf on each side of it being most strikingly coloured with rich crimson, forming a central band of colour the entire length of the leaf, a few spots of crimson being scattered through the bronzy green portion of the leaf blades. 5s. and 7s. 6d.

**CROTON FORMOSUS**, 5s. and 7s. 6d.

**GLORIOSUS** (Princess of Wales), 5s.

**HASTIFERUS**, 2s. 6d. and 3s. 6d.

**CROTON HAWKERII**, 3s. 6d.

**HENDERSONI** (FASCATUS), 3s. 6d.

**HEROICUS**, 5s.

**CROTON INSIGNIS.**

A fine form with long narrow foliage. The leaves are deep green, with the midrib and veins beautifully picked out with golden-yellow, the margins and midrib rosy-crimson. 5s. and 7s. 6d.

**CROTON JUNIUS.**

A very elegant variety, with long narrow foliage of varying character; in some instances the midrib is excurrently extended and attached to another portion of the leaf-blade, while in others the leaves are entire, with slightly undulate margins. In the young state the lower half of the leaves is bright lemon-yellow, which, as the foliage attains age, becomes suffused with crimson, the remaining portion being rich bronzy green. 7s. 6d.

**CROTON MAGNIFICENT.**

A very striking and most handsome variety. In the young state the leaves have a central variegation of rich golden yellow; as the leaves mature, the midrib and primary veins, with a band on each side of the costa, assume a bright carmine tint. In some instances the bright golden colour of the young leaves becomes suffused with bright carmine. 5s. and 7s. 6d.

**CROTON MAJESTICUS**, 3s. 6d.

**CROTON MASSANGIANUS**, 3s. 6d. and 5s.

**CROTON MEMPHIS.**

One of the most handsome and ornamental varieties ever imported. It has long acuminate leaves, the rich coloration of which is extremely effective. In the young state the leaves are pale green, irregularly blotched and marmored with yellow. As the leaves mature, the green becomes deep olive, the yellow variegation changing to rich orange, marked and veined with deep crimson, a colour which eventually suffuses the whole leaf. 10s. 6d.

**CROTON MORTII**, 3s. 6d.

**MORTEFONTANENSIS**, 3s. 6d.

**CROTON NEPTUNE**, 3s. 6d. and 5s.

**NIMROD**, 3s. 6d. and 5s.

**CROTON NESTOR.**

A richly variegated form with large lanceolate leaves freely marked with a most distinctive bright golden yellow and whitish variegation; the costa or midrib is of a bright magenta-crimson and is in striking contrast to the colouring on the other parts of the leaf, the ground colour of which is bright green, interspersed with occasional blotches of bright yellow. This magnificent and attractive variety has been imported from the Antipodes. 5s. and 7s. 6d.

**CROTON NOBILIS**, 3s. 6d.

**CROTON OBERON**, 3s. 6d.

**CROTON ORNATUS.**

An attractive and distinct variety. The leaves deep green, with a narrow central band of creamy yellow, and long parallel veins of the same colour, the surface being here and there marked by blotches of yellow, the yellow parts becoming tinged with crimson. In some conditions the lines and blotches are rosy-pink, and the midrib of a deeper rosy-crimson. 7s. 6d. and 10s. 6d.

**CROTON PRINCE OF ORANGE.**

One of the most effective of the golden variegated series of Codiceums. It is of free growth having long lanceolate leaves of a rich deep gold colour, very attractive and varied in its markings, some of the leaves being entirely golden, others having blotches and marmorations of dark olive green, whilst in a few the green colour predominates, sometimes covering the entire leaf blade, with the exception of a few scattered irregular spots or blotches of gold. 15s.

**CROTON PICTURATUS**, 2s. 6d. and 3s. 6d.

**PRINCE OF WALES**, 3s. 6d.

**CROTON PRINCESS OF WALES**, *vide C. gloriosus*.

**QUEEN VICTORIA**, 3s. 6d.

**CROTON REIDII.**

A magnificent variety, one of the finest of the broad-leaved section. The young foliage is bright green, with golden midrib and veins, the costa and primary veins passing as the leaves attain age into crimson-cerise, a colour eventually extending over the entire surface of the leaf blades, but still further brightened with golden orange, blotched with dark olive green. 5s. and 7s. 6d.

**CROTON REX**, 3s. 6d.

**RUBERRIMUS**, 3s. 6d.

**SCEPTRE**, 10s. 6d.

**SCHOMBURGKIANUS**, 3s. 6d.

**SPECIOSUS**, 3s. 6d. and 5s.

**SPLENDIDUS**, 5s.

**CROTON SUNBEAM**, 3s. 6d. and 5s.

**TRICOLOR**, 7s. 6d.

**UNDULATUS**, 2s. 6d.

**VARIABILIS** (FALCATUS), 2s. 6d.

**VARIEGATUS**, 2s. 6d.

**VEITCHIANUS**, 3s. 6d.

**CROTON VICTORY**, 10s. 6d.

VOLUTUS, 3s. 6d.

WARRENTII, 3s. 6d. and 5s.

WEISMANNI, 2s. 6d. and 3s. 6d.

WILLIAMSII, 3s. 6d. and 5s.

**CRYPTANTHUS** (TILLANDSIA) ACOULIS, 3s. 6d.**CRYPTANTHUS** (TILLANDSIA) ACAULIS ZEBRINA, 5s.

(TILLANDSIA) ACAULIS ZEBRINA AUREA, 7s. 6d.

(—) BEVOKEBII, 10s. 6d.

(—) BIVITTATA, 5s. and 7s. 6d.

**CUPANIA** FILICIFOLIA, vide Jacaranda Clauseniana.**CUPANIA GRANDIDENS.**

An erect shrubby plant, introduced from Zanzibar. It has downy stems, pinnate Aralia-like leaves, having four pairs of leaflets with an odd one, the leaflets three to four inches long, oblong acuminate, and sinuately lobate. It is a handsome ornamental decorative plant. 5s. and 7s. 6d.

**CURCULIGO RECURVATA**, 3s. 6d.

RECURVATA STRIATA, 7s. 6d.

— VARIEGATA, 5s. and 7s. 6d.

**CURMERIA PICTURATA**, 3s. 6d.

WALLISII, 3s. 6d.

**CYANOPHYLLUM BOWMANII**, 5s.

MAGNIFICUM, 3s. 6d. and 5s.

**CYANOTIS** (TRADESANTIA) MULTICOLOR, 2s. 6d.

(TRADESCANTIA) ZANONIA, 3s. 6d.

(—) ZEBRINA, 2s. 6d.

(—) ARGENTEA, 2s. 6d.

**CYPERUS ALTERNIFOLIUS**, 1s. 6d. and 2s. 6d.

ALTERNIFOLIUS VARIEGATUS, 2s. 6d. and 3s. 6d.

DISTANS, 2s. 6d. and 3s. 6d.

LAXUS, 1s. 6d.

— VARIEGATUS, 3s. 6d. and 5s.

**CYRTANTHERA CHRYSOSTEPHANA**, 3s. 6d.

POHLIANA, 3s. 6d.

**CYRTOCERAS REFLEXUM**, 3s. 6d. and 5s.**CYRTODEIRA OHONTALENSIS**, 2s. 6d. and 3s. 6d.

FULGIDA, 2s. 6d. and 3s. 6d.

METALLICA, 2s. 6d. and 3s. 6d.

**DALECHAMPIA ROEZLIANA ALBA**, 2s. 6d. & 3s. 6d.

ROEZLIANA CARNEA, 2s. 6d. and 3s. 6d.

— ROSEA, 2s. 6d. and 3s. 6d.

**DICHORISANDRA AUBLETII**, 7s. 6d.**DIEFFENBACHIA TRIUMPHANS.**

A very desirable ornamental plant, from the United States of Colombia. The leaf-blades are subspreading, ovate-lanceolate, attenuately acuminate, dark green thickly covered with large irregular blotches, of a yellowish-green, the variegation showing on both surfaces of the leaf. 7s. 6d.

**DIEFFENBACHIA VELUTINA**, 2s. 6d. and 3s. 6d.

WEIRII, 2s. 6d. and 3s. 6d.

**DIOSCOREA ANECTOCHILUS**, 5s. and 7s. 6d.

ARGYREIA, 5s. and 7s. 6d.

BULBIFERA, 5s.

CHRYSOPHYLLA, 5s.

DISCOLOR VARIEGATA, 3s. 6d.

ILLUSTRATA, 3s. 6d.

METALLICA, 5s.

SPECIOSA, 5s.

**DIPLADENIA AMABILIS**, 3s. 6d.

AMENA, 3s. 6d.

BOLIVIENSIS, 3s. 6d.

**DIPLADENIA BREARLEYANA**, 3s. 6d., 5s. & 7s. 6d.

CARISSIMA, 5s. and 7s. 6d.

HARRISII, vide Odontodonia speciosa.

HYBRIDA, 3s. 6d.

INSIGNIS, 3s. 6d.

MAGNIFICA (ACUMINATA) 3s. 6d. and 5s.

UROPHYLLA, 3s. 6d. and 5s.

**DIPTERIX ODORATA** (TONQUIN BEAN), 42s.**DORSTENIA ARGENTEA**, 5s.

BARTERI, 7s. 6d.

CAULESCENS, 7s. 6d.

THOMSONII, 7s. 6d.

**DRACÆNA ARGENTEO-STRATA.**

An extremely elegant narrow-leaved species, imported from the South Sea Islands. It has linear lanceolate bright green leaves, beautifully striated and occasionally margined with creamy-white, the bright green being also relieved with streaks of silvery grey. It is of exceptionally neat habit, and admirably adapted for table decoration and other ornamental purposes. 2 and 3 guineas.

**DRACÆNA ALBO-MARGINATA**, 3s. 6d.

AMABILIS, 2s. 6d. and 3s. 6d.

ANERLEYENSIS, 3s. 6d. and 5s.

AURANTIACA, 3s. 6d. and 5s.

BAPTISTII, 3s. 6d.

BAUSEI, 3s. 6d. and 5s.

BERKELEYI, 3s. 6d. and 5s.

CANTRELLII, 7s. 6d.

CAUSTONI, 3s. 6d. and 5s.

CONGESTA (RUBRA), 2s. 6d. and 3s. 6d.

COOPERI, 2s. 6d. and 3s. 6d.

ORISULA, 3s. 6d.

**DRACÆNA ELIZABETHÆ**, 3s. 6d.

ERNESTII, 3s. 6d. and 5s.

FERREA VARIEGATA, 3s. 6d.

FRAGRANS, 2s. 6d., 3s. 6d. and 5s.

— VARIEGATA, 7s. 6d.

FREDERICI, 3s. 6d. and 5s.

GLADSTONEI, 3s. 6d. and 5s.

GOLDIEANA, 7s. 6d. and 10s. 6d.

GRAOILIS, 2s. 6d. and 3s. 6d.

GUILFOYLEI, 2s. 6d. and 3s. 6d.

IGNEA, 3s. 6d.

LEONARDII, 3s. 6d.



**EURYCLES AUSTRALASICA.**

A beautiful bulbous plant introduced from Australia. It is free-flowering, and produces large heads of elegant and charming white flowers, especially useful for all purposes for which cut flowers are required. 3s. 6d. each; 36s. per dozen.

**DRACENA LINDENI.**

In habit this most distinct and striking *Dracena* is somewhat similar to the handsome variegated form of *D. fragrans*, but differs from it in the variegation being marginal instead of central. Its elegantly recurved leaves are of a deep green colour, and are traversed their entire length by bands of creamy-white and various shades of yellow; the diverse forms of the variegation render the plant of the highest value for decoration. 3s. 6d., 5s. and 7s. 6d.

**DRACENA MAJESTICA**, 3s. 6d. and 5s.

MASSANOEANA, *vide* fragrans variegata.

MRS. BAUSE, 3s. 6d. and 5s.

MRS. C. J. FREAKE, 3s. 6d.

MRS. WILLS, 3s. 6d.

PHRYNIOIDES, 7s. 6d.

REGINA, 3s. 6d.

RENARDIE, 5s.

ROSSII, 3s. 6d. and 5s.

RUBRA, *vide* D. congesta.

SALMONEA, 3s. 6d. and 5s.

SPLENDENS, 3s. 6d. and 5s.

STRICTA, 3s. 6d.

SUPERBA, 3s. 6d. and 5s.

SURCULOSA MACULATA, 5s.

**DRACENA SYDNEYI**, 3s. 6d.

TERMINALIS, 2s. 6d. and 3s. 6d.

— ALBA, 3s. 6d. and 5s.

THOMSONII, 3s. 6d. and 5s.

VIVICANS, 3s. 6d. and 5s.

WILLSII, 3s. 6d. and 5s.

WILSONI, 5s., 7s. 6d. and 10s. 6d.

*See also* page 33.

**DRACONTIUM ASPERUM**, 5s.

CARDERII, 7s. 6d.

SCALPTURATUM, 7s. 6d.

**DRYMONIA TURIALVÆ**, 5s.

DYCKIA BREVIFOLIA, 7s. 6d.

ECHITES, *vide* Dipladenia.

PICTA, 3s. 6d. and 5s.

**ELÆOCARPUS GRANDIS.**

A pretty evergreen plant from the district of the Pine River, in Queensland. It is furnished with lanceolate crenulate leaves, affixed by short red petioles. The flowers are charming and larger than in any of the allied species, the petals white, divided into about five deeply fringed lobes, silky pubescent at the margins. 5s. and 7s. 6d.

**ELÆODENDRON ORIENTALE** (ARALIA CHABRIERII), 5s.

**ELETARIA DIEPENHORSTII**, 5s.

**ENCEPHALARTOS**, *vide* Index.

**ENCHOLIRION CORALLINUM**, 7s. 6d.

**EPIPHYLLUMS**, of sorts; useful for winter and early spring blooming, and very showy and attractive. 30s. and 42s. per dozen.

**EPIPREMNUM MIRABILE** ("TONOA PLANT"), 3s. 6d. and 5s.

**EPISCIA TESSELLATA**, *vide* *Centrosolenia bullata*.

**ERANTHEMUM MACROPHYLLUM.**

A very desirable winter-flowering stove plant introduced from India. Its pretty light blue flowers are borne in terminal and axillary spikes, the two upper petals and the lateral ones being reflexed on the sides of the long whitish tube; the lower petal or lip extends horizontally and is of a deep bright blue colour. It is very free flowering and of good habit. 5s.

**ERANTHEMUM CINNABARINUM**, 5s.

**PULCHELLUM**, 2s. 6d. and 3s. 6d.

**TRICOLOR**, 3s. 6d.

**VELUTINUM**, 5s.

**VERBENACEUM**, 3s. 6d.

**ERYTHRINA PAROELLII**, 10s. 6d.

*See also* page 33.

**ERYTHROXYLON COCA**, 10s. 6d.

**EUCHARIS AMAZONICA**, 1s. 6d. and 2s. 6d.; 15s. and 24s. per dozen.

**CANDIDA**, 2s. 6d. each; 24s. per dozen.

**MASTERSII**, 3s. 6d.

**STEVENSII**, 7s. 6d. and 10s. 6d.

**EUADENIA EMINENS**, 21s.

**EUCODONIA**, *vide* Index.

**EUGENIA JAMBOS** (*Rose Apple*), 10s. 6d.

**PIMENTA** (*Allspice*), 5s.

*vide also* page 33.

**EUPHORBIA JACQUINLEFLORA**, 2s. 6d. and 3s. 6d.

**EURYCLES AUSTRALASICA**, *vide* page 16.

**EXOSTEMMA CHONTALENSIS**, 10s. 6d.

**FERNS**, *vide* Index.

**FICUS BARBATA**, 2s. 6d. and 3s. 6d.

(**ARTOCARPUS**) **CANNONI**, 3s. 6d.

**EBURNEA**, 5s.

**ELASTICA**, 3s. 6d.

— **VARIEGATA**, 5s. and 7s. 6d.

**EXSCULPTA**, 3s. 6d. and 5s.

**INDICA**, 3s. 6d.

(**ARTOCARPUS**) **LACINIATA METALLICA**, 3s. 6d.

**MOOREI**, 5s.

**RADICANS**, 3s. 6d.

**RELIOSEA** (*Sacred Indian Fig*), 7s. 6d.

**FICUS SYCOMORUS** (*Sycamore Tree of Scripture*), 7s. 6d. and 10s. 6d.

**FILICUM DECIPIENS**, 5s. and 7s. 6d.

**FITTONIA ABOYRONEURA**, 2s. 6d.

**OIOANTEA**, 2s. 6d.

**PEARCEI**, 2s. 6d.

**FRANCISCEA CALYCINA**, 3s. 6d. and 5s.

**CONFERTIFLORA** (**LAURIFOLIA**), 3s. 6d.

**EXIMIA**, 3s. 6d.

**LINDENI**, 3s. 6d.

**MAONIFICA**, 3s. 6d. and 5s.

**VIOLAOEA GRANDIFLORA**, 3s. 6d. and 5s.

**GALACTODENDRON UTILE** (*Milk Tree*), 31s. 6d.

**GARCINIA LIVINOSTONI**, 10s. 6d. and 15s.

**GARDENIA CITRIODORA**, 3s. 6d.

**FLORIDA**, 2s. 6d. and 3s. 6d.

**OLOBOSA**, 5s.

**RADIOANS**, 2s. 6d. and 3s. 6d.

**THUNBERGII**, 5s.

**GEISSOMERIA MARMORATA**, 3s. 6d.

**GESNERA**, **CALYPSO**, *vide* page 3.

**DUVALII**, 3s. 6d.

**LEOPOLDII**, 3s. 6d.

— **ALBO-CARMINEA**, 3s. 6d.

— **ROSEO-LILACINA**, 3s. 6d.

**MACRANTHA**, 2s. 6d.

*vide* Index.

**GLORIOSA PLANTII**, 2s. 6d. and 3s. 6d.

**SUPERBA**, 3s. 6d.

**GLOXINIA**, *vide* Index.

**GONOLOBUS CUNDURANOO**, *vide* page 33.

**GOODYERA**, *vide* Orchids.

**GRIFFINIA HYACINTHINA.**

An extremely handsome and ornamental free-flowering bulbous plant from Brazil. The flower scape is about a foot high, and bears an umbel of from fifteen to twenty flowers of a beautiful bluish lilac colour, shading off to white at the base of the segments. 5s. and 7s. 6d.

**GUZMANNIA PICTA** (**NIDULARIUM FULGENS**), 7s. 6d. and 10s. 6d.

**HÆMANTHUS CINNABARINUM**, a very handsome species, bearing fine heads of bright cinnabar-red flowers, 3s. 6d.

**KALBREYERI**, 5s.

**KATHERINE**, 5s. and 7s. 6d.

**NATALENSE**, 7s. 6d.

*vide also* page 33.

**HEVEA BRASILIENSIS** (*Para Rubber*).

**HEDYCHUM ACUMINATUM**, 5s.

**HEDYCHUM GARDNERIANUM**, *vide* page 33.

**HELICONIA AUREO-STRIATA**, 5s. and 7s. 6d.

**BREVISPATHA**, 10s. 6d.

**ILLUSTRI**, *vide* page 18.

**HEMIGRAPHIS COLORATA**, 3s. 6d.

**HIBISCUS ROSA SINENSIS ALBO-VARIEGATA**, 2s. 6d. and 3s. 6d.

**ROSA SINENSIS BRILLANTISSIMA**, 2s. 6d.

— **COLLEI**, 2s. 6d.

— **DENNISONI**, 2s. 6d.

— **INTERMEDIA**, 7s. 6d.





HELICONIA ILLUSTRIS.

**HELICONIA ILLUSTRIS.**

This handsome Heliconia is undoubtedly one of the most beautifully coloured foliage plants ever introduced. It comes from the South Sea Islands and is of Musa-like growth, the leaves being arranged in two ranks above and tufted at the base. The stalks are sheathing and of a bright rose-pink colour, supporting ovate-lanceolate spreading leaves, the prominent midrib of a beautiful rose-pink colour, the secondary veins, of which many run to the margin and form loops, being of the same brilliant colour. It will form, without question, a most superb adornment to our Stoves. Price on application.

**HIBISCUS ROSA SINENSIS LAMBERTII**, 2s. 6d.

ROSA SINENSIS MAONIFICA, 5s.

— — — MINIATA SEMI-PLENA, 2s. 6d.

— — — PUNICEA, 2s. 6d.

— — — VIVICANS, 3s. 6d.

— — — ZEBRINA, 3s. 6d.

MOSCHATUS, 7s. 6d.

**HIBISCUS SCHIZOPETALUS**, 2s. 6d. and 3s. 6d.

See also page 44.

**HIPPEASTRUM**, vide **AMARYLLIS**.**HOFFMANNIA (HIOOINSLA) GHIESBREGHTII**, 2s. 6d. and 3s. 6d.

ORTGIESII, 3s. 6d.

REFULOENS ROBUSTA, 3s. 6d.

**HOMALONEMA PELTATUM**, 10s. 6d.**HOPLOPHYTUM LINEATUM**.

A striking variegated Bromeliaceous plant from Brazil with cylindric tufts of leaves, spreading at the apex. The leaves are oblong strap-shaped, concave, abruptly acuminate, finely and remotely toothed, green, with alternating broad stripes of white. 2 and 3 guineas.

**HOYA BELLA**, 2s. 6d. and 3s. 6d.

CAMPANULATA, 3s. 6d. and 5s.

CARNOSA, 2s. 6d. and 3s. 6d.

IMPERIALIS, 3s. 6d. and 5s.

PANTONI, 2s. 6d. and 3s. 6d.

**HYDROCOTYLE NITIDULA**, 3s. 6d.**HYMENOCALLIS MACROSTEPHANA**, 10s. 6d., 15s. and 21s.Vide *Pancratium*.**HYPOLYTRUM SCHRADERIANUM**, vide page 20.**HYMENOSPORUM FLAVUM**.

A handsome evergreen plant of branching habit, furnished with broadly obovate glabrous leaves. The flowers form a compound terminal corymb, and are yellow marked with orange-red at the mouth of the tube-like portion, and clothed outside with silky hairs. 5s. and 7s. 6d.

**IMPATIENS FLACOIDA (PLATYPETALA)**, 2s. 6d.

FLACIDA (PLATYPETALA) ALBA, 1s. 6d.

HAWKERII, 2s. 6d. and 3s. 6d.

SULTANI, 1s. 6d.

— — — CARMINATA, 2s. 6d. and 3s. 6d.

— — — SALMONEA, 2s. 6d. and 3s. 6d.

**IPOMŒA HORSFALLIÆ**, 5s. and 7s. 6d.**IPOMŒA LEAII**, 2s. 6d. and 3s. 6d.

TERNATA (THOMSONIANA), 5s.

**IXORA AMABILIS**, 3s. 6d.

AURELIA, 3s. 6d.

COCCINEA SUPERBA, 3s. 6d.

DUFFII, vide *I. macrothyrsa*.

EXIMIA, 7s. 6d.

**IXORA ILLUSTRIS**.

A splendid variety, producing immense trusses of flowers of a fine bright orange-salmon colour; extremely showy and ornamental. 10s. 6d.

**IXORA LOBBII**, 7s. 6d.

MACROTHYRSA (DUFFII), 3s. 6d. and 5s.

MIRANDA, 7s. 6d.

MODIOLA, 5s.

ORNATA, 7s. 6d.

PILORIMII, 3s. 6d.

**IXORA PRINCE OF ORANGE**, 3s. 6d.

PRINCEPS, 3s. 6d.

REGINA, 3s. 6d.

SANGUINEA, 3s. 6d.

SPECIOSA, 10s. 6d.

VERONA, 3s. 6d.

**IXORA SALMONEA**.

This distinct and attractive variety bears large trusses of light buff flowers, marked with bright salmon, the blossoms being of good shape. From its excellent habit, and free-flowering qualities, this variety will be found of great service for exhibition and decorative purposes generally. 15s.

**IXORA WESTII**, 3s. 6d.**IXORA WILLIAMSII**, 3s. 6d.**IXORA VENUSTA**.

A beautiful variety producing fine trusses of very large flowers, which on first opening are of a bright orange colour, changing afterwards to salmon-buff. 7s. 6d.

**JACARANDA CLAUSSENIANA (CUTANIA FILICIFOLIA)**, 10s. 6d. and 15s.

ELEOANTISSIMA, 10s. 6d.

MIMOSIFOLIA, 5s.

**JASMINUM DUCHESSE D'ORLEANS**, 3s. 6d.

ORACILLUM, 2s. 6d. and 3s. 6d.

HIRSUTUM (MULTIFLORUM), 2s. 6d. &amp; 3s. 6d.

LIQUISTRIFOLIUM, 3s. 6d.

SAMBAC, 2s. 6d. and 3s. 6d.

— — — FLORE PLENO, 3s. 6d.

See also page 34.

**JATROPHA MULTIFIDA**, 5s.**JONESIA ASOCA**, 10s. 6d. and 15s.**JUSTICIA FLAVACOMA**, 2s. 6d.**KEMPFERIA BENSONIÆ**, 7s. 6d.

GILBERTII, 3s. 6d.

MOULMEINENSIS, 7s. 6d.

ROSCOEANA, 5s.

ROTUNDA, 5s.

UNDULATA, 5s.

**KYLLINGIA MONOCEPHALA**, 3s. 6d.**LABISIA ALATA**, 7s. 6d.

MALOUANA, 10s. 6d.

**LAMPROCOCCUS (ÆCHMEA) FULOENS**, 3s. 6d. and 5s.

(ÆCHMEA) MINIATUS, 5s.

(—) SPECIOSUS, vide page 21.

(—) WEILBACHI, 7s. 6d.





HYPOLYTRUM SCHRADERIANUM.

**HYPOLYTRUM SCHRADERIANUM.**

An ornamental Cyperaceous plant from Brazil. The leaves are crowded in bold triangular tufts; each leaf is about 2 feet 6 inches in length by  $2\frac{1}{4}$  inches in breadth, purplish sheathing and folding at the base, expanding above into arching strap-like leaves of firm texture, green with purplish-red margins, traversed on the upper surface by two ribs running equi-distant from base to apex. The bold triangular tuft of leaves, the colour, and the peculiar venation of the leaves, give to this plant a very distinct appearance. 2 and 3 guineas.

## LAMPROCOCCUS SPECIOSUS.

A highly ornamental Brazilian Bromeliad, with spreading tufted leathery leaves, oblong acute and mucronate, finely toothed at the margin and concave above, more or less densely covered with silvery scales, especially on the under surface. On the upper surface the leaves are bright shining green, banded with broad longitudinal stripes of clear yellow. 3 guineas.

**LANDOLPHIA** KIRKII, 10s. 6d.

WATSONIANA, 7s. 6d.

**LAPORTEA** SCHOMBURGKII VERSICOLOR, 10s. 6d.

**LASIANDBRA**, *vide* page 35.

**LAURUS** CINNAMOMUM, 5s. and 7s. 6d.

**LEDENBERGIA** ROSEO-ÆNEA, 3s. 6d.

**MACROZAMIA**, *vide* Index.

**MAGNOLIA** PUNILA, 3s. 6d. and 5s.

**MANETTIA** BICOLOR, 2s. 6d. and 3s. 6d.

CORDATA, 2s. 6d. and 3s. 6d.

**MANGIFERA** INDICA (Mango), 21s.

**MARANTA** ARUNDINACEA (*The Arrowroot Plant*), 7s. 6d.

ARUNDINACEA VARIEGATA, 3s. 6d. and 5s.

BELLA, 7s. 6d.

BICOLOR, 5s.

CONSPICUA, 7s. 6d.

GRATIOSA, 7s. 6d.

ICONIFERA, 3s. 6d.

KERCHOVEANA, 3s. 6d. and 5s.

LEOPOLDII, 3s. 6d.

LINDENI, 3s. 6d.

LUBBERSII, 3s. 6d.

MAKOYANA, 3s. 6d.

MASSANGEANA, 3s. 6d.

MUSAICA, 10s. 6d.

NITENS, 7s. 6d.

NITIDA, 10s. 6d.

PRASINA, 7s. 6d.

ROSEO-PICTA, 3s. 6d.

VEITCHII, 3s. 6d. and 5s.

WARSCWICZII, 3s. 6d.

WIOITII, 5s.

ZEBRINA, 3s. 6d.

**MARCGRAVIA** PARADOXA, 3s. 6d.

**MEDINILLA** AMABILIS, 3s. 6d.

CURTISII, 3s. 6d.

MAGNIFICA, 3s. 6d.

**MELASTOMA** MALABATHRICA, 5s.

MESUA FERREA, 7s. 6d. and 10s. 6d.

**METHONICA**, *vide* Gloriosa.

**MEYENIA** ERECTA, 2s. 6d. and 3s. 6d.

**MICANIA** PULVERULENTA, 3s. 6d.

**MONSTERA** DELICIOSA (*Philodendron* pertusum), 5s. and 7s. 6d.

**MUSA** CAVENDISHII, 10s. 6d. and 15s.

ZEBRINA, 10s. 6d. and 15s.

**MUSSENDA** ERYTHROPHYLLA, 10s. 6d.

FRONDOSA, 2s. 6d. and 3s. 6d.

**MYRISTICA** MOSCHATA (*Nutmeg*), 2 guineas.

**NÆGELIA**, *vide* GESNERA.

**NAPOLEONA** IMPERIALIS, 5s. and 7s. 6d.

**NEPENTHES** AMPULLARIA VITTATA, 10s. 6d.

CHELSONI, 21s.

COCCINEA, 15s.

COURTII, 21s.

DISTILLATORIA, 10s. 6d.

DOMINII, 10s. 6d.

DORMANTIANA, 10s. 6d.

GRACILIS MAJOR, 5s.

HENRYANA, 15s. and 21s.

HOOKEI (*Sir Joseph Hooker's Pitcher Plant*), 1 guinea.

HOOKEI (*Lady Hooker's Pitcher Plant*), 1 and 1½ guinea.

INTERMEDIA, 10s. 6d.

KENNEDYANA, 10s. 6d.

LAWRENCEANA, 10s. 6d. and 15s.

MASTERSIANA, 1 and 1½ guinea.

MOROANÆ, 10s. 6d. and 15s.

OUTRAMIANA, 10s. 6d.

RAFFLESIANA, 15s.

RATCLIFFIANA, 10s. 6d. and 15s.

SEDENI, 5s.

STEWARTII, 10s. 6d.

SUPERBA, 10s. 6d.

## NEPHTHYTIS LIBERICA.

A new species of an interesting little group of tropical West African Arads. It has a creeping stem and sagittate leaves of a cheerful green colour; the flower scape is terete, with a few minute scattered prickles; the spathe is greenish white. 7s. 6d.

**NEPHTHYTIS** PICTURATA, *vide* page 22.

**NIDULARIUM** FULGENS, *vide* Guzmanina picta.

INNOCENTII, 3s. 6d. and 5s.

— STRIATUM, *vide* page 23.

METALLICUM, 10s. 6d. and 15s.

SPECTABILE, 7s. 6d. and 10s. 6d.

**OCHROSIA** ELLIPTICA, 5s.

**ODONTODENIA** SPECIOSA (*DIPLADENIA HARRISII*), 10s. 6d.

**ONCIDIUM**, *vide* ORCHIDS.

**OPHIOPOGON**, *vide* page 36.

**OPISMENUS** IMBECILLUS VARIEGATUS (*Panicum* VARIEGATUM), 1s. 6d.

INTERMEDIUS (*Panicum INTERMEDIUM*), 2s. 6d. and 3s. 6d.

**ORCHIDS**, *vide* Index.

**OXALIS** BUPLEURIFOLIA, 5s.

SENSITIVA, 3s. 6d. and 5s.

**PALISOTA** BARTEII, 5s.

**PALMS**, of sorts, *vide* Index.

**PANAX** DISSECTUM, 7s. 6d.

FRUTICOSUM, 7s. 6d.

VICTORIE, 2s. 6d. and 3s. 6d.

## PANCRATIUM CARIBBÆUM.

A very distinct and beautiful species from the West Indies; its flowers are pure white, very fragrant and most useful for cutting for bouquets and other decorative purposes. 2s. 6d. and 3s. 6d.



**NEPHTHYTIS PICTURATA.**

A very distinct and ornamental stove Aroid from the Congo, remarkable for the handsome variegated character of its foliage. The plant is stemless, with terete green petioles growing about a foot high, and broadly ovate-hastate leaves, which are abruptly pointed at the apex; the colour is bright green with a silvery-white variegation between the nerves. This variegation is peculiar and quite unique in character, forming a pattern resembling in outline the tips of fern fronds laid between the nerves, with their points all directed towards the base of the leaf. 21s.



NIDULARIUM INNOCENTII STRIATUM.

**NIDULARIUM INNOCENTII STRIATUM.**

This striking and ornamental Bromeliaceous plant has been imported from Brazil. It has bright green leaves from eight to twelve inches long, most effectively striped or striated with a central white variegation, deepening off to a creamy-yellow, rendering it a most charming and attractive decorative plant. The margins of the leaves are furnished with small spinose teeth. 7s. 6d., 10s. 6d. and 15s. Fine plants, 1½ and 2 guineas.



**PANCRATIUM AMOENUM**, 3s. 6d.  
*CARIBBÆUM*, *vide* page 21.  
*FRAORANS*, 3s. 6d., 5s. to 21s.  
*GUIANENSE*, 7s. 6d. and 10s. 6d.

**PANCRATIUM MACROPHYLLUM**, 10s. 6d., 15s.  
 and 21s.  
*LITTORALE*, 5s.  
*SPECIOSUM*, 5s. & 7s. 6d.

### PANCRATIUM ZEYLANICUM.

An exceedingly attractive dwarf-growing stove species, bearing large pure white flowers, very deliciously scented. As will be seen by the illustration, the corona is funnel-shaped and deeply serrated on the margin, from which the filaments arise and incurve towards the centre. The petals being gracefully recurved, lend an additional charm to the flowers of this desirable species. *Vide* illustration. 2s. 6d. each; 24s. per dozen.

**PANDANOPHYLLUM**  
*HUMILE*, 1½ guinea.

**PANDANUS JAVANICUS** *VARIEGATUS*, 3s. 6d. & 5s.  
*LARYRINTHIOS*, 3s. 6d.  
 and 5s.

*LAIS*, 3s. 6d. and 5s.

*VEITCHII*, 2s. 6d. & 3s. 6d.

**PANICUM VARIEGATUM**, *vide*  
*Oplismenus*.

*INTERMEDIUM*, *vide* *Oplismenus*.

**PARITUM ELATUM** (CUBA  
*BAST*), 7s. 6d.

**PASSIFLORA BUONAPARTEA**,  
 2s. 6d. and 3s. 6d.

*CARDINALIS*, 2s. 6d. & 3s. 6d.

*EDULIS*, 2s. 6d. & 3s. 6d.

*FULGENS*, *vide* *Tacsonia*  
*Buchanani*.

*KERMESINA*, 3s. 6d.

*LAURIFOLIA*, 5s.

*MACROCARPA*, 3s. 6d. &  
 5s.

*PRINCEPS* (*RACEMOSA*), 3/6

*QUADRANGULARIS*, 2s. 6d.  
 and 3s. 6d.

— *VARIEGATA*, 3s. 6d.  
 and 5s.

*VIOLACEA*, 3s. 6d.

*VITIFOLIA*, *vide* *Tacsonia*  
*Buchanani*.

*See also* page 36.

**PAULLINIA HOOIBRENNII**,  
 10s. 6d.

*OCEANIOA*, 10s. 6d.

*SORBILIS*, *Guarana Tea Plant*, 10s. 6d.

*THALICTRIFOLIA*, 3s. 6d.

**PAVETTA ROSEONICA**, 7s. 6d.

**PAVONIA MAKOTANA**, 3s. 6d.

*MULTIFLORA* (*WIGHTII*), 3s. 6d.

**PELLIONIA DAVEAUNA**, 2s. 6d.

*PULOHRA*, 2s. 6d.

**PENTAS CARNEA**, 1s. 6d. and 2s. 6d.

*KERMESINA*, 1s. 6d. and 2s. 6d.

**PEPEROMIA EBURNEA**, 3s. 6d.

**PHILODENDRON CARDERI**, 7s. 6d.

*CRINIPES*, 5s.

*DISCOLOR*, 5s.

*GLORIOSUM*, 5s. and 7s. 6d.

*IMPERIALE* (*MAMEI*), 5s. and 7s. 6d.

*LINDENIANUM*, 3s. 6d. and 5s.



### PANCRATIUM ZEYLANICUM.

**PHILODENDRON MELANOCORYS**, 5s.

*NOBILE*, 7s. 6d. and 10s. 6d.

*PERTUSUM*, *vide* *Monstera deliciosa*.

*QUERCIFOLIUM*, 5s.

*RADIATUM*, 5s.

**PHYLLANTHUS ATROPURPUREUM**, 3s. 6d.

*ELEGANS*, 5s.

*ELONGATUM*, *vide* page 3.

*MUCRONATUM*, 3s. 6d.

*NIVOSUM*, 3s. 6d.

*ROSEO-PIOTUM*, 3s. 6d.

*SUBMARGINATUM*, 3s. 6d.

**PHYLLANTHUS OOMORENSE**, 7s. 6d.

**PHYLLANTHUS LINDENI**, 3s. 6d. and 5s.

**PIPER ARGENTEUM**, 10s. 6d.

*ORNATUM*, 2s. 6d. and 3s. 6d.

**PIPERS**, of sorts, 2s. 6d. and 3s. 6d.

### PITCAIRNIA ALTA.

An attractive plant, of graceful habit, with very long and narrow recurved drooping foliage; it bears a tall branching spike of bright coral red blossoms; the flowers individually are from 2 to 2½ inches long, and have bright yellow stamens, forming an effective contrast. 10s. 6d.

**PITCAIRNIA CORALLINA**, 5s. and 7s. 6d.

**PLATYPHYLLA**, 7s. 6d.

**TABULEFORMIS**, 3s. 6d. and 5s.

**PLUMBAGO COCCINEA SUPERRA**, 2s. 6d. & 3s. 6d.

**ROSEA**, 2s. 6d. and 3s. 6d.

See also page 36.

**POGOSTEMON PATCHOULI**, 2s. 6d. and 3s. 6d.

**POINSETTIA PULCHERRIMA**, 1s. 6d. and 2s. 6d.

**PULCHERRIMA ALBA**, 2s. 6d. and 3s. 6d.

— **PLENISSIMA**, 2s. 6d. and 3s. 6d.

— **ROSEO-CARMINATA**, 2s. 6d.

**PORTLANDIA GRANDIFLORA**, 7s. 6d.

**POTHOS ARGENTEUS**, 7s. 6d. and 10s. 6d.

**ARGYREIOS**, 2s. 6d. and 3s. 6d.

**AUREUS**, 3s. 6d. and 5s.

**CELATOCALYX**, 2s. 6d., 3s. 6d. and 5s.

**FLEXUOSUS**, 7s. 6d. and 10s. 6d.

**MACROPHYLLUS**, 3s. 6d.

**NITENS**, 5s. and 7s. 6d.

**PSIDIUM CATTLEIANUM** (The Guava), 3s. 6d. and 5s.

**PUYA MAIDIFOLIA**, 5s.

**SULPHUREA**, 7s. 6d.

**PUYA UNDULATA**, 7s. 6d.

**RAVENALA MADAGASCARIENSIS**, "The Traveller's Tree," 7s. 6d. and 10s. 6d.

**REIDIA OLIVESCENS**, 2s. 6d. and 3s. 6d.

**RHOPALA**, of sorts, 5s., 7s. 6d. and 10s. 6d.

**ROGEIRA CORDATA** (AMORNA), 3s. 6d.

**GRATISSIMA**, vide page 37.

**RONDELETIA SPECIOSA MAJOR**, 3s. 6d.

**RUELLIA ACUTANGULA**, 5s.

**PORTELLE**, 3s. 6d.

**ROSEA**, 3s. 6d.

**SACCHARUM OFFICINARUM**, "Sugar Cane," 5s.

**SANCHEZIA NOBILIS OLIVACOPHYLLA**, 3s. 6d.

**NOBILIS VARIEGATA**, 3s. 6d.

**SANSEVIERA ZEYLANICA**, 3s. 6d.

**SCHISMATOGLOTTIS DECORA**, 5s.

**LATIFOLIA**, 5s.

**LAVALLEI**, 5s.

**LONISPATHA**, 5s.

**SIAMENSIS**, 10s. 6d.

**VARIEGATA**, 3s. 6d.

**SCHISTOCASIA PORTEI**, vide *Alocasia Portei*.

### SCHUBERTIA GRAVEOLENS.

An exceedingly handsome stove climber, of free growth, producing in great abundance clusters of funnel-shaped white flowers, individually nearly three inches across, very sweet scented, and from the great consistency of the blooms, lasting a long time when cut and placed in water. 3s. 6d. and 5s.

### SCINDAPSUS ARGYRÆUS.

A creeping-stemmed Arad, the stems fixing themselves by rooting as they advance in growth. The leaves are glabrous, the juvenile ones ovate acuminate, very silvery and glossy on the surface; the older and more mature leaves are pinnatifid, and become silvery on the surface like the younger ones. It has been imported from the East Indies. 3s. 6d.

**SINNINGIA PURPUREA NIOBA**, 3s. 6d.

**SMILAX DISCOLOR**, 7s. 6d.

**SHUTTLEWORTHII**, 7s. 6d.

**SOLANDRA GRANDIFLORA**, 3s. 6d.

**SOLANUM WENDLANDI**, bears magnificent terminal heads of large bluish violet flowers with yellow anthers; very handsome and striking, 5s. and 7s. 6d.

**SONERILA MACULATA** (ORIENTALIS), 3s. 6d.

**MACULATA PICTA**, 3s. 6d.

— **PUNCTATA**, 3s. 6d.

**SPATHIPHYLLUM PICTUM**, 5s.

**SPATHODEA CAMPANULATA**, 7s. 6d.

**SPHEROGYNE LATIFOLIA**, 3s. 6d.

**SPHEROSTEMA MARMORATUM**, 3s. 6d. and 5s.

**STADMANNIA AMABILIS**, 10s. 6d.

**STENOSPERMATIUM WALLISII**, 5s.

**STEPHANOTIS FLORIBUNDA**, 3s. 6d.

**FLORIBUNDA**, "Elvaston" variety, 3s. 6d. and 5s.

**STERCULIA DISCOLOR**, 5s. and 7s. 6d.

**STEUDNERA COLOCASIEFOLIA**, 5s.

**DISCOLOR**, 10s. 6d.

**STRELITZIA AVOUSTA**, 15s.

**ROBINÆ**, 5s. and 7s. 6d.

**STREPTOCARPUS REXII**, 2s. 6d. and 3s. 6d.

**REXII HYBRIDS**.—Many pretty varieties of various shades of colour. 3s. 6d. each, 36s. per dozen.

**SYNGONIUM ALBO-LINEATUM**, 3s. 6d.

**WENDLANDII**, 3s. 6d.

**TABERNÆMONTANA CAMASSA**, 3s. 6d.

**CORONARIA FLORE PLENO**, 3s. 6d.

**TACSONIA BUCHANANI** (VITIFOLIA), 3s. 6d. & 5s.

**TAPEINOTIS CAROLINÆ MAJOR**, 5s.

**TERMINALIA ELEGANS**, 5s. and 7s. 6d.

**TETRANEMA MEXICANA**, 1s. 6d.

**THEOBROMA CACAO** (Cocoa), 10s. 6d.

**THROPHRASTA IMPERIALIS**, vide *Chrysophyllum imperiale*.

**THUNBERGIA AFFINIS**, vide page 26.

**GRANDIFLORA**, 3s. 6d.

**HARRISII** (LAURIFOLIA), 3s. 6d.

**THYRSACANTHUS RUTILANS**, 2s. 6d. and 3s. 6d.

**TILLANDSIA ACAULIS ZEBRINA**, vide *Cryptanthus*.

**ACAULIS ZEBRINA AUREA**, vide *Cryptanthus*.

**BEUCKERII**, vide *Cryptanthus*.

**RIVITTATA**, vide *Cryptanthus*.

**FENESTRALIS**, vide *Vriesia fenestralis*.

**HEROGLYPHICA**, 5s. and 7s. 6d.

### TILLANDSIA LINDENIANA VERA.

One of the most beautiful of the Bromeliads; a native of Ecuador, of dwarf compact growth, with recurved olive-green leaves. The flower scape bears an ovate flattened spike of a bright rosy hue, from the bracts of which issue in succession the beautiful lilac-blue flowers; the contrast of which with the rose-coloured scape presents a most charming appearance. 10s. 6d., 15s. and 21s.



**THUNBERGIA AFFINIS.**

This extremely beautiful species has been introduced from Zanzibar, and is one of the most handsome of the genus. It is of subscandent habit and is semi-deciduous in the winter, the flowers being of large size, very rich bright purple in colour, with an orange-yellow throat. 3s. 6d. and 5s.

**TILLANDSIA** (CARAGUATA) MUSAIOA, 15s. and 21s.

**TOXICOPHLEA** (ACOCANTHERA) **SPECTABILIS**, 3/6 THUNBERGH, 5s.

**TRADESCANTIA** DECORA, 5s.

**TYDÆA**, *vide* Index.

**URCEOCHARIS** CLIBRANI, 1 and 1½ guinea.

**URCEOLINA** AUREA, 2s. 6d. and 3s. 6d.

**UROSKINNERA** **SPECTABILIS**, 2s. 6d. and 3s. 6d.

**UTRICULARIA** MONTANA, 7s. 6d. and 10s. 6d.

**VANILLA** AROMATICA, 3s. 6d. and 5s.

PLANIFOLIA, 5s. and 7s. 6d.

**VINCA** ALBA, 2s. 6d. and 3s. 6d.

ALBA OCLATA, 2s. 6d. and 3s. 6d.

**VRIESIA** BRACHYSTACHYA, 5s.

FALKENBERGH, 21s.

FENESTRALIS, 5s.

SPLENDENS (SPECIOSA), 3s. 6d. and 5s.

### VRIESIA PURPURASCENS.

A richly coloured Bromeliaceous plant with deep purple sheathing leaves, each oblong lanceolate from a dilated base, the apex mucronate, the margins having numerous closely-set fine teeth. On the upper surface the leaves are a dark green, flushed with blackish purple, while the under sides expose a surface of a striking rich purple colour. Introduced from Brazil. 2 and 3 guineas.

**XYLOPHYLLA** ANGUSTIFOLIA, 5s.

INTERMEDIA, 5s.

**ZINGIBER** CYLINDRICUM, 3s. 6d.

**ZINGIBER** D'ARCEYI, 5s.

OFFICINALE, 2s. 6d.

ZERUMBET, 3s. 6d.

## STOVE CLIMBERS, WALL AND PILLAR PLANTS.

**ALLAMANDAS**, of sorts

**ANTIGONONS**, of sorts

**ARISTOLOCHIA** ELEGANS

— RIDIOULA

— of sorts

**BIGNONIA** CHAMBERLAYNI

— REGALIS

— of sorts

**BOUGAINVILLEA** GLABRA

— REFULGENS

— of sorts

**CISSUS** DISCOLOR

**CLERODENDRON** BALFOUR-  
IANUM

— of sorts

**COMBRETUMS**, of sorts

**DIOSCOREA** ILLUSTRATA

— SPECIOSA

— of sorts

**DIPLADENIA** BOLIVIENSIS

— BREARLEYANA

— of sorts

**ECHITES**, of sorts

**FICUS** BARBATA

— RADICANS

— of sorts

**GLORIOSA** PLANTII

— SUPERBA

— — GRANDIFLORA

**HIBISCUS**, of sorts

**HOYA** CARNOSA

— GLOBULOSA

— of sorts

**IPOMÆA** HORSFALLII

— TERNATA

— of sorts

**JASMINUM** GRACILLIMUM

**JASMINUM**, of sorts

**MARCGRAVIA** INDICA

— PARADOXA

**ODONTODENIA** SPECIOSA

**PASSIFLORA** KERMESINA

— MACROCARPA

— PRINCEPS

— QUADRANGULARIS VARIEGATA

— of sorts

**POTHOS** FLEXUOSUS

— of sorts

**SMILAX** DISCOLOR

— of sorts

**SPATHODEA** CAMPANULATA

**STEPHANOTIS** FLORIBUNDA

**THUNBERGIA**, of sorts

**TECOMA** AMBOINENSIS

**TACSONIA** BUCHANANI

**VANILLA** AROMATICA

## GREENHOUSE CLIMBERS, WALL AND PILLAR PLANTS.

**ACACIA** DEALBATA

— of sorts

**ASPARAGUS** PLUMOSUS NANUS

**BIGNONIA** CAPREOLATA

— CHEREERE

— of sorts

**BOMAREA** CARDENII

**CISSUS** ANTAROTICA

— of sorts

**COBEA** SOAMDENS VARIEGATA

**CLEMATIS** INDIVISA

— — LOBATA

**CLIANTHUS**, of sorts

**FICUS**, of sorts

**GELSEMIUM** SEMPERVIRENS

**HABROTHAMNUS** AUBLETII

— AURANTIACUS

**HABROTHAMNUS** ELEGANS

— NEWELLII

— of sorts

**HARDENBERGIA** MONOPHYLLA

— — VARIEGATA

— of sorts

**JASMINUMS**, of sorts

**KENNEDYA** MARRYATTE

— of sorts

**LAPAGERIA** ALBA

— ROSEA

— RUBRA SUPERBA

**MANDEVILLEA** SUAVEOLENS

**PASSIFLORA** CAMPBELLII

— IMPERATRICE EUGENIE

— LAWSONI

— MONROI

**PASSIFLORA**, of sorts

**PLUMBAGO** CAPENSIS

— — ALBA

**SENECIO** MACROGLOSSUS (The

Cape Ivy)

**SOLLYA** LINEARIS

**SOLANUM** JASMINOIDES

**TACSONIA** ERIANTHA

— EXONIENSIS

— JAMESONI

— VAN VOLKEMI

— of sorts

**TECOMA** CAPENSIS

— ROSEA

**TRACHELOSPERMUM** (REYN-

COSPERMUM), of sorts

**TROPEOLUMS**, of sorts



## NEW, RARE AND DESIRABLE GREENHOUSE PLANTS.

**ABELIA FLORIBUNDA**, 2s. 6d.

**ABUTILONS**, *vide* page 41

**ACACIA AFFINIS**, 2s. 6d. and 3s. 6d.

*ARMATA*, 1s. 6d.

*DEALBATA*, 2s. 6d. and 3s. 6d.

*DRUMMONDII*, 2s. 6d. and 3s. 6d.

*FARNESIANA*, 3s. 6d.

*ORANDIS*, 2s. 6d.

*LONOIFOLIA MAGNIFICA*, 3s. 6d.

**ACACIA LOPHANTHA**, *vide* *ALBIZZIA*.

*PLATYPTEA*, 2s. 6d.

*PUBESCENS*, 3s. 6d. and 5s.

*RICEANA*, 2s. 6d. and 3s. 6d.

*VERTICILLATA*, 2s. 6d.

of sorts, 2s. 6d., 3s. 6d. and 5s.

**ACANTHOPANAX QUINQUEFOLIUS VARIEGATUS**, 2/6

**ACROPHYLLUM VENOSUM**, 5s. and 7s. 6d.

### ACMENA OVATA.

A neat evergreen plant, belonging to the Myrtaceous order. The stems are clothed with opposite ovate leaves on dark purple petioles. The young foliage is of a purplish red colour, and gives the plant a striking appearance while the new growth is in course of development. 5s.

**ADENANDRA FRAOIRANS**, 2s. 6d. and 3s. 6d.

**AGAPANTHUS UMBELLATUM**, 1s. 6d.

*UMBELLATUM CANDIDUM (ALBUM)*, 3s. 6d.

— *MAXIMUM*, 3s. 6d.

— *MINUS*, 3s. 6d.

**AGAPANTHUS UMBELLATUM FOLIUS VARIEGATIS**, 2s. 6d. and 3s. 6d.

**AGAVE AMERICANA LONOIFOLIA VARIEGATA**, 5s.

*AMERICANA VARIEGATA*, 2s. 6d. and 3s. 6d.

*BULBOSA*, *vide* *Fourcraea*.

*SHAWII*, 3s. 6d. and 5s.

### ALBERTA MAGNA.

This desirable plant has been described as being one of the finest flowering plants of Natal, from which country it has lately been introduced. It is of shrubby growth, producing dense terminal panicles of bright red flowers, afterwards succeeded by beautiful fruits, each crowned with two enlarged calyx lobes nearly an inch long, giving the plant a very striking appearance. This plant may prove half-hardy in favourable situations. 10s. 6d.

**ALBIZZIA (ACACIA) LOPHANTHA**, 1s. 6d.

**ALOE FEROX**, 3s. 6d. and 5s.

**ALOYSIA CITRIODORA (LEMON-SCENTED VERBENA)**, 1s.

**ALSTROMERIA ERREMBAUTII**, 9s. per dozen.

*HÆMANTHA*, 9s. per dozen.

*LUTEA*, 6s. per dozen.

*PULCHELLA*, 6s. per dozen.

*TRICOLOR (PULCHRA)*, 4s. 6d. per dozen.

*See also* page 42.

**AMARYLLIS**, *vide* pages 7 and 9.

**AMORPHOPHALLUS (PROTEINOPHALLUS)**

*RIVIERI*, 1s. 6d. and 2s. 6d.

**ANOPTERUS GLANDULOSA**, 5s. and 7s. 6d.

**ANTHERICUM VARIEGATUM**, *vide* *Phalangium argenteo-lineare*.

**AOTUS GRACILLIMA**, 2s. 6d. and 3s. 6d.

**APHELEXIS HUMILIS**, 2s. 6d. and 3s. 6d.

*MACRANTHA PURPUREA*, 2s. 6d. and 3s. 6d.

— *ROSEA*, 2s. 6d. and 3s. 6d.

*RUPESTRIS GRANDIFLORA*, 2s. 6d. and 3s. 6d.

**ARALIA JAPONICA (SIEBOLDII)**, *vide* *Fatsia japonica*

*PAPYRIFERA*, 3s. 6d.

**ARAUCARIA BIDWILLII**, 2s. 6d., 3s. 6d., and 5s. Specimen plants, 21s. and 31s. 6d.

*BRASILIENSIS*, 2s. 6d. and 3s. 6d.

*COOKII*.

*CUNNINGHAMII*.

### ARAUCARIA EXCELSA.

Mr. W. B. has a fine lot of this handsome conservatory plant. 3s. 6d., 5s. and 7s. 6d. Specimen plants, 21s. and 31s. 6d.

**ARAUCARIA EXCELSA ALBO-SPICA**, 5s. and 7s. 6d. *GOLDIEANA*.

**ARAUJA CERICIFERA (PHYSIANTHUS ALBENS)**, 2s. 6d.

**ARDUINA GRANDIFLORA**, 7s. 6d.

**ARUNDO DONAX VARIEGATA**, 3s. 6d. and 5s.

**ASPARAGUS DECUMBENS**, 3s. 6d. and 5s.

**ASPARAGUS FALCATUS**, 7s. 6d.

*PLUMOSUS*, 3s. 6d. and 5s.

— *NANUS*, 2s. 6d., 3s. 6d. and 5s.

*TENUISSIMUS*, 2s. 6d. and 3s. 6d.

*VIRGATUS*, 3s. 6d. and 5s.

### AZALEA BALSAMINÆFLORA.

*Syn.* :—*A. ROSEFLORA*, *A. ROLLISSONII*.

This distinct species has been imported from Japan. In general character it is quite unique; its flowers are bright salmony red, beautifully double, rosette-like, and regularly imbricated, similar to those of a Camellia-flowered Balsam. Being very double, it lasts in perfection a long time, and is invaluable for bouquets as well as for general decoration. 2s. 6d., 3s. 6d. and 5s.

**AZALEA INDICA.**

The great value of Indian Azaleas for decorative purposes can hardly be over-estimated. The varieties of this effective plant can be had in blossom for four months of the year; well selected plants affording such a magnificent display of colour and wealth of bloom, that the low price at which beautiful kinds are now offered, should ensure a place for them in every greenhouse and conservatory.

Good selections can be made by Mr. W. B. at 18s., 30s. and 42s. per dozen.

New varieties, 5s., 7s. 6d. and 10s. 6d. each.

**HYBRID AZALEAS.**

The following Azaleas are hybrids between *A. amœna* and some of the Indian varieties. Combined with the well-known prolificness and early blooming habit of *A. amœna*, they have fine well-shaped attractive flowers, which, borne in such profusion, are most effective for every description of decorative work, being especially useful for early forcing where cut flowers are required, as with little trouble they may be had in bloom in November.

**ILLUMINATOR**, bright rosy magenta-pink flower, the upper portion of the throat faintly speckled crimson, the base of throat vermilion. Awarded a First-class Certificate. 5s.

**MAGNET**, produces a profusion of soft rosy-pink flowers, the centre bright pink, which extends through the centre of each petal to the tips, upper petals speckled at base with rose. 5s.

**ORACLE**, large well-formed flowers of a beautiful bright rosy-pink colour shaded with magenta, rendered additionally attractive by their lustrous satiny appearance. 5s.

**STARLIGHT**, a medium-sized semi-double flower of a beautiful soft rosy-pink colour, faintly shaded with pale magenta. 5s.

**SYBIL**, a pretty bright rosy-magenta flower of medium size, and semi-double; very floriferous and of excellent habit. 5s.

**VICTORY**, soft magenta-pink flowers, the upper divisions of the flowers faintly marked and speckled with crimson; very attractive. 5s.

The collection of six varieties, 21s.

**BAMBUSA FALCATA** (*syn.* *ARUNDINARIA FALCATA*, *THAMNOCALAMUS FALCONERI*), 3s. 6d. & 5s.  
*vide* page 43.

**BEGONIA**, *vide* Index.

**BERBERIDOPSIS CORALLINA**, 3s. 6d.

**BESCHONERIA YUCOIDEOS**, *vide* *Fourcraea Beddinghausii*.

**BIGNONIA (TECOMA) CAPENSIS**, 2s. 6d.

*CAPREOLATA*, 2s. 6d.

*CHIERERE*, 3s. 6d. and 5s.

*EXCELSA*, 7s. 6d. and 10s. 6d.

*GRANDIFLORA*, 2s. 6d. and 3s. 6d.

*JASMINOIDES*, 2s. 6d.

*SPECIOSA*, 3s. 6d.

**BIGNONIA TWEEDIANA**, 3s. 6d.

*VENUSTA*, 3s. 6d. and 5s.

*vide* also pages 12 and 43.

**BILLARDIERA LONGIFLORA**, 2s. 6d.

**BLANDFORDIA AUREA**.

*FLAMMEA*, 7s. 6d.

*NOBILIS*, 5s. and 7s. 6d.

*PRINCEPS*, *vide* page 30.

**BOMAREA PATACOCENSIS (CONFERTA)**, 10s. 6d.

**BORONIA DRUMMONDII**, 2s. 6d. and 3s. 6d.

*ELATOR*, 2s. 6d.

*HETEROPHYLLA*, 3s. 6d.

*MEGASTIOMA*, 2s. 6d. and 3s. 6d.

**BOUVARDIAS**, *vide* Index.

**BOWIEA VOLUBILIS**, 3s. 6d.

**BOWKERIA TRIPHYLLA.**

A handsome ornamental flowering plant, with lanceolate corrugated leaves, arranged in threes on reddish stems. The flowers are white, nearly one inch long, inflated and bi-labiate, suggesting *Scrophularia*, to which the genus is allied; these are borne in subterminal cymes, usually nine flowers on each cyme. The plant is a native of Natal, where it flowers in December, so that it will doubtless prove a very useful winter-flowering plant for the greenhouse. 3s. 6d. and 5s.

**BREDIA HIRSUTA.**

A pretty neat-growing Melastomaceous plant, native of Japan, producing erect paniced cymes of charming rose-coloured flowers, individually about half an inch in diameter. The plant has slender spreading branches, furnished with ovate acute dark green leaves. It has been figured in the *Botanical Magazine*, Tab. 6647. 7s. 6d.

**BRUGMANSIA ARBOREA**, 3s. 6d.

*KNIGHTII* (flore pleno), 3s. 6d.

*SANGUINEA*, 3s. 6d. and 5s.

*SUAVEOLENS*, 3s. 6d.

**BRUNSVIGIA JOSEPHINE** (The Candelabra Plant), 7s. 6d.

**BUPHANE TOXICARIA** (Poison bulb), 7s. 6d.

**CALLA ÆTHIOPICA**, *vide* *Richardia africana*.

*ELLIOTTIANA*, *vide* *Richardia*.

**CALLICARPA PURPUREA**, 3s. 6d.

**CALODENDRON CAPENSE** (Cape Chestnut), 5s.

**CAMELLIAS.**

Good selections can be made by Mr. WILLIAM BULL at 30s. and 12s. per dozen.

New varieties, 5s., 7s. 6d. and 10s. 6d.

**CAMPANULA VIDALII**, 2s. 6d.

**CAMPHORA OFFICINALIS**, 5s.

**CANARINA CAMPANULATA**, 1s. 6d.

**CANTUA CORYMBIFLORA**, 3s. 6d.

**CARNATIONS**, Tree, of sorts, 30s. and 12s. per dozen.



**BLANDFORDIA PRINCEPS.**

A very handsome greenhouse perennial. The scape is a foot high, bearing a corymb of many flowers, which are  $2\frac{1}{2}$  inches long, pendent, regularly funnel-shaped, with a bright crimson tube and deep golden yellow limb. It must be regarded as the most beautiful of the *Blandfordias* yet known. It has been figured in the *Botanical Magazine*, Tab. 6209. 2 and 3 guineas.

**CAVENDISHIA SPECTABILIS.**

A handsome greenhouse plant, with bright green leaves, the young growths being of a bright reddish bronze colour. It blossoms in short compressed racemes, covered when in bud by large concave, rosy carmine bracts. The flowers are white shaded with pink, while the whole head of flower has the appearance of being varnished. 10s. 6d.

**CEPHALOTUS FOLLICULARIS.**

**CEREUS SPECIOSISSIMUS**, 2s. 6d. and 3s. 6d.

**CESTRUM (HABROTHAMNUS) AURANTIACUM**, 2s. 6d. and 3s. 6d.

See *Habrothamnus*, page 33.

**CHLIDANTHUS FRAGRANS**, 6d.

**CHOROZEMA CORDATUM SPLENDENS**, 2s. 6d. and 3s. 6d.

**HEUCHMANNI**, 3s. 6d. and 5s.

**LAWRENCEANUM**, 2s. 6d. and 3s. 6d.

**LOWII**, 5s.

**VARIUM CHANDLERI**, 2s. 6d. and 3s. 6d.

**CHRYSAANTHEMUM FRUTESCENS**, *vide Index*.

**CISSUS (VITIS) ANTARCTICA**, 2s. 6d. and 3s. 6d.

(—) **CAPENSIS**, 3s. 6d.

**RHOMBEA**, 3s. 6d.

**CITRUS JAPONICA**, 5s.

**AURANTIUM FOLIIS-MARGINATIS**, 5s. and 7s. 6d.

**CLEMATIS INDIVISA**, 3s. 6d.

**INDIVISA LOBATA**, 3s. 6d.

**CLEYERA JAPONICA TRICOLOR**, 10s. 6d.

**CLIANTHUS PUNICEUS MAGNIFICUS**, 3s. 6d.

**CLIVIA NOBILIS**, 5s.

See *Imantophyllum*, page 34.

**COBÆA SCANDENS VARIEGATA**, 2s. 6d. and 3s. 6d.

**COLEUS**, *vide Index*.

**COPROSMA BAUERIANA VARIEGATA**, 1s. 6d. and 2s. 6d.

**CORREAS**, of sorts, 2s. 6d. and 3s. 6d.

**CRINUM KIRKII**, a magnificent variety of great beauty, producing on erect scapes, umbels of deliciously-scented large white flowers, ornamented with a deep reddish-purple stripe through the centre of each petal, *vide illustration*. 5s. and 7s. 6d.

**MOOREI**, 7s. 6d.

**POWELLI**, 7s. 6d.

— **ROSEUM**, 10s. 6d.

*Vide also pages 13 and 43.*



**CRINUM KIRKII.**

**CROWEA STRICTA**, 3s. 6d. and 5s.

**CYCADS**, *vide Index*.

**CYCAS REVOLUTA.**

This exceedingly handsome decorative plant can be supplied in various sizes; small plants of it are pretty, but large specimens are extremely ornamental and well adapted for decorating either greenhouses or conservatories. It is known as the Chinese Sago Plant. 7s. 6d., 10s. 6d. and 15s.; fine specimens, 3, 4 and 5 guineas each.

**CYCLAMEN PERSICUM.**

Too much can scarcely be said in favour of the superb varieties of this plant, of which the old *C. persicum* is the type, whether they are regarded as objects for the ornamentation of the greenhouse or conservatory, or for table decoration, for which their compact floriferous character eminently fits them. The flowers are also extremely useful for bouquets, and when plucked, if kept in water, they will last in freshness and beauty for some weeks. Plants full of buds and flowers can be supplied during the winter season, and are then charmingly pretty 18s., 30s. and 42s. per dozen.

**CYCLAMEN PERSICUM ALBUM**, 2s. 6d. and 3s. 6d.

**PERSICUM RUBRUM**, 2s. 6d. and 3s. 6d.

— **GRANDIFLORUM**, 3s. 6d. and 5s.

— of various choice sorts, 3s. 6d. and 5s.

**CYPRIPEDIUM**, *vide Orchids*.

**CYRTANTHUS ANGUSTIFOLIUM**, red, 5s.

**COCCINEUM**, 5s.

**CYRTANTHUS GALPINII**, 5s.

**LAIDLEYANUM**, 5s.

**MACKENII**, white, 2s. 6d.

**MAOOWANII**, 5s.

**OBLIQUUM**, 5s.

**SANGUINEUM**, 5s.

**CYRTANTHUS INTERMEDIUM.**

A pretty hybrid variety raised between *C. McKennii* and *C. angustifolium*. It has neat strap-shaped leaves, and bears on an erect two-edged scape a truss of many flowers, which are orange-pink, and about 1½ inch long, being curved and tubular trumpet-shaped; the three outer segments or lobes are rose coloured with a green midrib, the inner three being of a uniform rose colour. 3s. 6d. and 5s.

**CYTISUS FILIPES**, 3s. 6d. and 5s.

**RACEMOSUS**, 1s. and 1s. 6d.

— **EVERESTIANUS**, 3s. 6d.

**DAHLIA IMPERIALIS**, 3s. 6d.

**IMPERIALIS ROSEA**, 3s. 6d.

of sorts, *vide Bedding Plants*.





**EPACRIS ONOSMÆFLORA FLORE-PLENO NIVALIS.**

This exceedingly desirable and attractive plant is a native of Australia. The flowers have a tubular base ending in the five usual acute corolla lobes, while the interior organs are transformed into a rosette of white petals, forming a fine rosette-shaped flower. These flowers are pure white and very beautiful, the spikes being often as much as a foot long. It has received a First Class Certificate from the Royal Botanic Society. 3s. 6d. and 5s.

**DAIS COTINIFOLIA.**

A pretty deciduous greenhouse shrub, native of South Africa. It has acute leaves, and broadish heads of flowers, which consist of a reddish four-leaved involucre outside, and numerous rosy lilac calyces, which have a slender tube about an inch long, and a spreading limb of five segments. 5s.

**DAPHNE INDICA RUBRA**, 2s. 6d. and 3s. 6d.

**DASYLIRION LONGIFOLIUM**, 5s.

**DESFONTAINEA SPINOSA**, 2s. 6d. and 3s. 6d.

**DEUTZIA**, *vide* page 41.

**DEYEUXIA ELEGANS VARIEGATA.**

A very elegant variegated greenhouse plant, introduced from New South Wales. It has a thick rootstock, from which spring numerous leaves, about a quarter of an inch in breadth, the colour a deep bright green, with a broad clear edge of creamy yellow. 3s. 6d. and 5s.

**DIANELLA INTERMEDIA.**

A free-growing plant, inhabiting the northern and middle islands of New Zealand. It has linear-ensiform leaves, and much branched panicles, ten to eighteen inches long, bearing numerous whitish flowers, which are succeeded by bunches of pretty dark blue berries. 5s.

**DIANELLA TASMANICA VARIEGATA**, *vide* New

Plants, page 3.

**DIONÆA MUSCIPULA**, 2s. 6d. and 3s. 6d.

**DORYANTHES PALMERI**, 3s. 6d. and 5s.

**DIPLARRHENA MOREÆ.**

An Iridaceous greenhouse plant allied to *Libertia*, a native of North Australia and Tasmania, producing its large and handsome flowers in a terminal spike or cluster. The outer segments are white, obovate, the upper one concave; the inner segments white tinged with violet. 10s. 6d.

**DRACÆNA AUSTRALIS.**

This handsome ornamental plant is exceedingly useful for the decoration of the greenhouse or conservatory, where its effective habit always imparts a tropical aspect to the house. It is also well adapted for the purposes of sub-tropical gardening, either in groups or as single specimens, its graceful mode of growth being very effective. 3s. 6d. to 10s. 6d.; fine plants, 15s., 1, 1½ & 2 guineas.

**DRACÆNA AUSTRALIS LINEATA.**

An exceedingly handsome and ornamental plant, with fine broad foliage, gracefully recurving. It is strikingly effective for conservatory and greenhouse decoration. 10s. 6d., 15s. and 21s.

**DRACÆNA AUSTRALIS VERTICILL**, 3s. 6d., 5s. and 7s. 6d.

**ARBOREA**, 2s. 6d.

**DRACOPHYLLUM GRACILE**, 3s. 6d. and 5s.

**DROSER A CAPENSIS**, 7s. 6d.

**DICHOTOMA**, 5s.

**ECHEVERIA**, of sorts, *vide* Index.

**ENCEPHALARTOS**, of sorts, *vide* Index.

**EPACRIS ONOSMEFLORA FLORE-PLENO NIVALIS**, *vide* page 32.

**EPACRIS**, of sorts, 18s., 30s. and 42s. per doz.

**EPIPHYLLUM**, *vide* page 17.

**ERICAS**, of sorts, 18s., 30s. and 42s. per doz.

**ERIOSTEMON BUXIFOLIUS**, 3s. 6d. and 5s.

**INTERMEDIUS**, 3s. 6d. and 5s.

**NERIIFOLIUS**, 3s. 6d.

**PULCHELLUS**, 3s. 6d. and 5s.

**SOABER**, 3s. 6d. and 5s.

**ERYNGIUM EBRACTEATUM**, 10s. 6d.

**ERIOBOTRYA JAPONICA (LOQUAT)**, 5s.

**ERYTHRINA**, of sorts, 2s. 6d. and 3s. 6d.

**COMPACTA**, 5s.

**EUCALYPTUS CITRIODORA**, 3s. 6d.

**GLORULUS (Blue Gum)**, 3s. 6d.

**EUGENIA UGNI**, 1s. 6d. and 2s. 6d.

*Vide* also page 17.

**EUPATORIUM BERLANDIERI (GRACILE ODORATUM)**, 1s. 6d.

**EUPATORIUM RIPARIUM**, 2s. 6d. and 3s. 6d.

**EURYA LATIFOLIA VARIEGATA**, 2s. 6d. and 3s. 6d.

**EURYCLES**, *vide* page 16.

**EUTAXIA FLORIBUNDA**, 3s. 6d.

**FATSIA (ARALIA) JAPONICA**, 2s. 6d. and 3s. 6d.

**(ARALIA) JAPONICA VARIEGATA**, 3s. 6d. & 5s.

**FERNs**, *vide* Index.

**FICUS AUSTRALIS**, 3s. 6d.

**ELASTICA**, *vide* page 17.

**VARIEGATA**, *vide* page 17.

**FICUS MACROPHYLLA**, 5s.

**MINIMA**, 1s. 6d. and 2s. 6d.

**RHODODENDRIFOLIA**, 3s. 6d.

**STIPULATA (REPENS)**, 1s. 6d. and 2s. 6d.

**FOURCRAEA (AGAVE) BEDDINGHAUSEI** (*syn.*

*Beschorneria Yuccoides*, *Roezlia Regia*, *Yucca Parmentieri*, *Y. Tonelliana*), 5s.

**BULBOSA**, 5s.

**FREESIA HYBRIDA** }

**LEICHTLINII** }

**REFRACTA ALBA** }

These can be supplied by the dozen or hundred, in dormant bulbs, at the proper season.

**FUCHSIAS**, *vide* Index.

**GELSEMIUM SEMPERVIRENS (NITIDA)**, 2s. 6d.

**GENETYLLIS (HEDAROMA) FUCHSI-**

**OIDES**, 5s. and 7s. 6d.

**TULIPIFERA**, 5s. and 7s. 6d.

**GONOLOBUS CUNDURANGO**, 10s. 6d.

**GREVILLEA HILLII**, 3s. 6d.

**PREISSII**, 7s. 6d.

**ROBUSTA**, 2s. 6d. and 3s. 6d.

**HABRANTHUS ANDERSONI**, 1s.

**HABROTHAMNUS (CESTEUM) AURANTIACUS**,

2s. 6d. and 3s. 6d.

**ELEGANS**, 2s. 6d. and 3s. 6d.

**NEWELLII**, 2s. 6d. and 3s. 6d.

of sorts, 2s. 6d. and 3s. 6d.

**HÆMANTHUS ALBIFLOS**, 2s. 6d. and 3s. 6d.

**CAANDIDUM**, *vide* page 3.

**COARCTATUM**, white, 2s. 6d. and 3s. 6d.

**COCCINEUM**, fine heads of scarlet flowers,

2s. 6d. and 3s. 6d.

**PUNICEUM**, 2s. 6d. and 3s. 6d.

**TIGRINUM**, 2s. 6d.

*Vide* also page 17.

**HARDENBERGIA MONOPHYLLA**, 2s. 6d.

**MONOPHYLLA VARIEGATA**, 3s. 6d.

**HEDAROMA**, *vide* Genetyllis.

**HEDYCHIUM GARDNERIANUM**, 2s. 6d. & 3s. 6d.



**HIBISCUS CALYGINUS (CHRYSANTHUS).**

A free-growing shrubby plant introduced from Natal. It has hairy stems and roundish sub-trilobate pale green serrated leaves. The flowers are of large size, campanulate, with broad obovate petals, yellow with a purple-crimson spot at the base, forming a dark-coloured eye. This, from its large-sized golden flowers and free habit, will prove a plant of very ornamental character. 5s.

**HIBISCUS PEDUNCULATUS.**

A very pretty Hibiscus of erect branched habit, the stems hairy and the leaves three-lobed, with toothed margins. The campanulate flowers are showy, the petals blush or rose-coloured, with an involucre of about eight linear segments. It has been imported from Natal. 5s.

**HYDRANGÆA STELLATA FIMBRIATA.**

The flowers of this handsome new Hydrangæa are borne in immense trusses, sometimes nine inches in diameter; the bracts are of the purest white, most elegantly fringed in a very striking and attractive manner, giving it a most distinct appearance. 5s.

**HYDRANGÆA HORTENSIS FOL. MARGINATA**, 3s. 6d.

**HORTENSIS CYANOLADA**, 1s. 6d. and 2s. 6d.

— **THOMAS HOOO**, 1s. 6d. and 2s. 6d.

**JAPONICA**, 1s. 6d.

— **ELEGANTISSIMA**, 1s. 6d.

— **FOLIS TRICOLORIBUS**, 3s. 6d. and 5s.

**HYDRANGÆA JAPONICA SPECIOSA**, 3s. 6d. & 5s.

**MADAME VON SIEBOLD**, 3s. 6d. and 5s.

**OTAKSA**, 1s. 6d. and 2s. 6d.

**ROSEA**, 3s. 6d.

**STELLATA PROLIFERA**, 1s.

**VOLUBILIS (SCANDENS)**, *vide* page 44.

**IMANTOPHYLLUM BLANDFORDIÆFLORUM STRIATUM.**

An ornamental greenhouse plant, producing dense heads of handsome Blandfordia-like flowers, the exterior being of a bright crimson-carmine colour, the expanding portion of the segments margined with salmon-buff. Added to the beauty of its flowers, the foliage of this plant is also attractively striated with creamy-yellow. 21s.

**IMANTOPHYLLUM CYRTANTHIFLORUM**, 5s.

**CYRTANTHIFLORUM CHLORACEUM**, 10s. 6d.

— **FULGENS**, 15s.

**IMANTOPHYLLUM CYRTANTHIFLORUM INSIGNE**,

**CYRTANTHIFLORUM OBLIQUUM**, 31s. 6d. [31/6

— **SUPERBUM**, 21s.

**IMANTOPHYLLUM MINIATUM.**

A most effective and beautiful plant, producing broad corymbs of large deep salmon-coloured erect blossoms, relieved by a lighter centre; it blooms during the winter and spring months. 3s. 6d., 5s., 7s. 6d. and 10s. 6d.; fine plants, 1 and 1½ guinea.

**IMANTOPHYLLUM MINIATUM ALBO-LIMBATUM**,

2 and 3 guineas.

**MINIATUM AURORA**, 1 and 1½ guinea.

— **BRILLIANT**, 2 guineas.

— **EMPRESS**, 3 guineas.

— **FLAMBEAU**, 2 guineas.

— **FLAMMEUM**.

— **FORMOSUM**, 15s. and 21s.

— **FULGENS**, 15s. and 21s.

— **ORANDIFLORUM**, 1½, 2 and 3 guineas.

— **HYBRIDUM**, 15s.

— **ILLUSTRE**, 3 guineas.

— **IMPERIALE**, 3 guineas.

— **INSIGNE**, 1½, 2 and 3 guineas.

— **LURIDUM**, 15s.

— **MADAME VAN HOUTTE**, 1½ guinea.

— **METEOR**.

**IMANTOPHYLLUM MINIATUM, PREMIER.**

— **PRINCE OF ORANOE**, 1½, 2 & 3 guineas.

— **PRINCETS**, 1½, 2 and 3 guineas.

— **PRINCESS**.

— **REGALE**, 3 guineas.

— **SPECTOSUM**, 1½ guinea.

— **VIVID**, 3 guineas.

**INDIGOFERA DECORA**, 5s.

**IRIS FIMBRIATA**, 3s. 6d.

**ISMENE CALATHINA**, 1s. 6d.

**JASMINUM ANGULARE**, 5s.

**ORANDIFLORUM**, 3s. 6d.

**ODORATISSIMUM**, 2s. 6d. and 3s. 6d.

**POITEAU**, 3s. 6d.

*See also* page 19.

**JUNCUS ZEBRINUS**, *vide* Scirpus.

**KALANCHOE MARMORATA.**

A distinct and ornamental Crassulaceous plant from Abyssinia, with obovate fleshy leaves of a pale green colour, strikingly marmorated in the young state with blood red spots, fading into purple as the leaves become mature; the margins of the leaves are crenulate. 7s. 6d.

**KENNEDYA MARRYATTÆ**, 2s. 6d.

of sorts, 3s. 6d. and 5s.

**LACHENALIA**, of sorts, 1s. to 2s. 6d.

**LAGERSTRÆMIA INDICA**, 3s. 6d.

of sorts, 3s. 6d. and 5s.

**LANDOLPHIA** *vide* page 21.

**LAPAGERIA ALBA.**

This extremely beautiful climber produces numerous fine large bell-shaped pure white flowers. It is a neat growing plant of free habit. 10s. 6d., 15s. and 21s.; fine specimens, 2, 3, 4 and 5 guineas and upwards.

**LAPAGERIA ROSEA.**

Various sizes of this well-known and extremely useful conservatory climber, 5s., 7s. 6d. and 10s. 6d.; fine specimens, 1, 1½, 2 and 3 guineas and upwards.

**LAPAGERIA RUBRA SUPERBA.**

A magnificent variety, producing fine large flowers of an exceedingly rich and brilliant crimson colour; it is one of the most highly attractive of ornamental climbers for the greenhouse and conservatory. 10s. 6d., 15s. and 21s.; fine specimens, 2, 3, 4, and 5 guineas and upwards.

**LASIANDRA MACRANTHA**, 3s. 6d.

**MACRANTHA FLORIBUNDA**, 5s.

**LAURUS CAMPHORA**, 5s.

**CINNAMOMUM**, *vide* page 21.

**LEUCOPOGON CUNNINGHAMII**, 3s. 6d.

**LEPTOSPERMUM SCOPARIUM** (New Zealand Tea Plant), 3s. 6d.

**LESCHENAULTIA BILOBA SPLENDENS** (MAJOR), 3s. 6d. and 5s.

**FORMOSA**, 2s. 6d. and 3s. 6d.

**LIBERTIA GRANDIFLORA.**

A very handsome herbaceous perennial from New Zealand, which proves to be nearly hardy, and an abundant flowerer. The plant is an evergreen, with tufts of distichous grassy leaves. The flower stems are 3 feet high, bearing spike-like panicles of showy pure white flowers, produced in succession for a month or six weeks. 5s.

**LIBONIA FLORIBUNDA**, 1s. 6d. and 2s. 6d.

**PENRHOSIENSIS**, 1s. 6d. and 2s. 6d.

**LILIUM**, of sorts, *vide* pages 46 to 48.

**LINUM TRIGYNUM**, *vide* **REINWARDTIA**.

**LITTONIA MODESTA.**

A pretty Liliaceous plant of a genus allied to *Gloriosa*: it produces charming golden-yellow bell-shaped flowers, which are highly elegant and attractive. 3s. 6d.

**LOMATIA FERRUGINEA**, 5s. and 7s. 6d.

**LUCULIA GRATISSIMA**, 5s. and 7s. 6d.

**LYCORIS AUREA.**

A pretty golden-flowered Amaryllidaceous plant, requiring the same treatment as *Tallotas* and *Nerines*, a native of China. In the autumn it throws up stout spikes bearing in an umbel, six or more sweet-scented rich golden yellow flowers, very attractive and ornamental. 1s. 6d. and 2s. 6d.

**MACKAYA BELLA.**

This beautiful Acanthaceous plant is a native of Natal. The flowers have a pale lilac corolla nearly two inches long, the throat ornamented with delicately pencilled reticulated purple veins, tubular below, campanulate upwards, with a deeply five-lobed spreading limb. The plant is very floriferous, and when in full bloom, appears a mass of most delicate, pendent, campanulate flowers. This charming plant has been figured in the *Botanical Magazine*, Tab. 5797. 3s. 6d. & 5s.

**MACADAMIA TERNIFOLIA**, 5s. and 7s. 6d.

**MACROZAMIA**, *vide* Index.

**MAGNOLIA CAMPBELLII**, *vide* page 48.

**MAGNOLIA FUSCATA**, 3s. 6d. and 5s.

**PUMILA**, *vide* page 21.

**MANDEVILLA SUAVEOLENS**, 2s. 6d. and 3s. 6d.

**MARICA NORTHIANA.**

An Iris-like plant, a native of Brazil. It has broad sword-shaped leaves, and the flower stems, which are flattened and leaf-like, bear singularly handsome flowers, which consist of three ovate ivory-white sepals, spotted with brown at the base, and three yellowish petals marked with rich brown in the lower parts, and white veined with blue at the recurved tips. 7s. 6d. and 10s. 6d.

**MARSILEA MACROPUS**, "NARDUO," 10s. 6d.

**METROSIDEROS FLORIBUNDA**, 2s. 6d.

**ROBUSTA**, 3s. 6d. and 5s.

**MITRARIA COCCINEA**, 2s. 6d. and 3s. 6d.

**MONOCHLETUM SERICEUM MULTIFLORUM**, 2s. 6d. and 3s. 6d.

**MUSA CAVENDISHII**, *vide* page 21.

**ZEBRINA**, *vide* page 21.

**MUSA ENSETE.**

This is the grand Banana of Abyssinia. In growth it is one of the most striking and noble of ornamental plants, and it is without doubt one of the most effective for summer out-door gardening. Its immense erect leaves are from eight to ten feet long, of a beautiful dark green colour, the midrib being bright crimson, forming an admirable and striking contrast. It attains altogether an average growth of twelve to fifteen feet in height. 5s., 7s. 6d. and 10s. 6d.

**MYRSIPHYLLUM ASPARAGOIDES**, 2s. 6d. and 3s. 6d.

**MYRTUS**, of sorts, 1s. 6d. and 2s. 6d.

**NERINE ATROSANGUINEA**, 10s. 6d.

**CORUSCA**, 1s. 6d.

— **MAJOR**, 3s. 6d.

**ELEGANS**, 7s. 6d.

— **CERULEA**, 7s. 6d.

— **CARMINATA**, 7s. 6d.

**FOTHERGILLII**, 3s. 6d.

— **MAJOR**, 5s.

**HUMILIS CERULEA**, 7s. 6d.



**MUSA ENSETE.**



**NERINE HUMILIS ELEGANS**, 7s. 6d.

JAPONICA; this scarce species is known as the "Japanese Spider Lily," and produces handsome heads of bright reddish-crimson flowers, the protruding anthers being of unusual length. *vide illustration*. 2s. 6d. and 3s. 6d.

ROSEA, 2s. 6d.

SAENIENSIS (THE GUERNSEY LILY), 9s. and 12s. per dozen.

**NERIUM MADONI GRANDIFLORUM**, 2s. 6d.

ALBUM PLENUM (Double White), 2s. 6d.

LILIAN HENDERSON, 3s. 6d.

RUBRUM PLENUM (Double Red), 2s. 6d. of sorts, 2s. 6d. and 3s. 6d.

**OLEA FRAGRANS**, 3s. 6d. and 5s.**OPHIPOGON JABURAN AUREO-VARI-  
OATUS**, 2s. 6d. and 3s. 6d.

SPICATUS ARGENTEO-MARGINATUS, 2s. 6d. and 3s. 6d.

**ORCHIDS**, of sorts, *vide Index*.**PALMS**, of sorts, *vide Index*.**PANCRATIUM PARVIFLORUM**, heads of pretty white flowers, tinged with green on the exterior. 1s.; 10s. 6d. per doz.**PARDANTHUS CHINENSIS**, 6d. each; 5s. per doz.**PASSIFLORA OERULEA**, *vide page 48*.

OERULEA, Eynsford Gem, 2s. 6d.

— GRANDIFLORA, 3s. 6d.

— RACEMOSA, 2s. 6d.

CAMPBELLII, 3s. 6d.

CLOWESII, 3s. 6d.

COLVILLII, 2s. 6d.

EDULIS, 3s. 6d.

IMPERATRICE EUOENIE, 3s. 6d.

LAWSONI, 3s. 6d.

MUNROI, 3s. 6d.

of sorts, 2s. 6d., 3s. 6d. and 5s.

*See also page 24.*

**PELARGONIUM**, *vide Index*.**PHEDRANASSA OHIORACEA**, 6d. each; 5s. doz.**PHALANGIUM ARGENTEO-LINEARE** (ANTHEICUM VARIEGATUM), 2s. 6d. and 3s. 6d.**NERINE JAPONICA.****PHALANGIUM LINEARE ELEGANS**, 5s.**PHILESIA BUXIFOLIA**, 7s. 6d. and 10s. 6d.**PHORMIUM ATROPURPUREUM**, 5s. and 7s. 6d.**COLENSOI VARIEGATUM**, 5s. and 7s. 6d.**TENAX**, 3s. 6d., 5s. and 7s. 6d.**NIGRO-LIMBATUM**, 10s. 6d.**NIGRO-PICTUM**, 10s. 6d. and 15s.**VARIEGATUM**, 1 and 1½ guinea.**VEITCHII VARIEGATUM**, 5s. and 7s. 6d.**PHYLLOCACTUS**, of sorts, 3s. 6d. and 5s.**PHYLLOCACTUS PEACOCKII.**

Handsome as are the flowers of the well-known common leaf flowering Cactus, they are far surpassed in size and gorgeous colouring by the magnificent blossoms of the variety now offered, the brilliancy and richness of which is beyond description. It will succeed in any greenhouse, and with but little care. 5s., 7s. 6d. and 10s. 6d.

**PHYSIANTHUS ALBENS**, *vide Arauja cericifera*.**PIMELEA DECUSSATA**, 2s. 6d. and 3s. 6d.

HENDERSONI, 3s. 6d. and 5s.

NIEPPERGIANA, 3s. 6d. and 5s.

**PIMELEA SPECTABILIS**, 3s. 6d. and 5s.**PINCINETITIA TUBERCULATA**, 21s.**PISTACIA TEREBINTHUS**, 7s. 6d.**PITTOSPORUM RALPHSII**, 5s.**PITTOSPORUM CRASSIFOLIUM.**

A bushy growing plant, of erect branching habit, with light green leaves, which are tomentose on the under surface; the flowers are of a dark chocolate-purple colour, and are freely produced in nodding peduncled umbels; it is a native of New Zealand. 5s.

**PITTOSPORUM EUGENIODES VARIEGATUM**, 7s. 6d. and 10s. 6d.**PLEROMA ELEGANS**, 3s. 6d.**PLUMBAGO CAPENSIS**, 2s. 6d. and 3s. 6d.

OPAPENSIS ALBA, 2s. 6d. and 3s. 6d.

Also *vide page 25.*

**POLYGALA OERDIFOLIA**, 3s. 6d.**POLYGALA DALMAISIANA**, 3s. 6d.**POLYGONUM**, *vide page 49*.**PRIMULA IMPERIALIS**, 10s. 6d.

FLORIBUNDA, 2s. 6d.

SINENSIS ALBA PLENA, 1s. 6d. and 2s. 6d.

— FLORE-PLENO, of sorts, 2s. 6d., 3s. 6d. and 5s.

**PROTEINOPHALLUS RIVIERI**, *vide* Amorphophallus.

**PUNICA GRANATUM** (POMEGRANATE), 3s. 6d. and 5s.

GRANATUM ALBA PLENA, 3s. 6d. and 5s.

— RUBRA PLENA, 3s. 6d. and 5s.

— LEGRELLII (Double Buff), 3s. 6d. & 5s.

**REINWARDTIA TETRAGYNE** (LINUM TRIGYNUM), 2s. 6d.

**RHODEA JAPONICA**, 3s. 6d. and 5s.

JAPONICA ARGENTEA, 1s.

**RHODODENDRONS**, *vide* pages 38 to 40.

**RHYNCHOSPERMUM JASMINOIDES**, *vide* Trachelospermum.

**RICHARDIA AFRICANA** (*Calla aethiopica*), 1s. and 1s. 6d.

AFRICANA, Little Gem, 1s. 6d.

— CANDIDISSIMA.

— COMPACTA.

— GIGANTEA.

— NITIDA, 2s. 6d.

ALBO-MACULATA, 1s. and 1s. 6d.

AURATA.

### RICHARDIA (CALLA) ELLIOTTIANA.

This magnificent new species in habit of growth and shape of flower, is almost identical with the well-known *R. aethiopica*, but it differs from that species in the flowers being of a rich golden yellow colour, while the decorative character of the plant is further enhanced by the leaves being ornamented with a number of creamy white spots. Price on application.

**RICHARDIA HASTATA**, 5s.

PENTLANDII.

**ROEZLIA REGIA**, *vide* Fourcraea Beddinghausci.

**ROEIRA GRATISSIMA**, 3s. 6d. and 5s.

**RUSCUS ANDROGYNUS**, 3s. 6d.

**SALVIAS**, *vide* Bedding Plants.

**SARRACENIAS**, of sorts, 3s. 6d., 5s. to 10s. 6d.

**SCHIZOPHRAGMA HYDRANGEOIDES**, *vide* Hydrangea volubilis, page 44.

**SENECIO MAOROGLOSSUS** (The Cape Ivy), 1/6 & 2/6.

PULCHER, *vide* page 49.

**SOLANUM JASMINOIDES**, 2s. 6d.

**SOLLYA LINEARIS**, 3s. 6d. and 5s.

**SPARMANNIA AFRICANA**, 2s. 6d.

**SPARMANNIA AFRICANA FLORE-PLENO**, 3s. 6d. and 5s.

**STATICE HOLFORDII**, 3s. 6d. and 5s.

PROFUSA (RATTRAYANA), 3s. 6d. and 5s.

**STENOCARPUS CUNNINGHAMII**, 5s. to 10s. 6d.

**STRELITZIA REGINE**, *vide* page 25.

**STREPTOSOLEN** (BROWALLIA) JAMESONI, 1s. 6d.

**TACSONIA BUCHANANI**, *vide* page 26.

ERIANTHA, 2s. 6d.

EXONIENSIS, 2s. 6d.

MANICATA, 2s. 6d.

MOLLISSIMA, 2s. 6d.

PINNATISTIPULA, 2s. 6d.

VAN VOLXEMI, 2s. 6d.

### TECOMA ROSEA.

A remarkably handsome greenhouse climber of the Bignoniaceous order, imported from South Africa. It has opposite pinnate leaves, and bears magnificent racemes, three to four feet in length, of large showy trumpet-shaped flowers, which are of a rosy lilac colour. This beautiful plant can scarcely be too strongly recommended as a handsome showy climber. 3s. 6d., 5s. and 7s. 6d.

### TECOMA SMITHII.

A very handsome free-flowering hybrid greenhouse climber. The flowers, which are produced in large panicles, are of a bright orange colour, with chestnut brown markings at the base of the lobes, forming a dark ring around the throat. It has been introduced from Australia, where it has been awarded Certificates by the Horticultural Societies of South Australia and Victoria. 5s.

**TECOMA**, *vide* Bignonia.

**THEA ASSAMICA**, 3s. 6d.

**THEAS** of sorts, 3s. 6d. and 5s.

**THIBAUDIA ACUMINATA**, 3s. 6d.

**THUNBERGIA**, *vide* pages 25 and 26.

**TRACHELOSPERMUM** (RHYNCHOSPERMUM)

JASMINOIDES, 3s. 6d. and 5s.

(RHYNCHOSPERMUM) JASMINOIDES ALBO-

VARIEGATUM, 3s. 6d. and 5s.

(—) JASMINOIDES LUTEO-VARIEGATUM, 3s. 6d. and 5s.

**TREMANDRA ERICEFOLIA**, 2s. 6d. and 3s. 6d.

MIRSUTA, 2s. 6d. and 3s. 6d.

**TREMANDRA VERTICILLATA**, 2s. 6d. and 3s. 6d.

**TROPEOLUM AZUREUM GRANDIFLORUM**, 3s. 6d. and 5s.

BRACHYCEAS, 2s. 6d.

PENTAPHYLLUM, 2s. 6d.

TRICOLOR GRANDIFLORUM (JARRATTII), 1s. and 1s. 6d.

TUBEROSUM, *vide* page 51.

of sorts, 1s. 6d., 2s. 6d. and 3s. 6d.

**TUBEROSSES BEST DOUBLE** } These can be supplied in dormant bulbs, by the dozen or hundred, at the proper season.

AFRICAN

AMERICAN

THE PEARL

### TURRAEA HETEROPHYLLA.

A small-growing slender-branched shrub, a native of Natal. It has glabrous branches, and ovate undivided or three-lobed leaves, which fall away before the flowering season. The flowers are white, five-petalled, clustered at the end of the branches. 5s. and 7s. 6d.

**VALLOTA PURPUREA**, 2s. 6d.

PURPUREA MAJOR, 3s. 6d. and 5s.

**VITIS HETEROPHYLLA HUMULIFOLIA**, 2s. 6d.

HETEROPHYLLA VARIEGATA, 2s. 6d. & 3s. 6d.

**WITSENIA CORYMBOSA**, 3s. 6d.

**YUCCA ALOIFOLIA VARIEGATA**, 5s.

FILAMENTOSA VARIEGATA, 5s. and 7s. 6d.

**YUCCA PARMENTIERI**, *vide* Fourcraea Beddinghausci.

TONELIANA, *vide* Fourcraea Beddinghausci.

**ZAMIA**, *vide* Index.

**ZEPHYRANTHES OARINATA**, 12s. per dozen.

TUBISPATHA, 9s. per dozen.



## GREENHOUSE RHODODENDRONS.

- ALBESCENS**, an extremely handsome sweet-scented greenhouse variety, producing very large and beautiful glistening white flowers, slightly undulated on the margins, the upper segments being marked at the base with sulphur yellow. 7s. 6d.
- ANDERSONI**, a handsome introduction from the Himalayas, giving very large and fine trusses of blossoms, which are of a bright rich carmine colour. 3s. 6d. and 5s.
- ARBOREUM**, 3s. 6d.
- ARGENTEUM**, *vide grande*.
- ASSAMICUM**, flowers about 3½ inches broad, pure milk-white, with a cream-coloured stain at the base of the upper lobe near the mouth of the tube. 5s.
- BARBATUM**, bright scarlet flowers, distinct and effective. 5s.
- BLANDFORDIÆFLORUM**. 3s. 6d. and 5s.
- CALOPHYLLUM**, a handsome species, producing large funnel-shaped pure white flowers. 3s. 6d.
- CILIATUM**, blush white; very free flowering. 2s. 6d. and 3s. 6d.
- CINNABARINUM**. 3s. 6d. and 5s.
- CLARINDA**, flowers of a very delicate blush-pink, the petals being prettily crimped. 10s. 6d.
- COUNTESS OF DERBY**, bell-shaped flowers of great substance and large size; pure white and most deliciously fragrant; a very free-blooming variety. 7s. 6d.
- COUNTESS OF HADDINGTON**, large blush-white flowers; exceedingly beautiful. 3s. 6d. & 5s.
- COUNTESS OF SEFTON**, large cup-shaped flowers, with fringed edges; pure white, slightly shaded with rosy-purple; the trusses are large, often equalling in size and fulness those of a hardy Rhododendron. 5s. and 7s. 6d.
- DAVIESII**, a free-growing hybrid of bushy habit, producing freely its trusses of beautiful flowers of a lustrous orange-red colour. 5s., 7s. 6d. and 10s. 6d.
- DIADEM**, fine trusses of irregularly shaped flowers of a pleasing soft rosy pink colour. 10s. 6d.
- DIANA**, an extremely free flowering hybrid, producing fine heads of bloom even on small plants. The individual flowers have long tubes, and are of a delicate blush pink colour, the petals being somewhat crimped and wavy. 10s. 6d.
- DUCHESS OF CONNAUGHT**, bright vermilion-red flowers of great substance. 7s. 6d. and 10s. 6d.
- DUCHESS OF EDINBURGH**, large scarlet flowers, very beautiful. 7s. 6d. and 10s. 6d.
- DUCHESS OF TECK**, buff-yellow, shaded with scarlet, very fine. 5s. and 7s. 6d.
- EMBLEM**, this produces immense heads of long-tubed flowers; the tube blush and the segments of a beautiful rich bright pink colour; exceedingly handsome and attractive. 7s. 6d., 10s. 6d. & 15s.
- EXONIENSE**, 3s. 6d.
- FAIR ROSAMOND**, fine trusses of delicate blush tinted flowers of large size, the petals being of good shape and substance, prettily crimped and undulated on the margins. 10s. 6d.
- FALCONERI**, magnificently ornamental; this species has the largest leaves in the genus. 5s. & 7s. 6d.
- FRAGRANTISSIMUM**, deliciously fragrant flowers, of the purest white, lightly spotted with ochre on the upper segment; the back of the flower pencilled and shaded with rose. 3s. 6d.
- FULGENS**, rich fiery crimson; extremely showy and effective; compact habit. 3s. 6d. and 5s.
- GRANDE (ARGENTEUM)**, immense heads of large ivory-white flowers deeply stained with crimson at the base. 7s. 6d.
- HIMALAICUM**, this variety produces fine large handsome trusses of bright carmine flowers. 3s. 6d.
- JAMESONI**, this variety produces large terminal trusses of handsome bright red flowers. 3s. 6d. & 5s.
- JASMINIFLORUM**, an elegant free-blooming species, with fragrant white flowers, borne successionally in clusters. 3s. 6d. and 5s.



RHODODENDRON, PINK BEAUTY.

**RHODODENDRON, PINK BEAUTY.**

A remarkably beautiful hybrid, producing immense trusses of fine large flowers, of a delicate soft pink colour, with long bluish-white tube. This handsome hybrid belongs to the perpetual-blooming section of greenhouse Rhododendrons. 7s. 6d., 10s. 6d. and 15s.



## GREENHOUSE RHODODENDRONS—continued.

- JAVANICUM**, a beautifully golden-yellow flowering species. 3s. 6d., 5s. and 7s. 6d.
- JENKINSII**, flowers exceedingly large, funnel-shaped, and of snowy whiteness; the handsome wax-like attractive blossoms render it a most beautiful plant for conservatory decoration. 5s.
- JUNO**, a very pretty and distinct hybrid with orange-buff flowers, borne in large heads. 10s. 6d.
- LADY ALICE FITZWILLIAM**, clusters of white blooms, each flower three and a half to four inches across. 3s. 6d. and 5s.
- LADY SKELMERSDALE**, pure white trumpet-shaped fragrant flowers; very handsome. 5s.
- LEPIDOTUM**, flowers of medium size, of a rosy purple colour. 7s. 6d.
- MRS. JAMES SHAW**, a variety of bushy habit, producing in profusion pure white sweet-scented flowers, which are cup-shaped and of great substance. 5s.
- MULTIFLORUM**, bears a profusion of beautiful white flowers; of dwarf habit. 2s. 6d. and 3s. 6d.
- MYRA**, this chaste and pretty hybrid is a most desirable addition to the handsome and perpetual flowering section of Rhododendrons, and blooming as they do from almost every growth, too much can hardly be said in their favour. The variety now offered produces in the freest manner large trusses of well-shaped pure white flowers, the petals being crisped and undulated. 10s. 6d.
- PINK BEAUTY**, *vide* page 39.
- PLATO**, large flowers of a light shade of salmon-pink, the throat gradually expanding from base of tube. 10s. 6d.
- PRINCE LEOPOLD**, bright carmine, very handsome; a richly coloured variety. 7s. 6d. and 10s. 6d.
- PRINCESS ALEXANDRA**, a pretty hybrid variety, of compact growth, with similar flowers to those of *R. jasminiflorum*, but larger and longer tubed, pure white, with pink stamens. 3s. 6d. and 5s.
- PRINCESS ALICE**, a neat dwarf bushy-growing variety of the *ciliatum* type, producing clusters of deliciously-scented bell-shaped white flowers, flushed with pink. 3s. 6d. and 5s.
- PRINCESS ROYAL**, a handsome and distinct variety of neat compact growth, with clusters of richly-shaded, rose-coloured, funnel-shaped flower tubes. 3s. 6d. and 5s.
- QUEEN OF DWARFS**, bears large well-expanded snow-white flowers of great substance; it is of bushy habit, and very floriferous. 5s.
- RETUSUM**, this distinct species produces clusters of tubular orange-coloured flowers. 5s. and 7s. 6d.
- ROSALIND**, a charming hybrid of neat compact habit, and very free blooming; it produces fine clusters of beautiful long-tubed flowers of a delicate soft pink shade; a most pleasing and effective variety. 7s. 6d., 10s. 6d. and 15s.
- ROSY GEM**, a charmingly attractive hybrid, producing large heads of long-tubed flowers of a rich rose colour, the edges of the segments deep pink, the exterior of the tube bluish-white. This will be found a most desirable acquisition for the greenhouse. 7s. 6d., 10s. 6d. and 15s.
- SESTERIANUM**, fine large fragrant white flowers. 3s. 6d. and 5s.
- SMIRNOWII**, introduced from Armenia; produces corymbs of pretty campanulate reddish-crimson flowers, of medium size. 10s. 6d.
- TAYLORI**, rich bright pink flowers with white tube; a splendid variety producing fine large trusses. 3s. 6d. and 5s.
- THIBAUDIENSE**, this remarkable Rhododendron has been introduced from Bhotan; its bright red tubular flowers are produced in terminal trusses, in form somewhat resembling those of the *Correas* and *Thibaudias*, and having the same alabaster-like translucent lustre, hence its name. 3s. 6d. and 5s.
- UNGERNII**, introduced from Armenia; the flowers, which are borne in umbellate corymbs, are pure white and of medium size. 10s. 6d.
- VEITCHIANUM**, a beautiful species, with very large white flowers, relieved by a yellow centre or base, and elegantly fringed or frilled on the margin. 5s. and 7s. 6d.
- VIRGINALE**, the pure white flowers of this beautiful variety are large and funnel-shaped; it has leathery dark green foliage, and forms a splendid plant for conservatory decoration, the great size and snowy whiteness of its blossoms rendering it extremely attractive. 5s.
- WIGHTII**, a fine species of neat habit, producing clusters of large and elegant bell-shaped flowers of a golden-yellow colour, the expanding lobes being marked with blotches of reddish-crimson surmounted by pink dots. 7s. 6d.

## ABUTILONS.

- ALBERT DÉLAUX**, dwarf, large rosy-mauve flowers, with rose nerves. 1s.
- AMARANTINA**, large well-formed flowers, of a brilliant purple-amaranth colour. 1s. 6d.
- ANNA CROZY**, deep pink flower of splendid shape, shaded violet and veined white. 1s.
- ARMAND CAUVY**, golden-yellow flowers, veined with violet; dwarf. 1s. 6d.
- AURELIA**, bright golden-yellow. 1s.
- BARON ALPH. DE ROTHSCHILD**, soft canary-yellow. 1s. 6d.
- BLANDII**, deep yellow, veined crimson. 1s.
- BOULE DE NEIGE**, white. 1s.
- BOULE D'OR**, golden-yellow. 1s.
- BRILLIANT**, fine well-shaped flowers, of a bright red colour. 1s.
- CALYPSO**, very large white flowers of good shape. 1s.
- CLOCHETTE FLEURIE**, dark violet-amaranth, with purple centre and veins. 1s.
- CESARE COSTA**, brilliant carmine-rose. 1s. 6d.
- CONQUETE**, whitish-rose, throat dark carmine, with bright rose nervations. 1s.
- COURONNE D'OR**, deep sulphur-yellow. 1s.
- DARWINII SUPERBUM**, 1s.
- DESBOISI**, bright rose colour. 1s.
- EDOUARD LAYEILLON**, deep rich golden-yellow, flushed with rose. 1s.
- EMPEROR**, very fine large dark crimson flowers. Received First Class Certificate. 1s.
- EVELINE**, blush, shaded with pink, and beautifully veined with deep rose. 1s.
- FUTURE FAME**, deep rose shaded crimson. 1s.
- GOLDEN QUEEN**, clear golden-primrose flowers; excellent for pot culture. 2s. 6d.
- H. PINEAU**, old gold, chocolate veins. 1s. 6d.
- HIBISCUS**, canary-yellow flowers. 1s.
- INSIGNE FOLIIS AUREO-MARGINATIS**, 2s. 6d.
- J. A. BECKER**, very dark, unique. 1s. 6d.
- JULES PAQUET**, brilliant cerise, white throat, dwarf habit. 1s. 6d.
- KING OF ROSES**, flowers rich deep rose. 1s.
- LA LORRAINE**, bright red. 1s.
- LE GRELOT**, delicate rose colour. 1s.
- LUSTROUS**, fine bright red flowers. 1s.
- L. VAN HOUTTE**, rich mauve-purple. 1s.
- LYDIA**, light yellow, flushed crimson. 1s.
- MADAME A. LAGORCE**, salmon-rose, yellow throat. 1s. 6d.
- MADAME CHABERT**, large canary-yellow flowers. 1s. 6d.
- MADAME DE LESTAPIE**, immense rose flowers. 1s. 6d.
- MADAME GABRIELLE DE ROVIRA**, silver-white, suffused rose. 1s. 6d.
- MADAME P. JUNG**, rosy-salmon. yellow throat. 1s. 6d.
- MADLE. LAURENCE ARRIBAT**, white, rose veins. 1s. 6d.
- M. FORGEOT**, brilliant orange, crimson veins. 1s. 6d.
- M. GALABRU**, flowers reddish-violet. 1s. 6d.
- M. JULES BARIGNY**, reddish-crimson, dwarf. 1s. 6d.
- MULLE. ANNA DÉLAUX**, rose, marked with white, and veined dark rose. 1s.
- MARSHAL**, reddish-cinnamon, shaded with orange, and veined with crimson. 1s.
- MEGAPOTAMICUM VARIEGATUM**, 1s.
- MODIOLA**, bright rosy-crimson. 1s.
- M. B. MODESTE**, rich bright crimson-red, veined with dark crimson, very attractive. 1s.
- M. LOUIS MARIIGNAC**, rose; reverse of petals of a silvery hue. 1s.
- M. PETIT**, rich reddish-crimson colour, veined crimson. 1s.
- M. VIVIAND-MOREL**, large fine flower of a violet colour, shaded amaranth. 1s.
- PROGNE**, a large well-formed flower of a rich magenta-rose colour. 1s.
- PURPUREUM**, very fine purple-coloured flowers, shaded with magenta. 1s.
- R. RAGIONIERI**, orange-scarlet, crimson veins. 1s. 6d.
- RICHESSSE**, beautiful bright rose flowers, marked with silvery-white, and veined with dark rose. 1s.
- ROYAL SCARLET**, a beautiful waxy flower of a brilliant fiery scarlet; dwarf habit. 1s.
- SELLOWIANUM MARMORATUM**, 1s.
- SERAPH**, pure white. 1s.
- SOUVENIR DE BONN**, beautifully variegated foliage. 1s. 6d. and 2s. 6d.
- STRIATUM SPLENDIDUM**, bright orange, striped with rich crimson. 1s.
- THOMSONI PLENUM**, fine double deep rich orange flowers, shaded and streaked with crimson. This handsome variety has also ornamental foliage. 1s.
- TROPHY**, yellow, veined with carmine. 1s.
- VILLE SOLEIL**, a very floriferous dwarf variety; dark carmine-cerise flowers, shaded and darkly veined with rich orange-brown. 1s. 6d.
- VEXILLARIUM GRANDIFLORUM**, produces a profusion of dark cerise flowers with crimson throat, very distinct. 1s. 6d.
- ZARA**, clear lemon-yellow. 1s.



# NEW, RARE AND DESIRABLE HARDY PLANTS.

**ACER PLATANOIDES LEOPOLDII**, 1s. 6d.

**ACORUS JAPONICUS SIEBOLDII STRIATUS**, 1s. 6d.

## ALPINE PLANTS.

Choice selections of these pretty plants, suitable for Rock-work, &c. 9s. and 12s. per dozen.

**AKEBIA QUINATA**, 1s. 6d.

**ALSTROMERIA AURANTIACA**, 2s. 6d. per dozen.

**BRASILIENSIS**, 3s. 6d. per dozen.

**CHILENSIS**, 2s. 6d. per dozen.

**PSITTACINA**, 2s. 6d. per dozen.

See also page 28.

**ALTHEA FRUTEX**, *vide* *Hibiscus syriacus*.

**AMARYLLIS BELLADONNA**, 9d. and 1s. each; 6s. and 9s. per dozen.

**AMPELOPSIS SEMPERVIRENS**, 5s.

**TRICUSPIDATA** (*Vitis japonica*), 1s. 6d. and 2s. 6d.

— **PURPUREA**, a very handsome purple-leaved variety of this useful wall climber, 3s. 6d.

**ANDROMEDA JAPONICA**, 2s. 6d., 3s. 6d. & 5s.

**ANEMONE JAPONICA ALBA** (*Honorine Jobert*), pure white, 6d. each; 4s. 6d. per dozen.

**JAPONICA**, **LADY ARDILAUN**, much finer than the well-known white variety *Honorine Jobert*, the growth being more vigorous and the flowers much larger and of greater substance. 5s.

— **HYBRIDA**, 6d. each; 4s. 6d. per dozen.

— **RUBRA**, 6d. each; 4s. 6d. per dozen.

**ARALIA MAXIMOWICZII** (*Acanthopanax ricinifolia*), 2s. 6d. and 3s. 6d.

**ARISEMA CORNUTUM** (*Sauromatum guttatum*), 3s. 6d.



**ARUM ARISTATUM.**



**ARUM DIOSCORIDES.**

**ARUM ARISTATUM**, large flowers, black inside, olive coloured and striped outside; quite odourless. *Vide* illustration. 1s.

**BOWEN**, a dwarf-growing species with milk-white flowers. 2s. 6d.

**DETRUNCATUM**, 1s. 6d.



**ARUM PALÆSTINUM (SANCTUM.)**

**ARUM DIOSCORIDES**, a remarkable variety, producing on short stalks attractive olive-coloured flowers, marked with dark purple spots. *Vide* illustration. 1s. 6d.

**ARUM PALÆSTINUM** (SANCTUM), a very handsome and compact - growing variety introduced from the Holy Land. In the early spring the plants produce large sweet-scented flowers, the spathe being from 14 to 18 inches long, of a brilliant dark purple colour. The spadix is about 10 inches long, deep velvety black. Is admirably suited for pot culture. *Vide* illustration page 42. 1s. 6d. each.

**ARUMS**, of sorts, 12s. and 18s. per dozen.

**AZALEA MOLLIS.**

This useful hardy Japanese shrub cannot be too strongly recommended, for it is invaluable either grown in pots, for forcing, for greenhouse or conservatory decoration, for beds or grouping in the open borders. It blossoms in a profuse manner, the large funnel-shaped flowers ranging in colour from rosy-salmon through various shades of yellow to bright orange. 1s. 6d., 2s. 6d. and 3s. 6d.

**AZALEAS**, hardy varieties, of sorts, 18s., 30s. and 42s. per dozen.

**AZARA MICROPHYLLA**, 2s. 6d. and 3s. 6d.

**BAMBUSA AUREA**, 2s. 6d.

*FALCATA*, *vide* page 29.

*GRACILIS*, 2s. 6d. and 3s. 6d.

*FORTUNEI VARIEGATA*, 2s. 6d.

*MAXIMOWICZII*, 3s. 6d. and 5s.

*METAKE* (*Arundinaria japonica*), 2s. 6d. and 3s. 6d.

*NANA*, 2s. 6d. and 3s. 6d.

*SIMONII*, 3s. 6d.

*TESSELLATA* (*Ragamowski*), 2s. 6d. and 3s. 6d.

**CARPENTERIA CALIFORNICA.**

A handsome Californian shrub, producing large terminal bunches of white flowers, which have similar fragrance to that of the *Philadelphus*; it is extremely ornamental. 5s.

**CEANOTHUS**, of sorts, 2s. 6d. and 3s. 6d.

**CHIMONANTHUS FRAGRANS**, 2s. 6d. and 3s. 6d.

**CHOISYA TERNATA**, 1s. 6d. and 2s. 6d.

**ARUNDO CONSPICUA**, 1s. 6d. and 2s. 6d.

**ASCLEPIAS TUBEROSA**, 1s.

**ASPIDISTRA LURIDA**, 2s. 6d. and 3s. 6d.

*LURIDA VARIEGATA*, 3s. 6d. and 5s.

**ASTILBE BARBATA**, *vide* *Spiræa japonica*.

**AUCUBA JAPONICA FÆMINA**, various sorts, 3s. 6d. and 5s.

*JAPONICA LUTEO-PICTA*, 7s. 6d.

— *MASCULA*, various sorts, 3s. 6d. & 5s.

**AZALEA LINEARIFOLIA**, 5s.

**BERBERIS HETEROPODA**, 5s.

*STENOPHYLLA*, 1s. 6d. and 2s. 6d.

of sorts, 3s. 6d. and 5s.

**BIGNONIA GRANDIFLORA**, 2s. 6d. and 3s. 6d.

*RADICANS MAJOR*, 1s. 6d. and 2s. 6d.

*Vide* pages 12 and 29.

**BOCCONIA JAPONICA**, 3s. 6d.

**CALOCHORTUS**, of sorts, 12s. per dozen

**CALYCANTHUS PRÆCOX**, *vide* *Chimonanthus* fragrans.

**CAMPANULA TURBINATA**, 1s.

**CHRYSANTHEMUMS**, *vide* Index.

**CINNAMOMUM SEBICEUM**, 5s.

**CITRUS**, *vide* page 31.

**CLEMATIS.**

As hardy climbers, the large-flowered hybrid varieties cannot be too strongly recommended, for they are of easy and free growth, profuse bloomers, and the colours of the different sorts are varied and distinct, such as light and dark blue, white, plum, silvery-grey, violet, lavender, rosy-purple, mauve, &c. Price 18s. and 30s. per dozen. New varieties, 42s. per dozen.

**CLEMATIS COCCINEA**, 2s. 6d.

*JACKMANNI ALBA*, 2s. 6d.

*MADAME EDOUARD ANDRÉ*, the new red Clematis, 10s. 6d.

**CORNUS MAScula AUREO-ELEGANTISSIMA**, 2s. 6d.

*SIBIRICA SPATHII*, a very handsome ornamental shrub, with beautifully variegated foliage. 3s. 6d.

**CRATÆGUS CARRIÈRI**, large white flowers, turning to rose; fruit as large as a cherry. 5s.

*LÆLANDII*, 1s. and 1s. 6d.

*ORIENTALIS SANGUINEA*, THE EASTERN THORN, flowers white, produced in umbels in great profusion; deep purplish red fruits. 2s. 6d.

**CRINUM CAPENSE ALBUM**, 1s.

*CAPENSE ROSEUM*, 1s.

*MOOREI*, *vide* page 31.

*POWELLII*, *vide* page 31.

**CROCOSMIA AUREA**, 1s.

*AUREA MACULATA*, 3s. 6d.

*IMPERIALIS*, a very handsome and striking new species, producing spikes of immense fiery orange-scarlet flowers  $3\frac{1}{2}$  to 4 inches in diameter. 3s. 6d. and 5s.

**CYCLAMEN AFRICANUM.**



**CYCLAMEN AFRICANUM**, a handsome hardy species, with large ornamental leaves; flowers bright reddish crimson. *vide* illustration page 43. 1s. each, 10s. per dozen.

**COUM**, bright red, 7s. 6d. per dozen.

**EUROPAEUM**, rosy red flowers, sweet scented. 4s. per dozen.

**HEDERAEFOLIUM**, 5s. per dozen.

**CYDONIA JAPONICA**, of sorts, 1s. 6d. and 2s. 6d.

**CYPRIPEDIUM ACOULE**, 3s. 6d. and 5s.

**ARIETINUM**, 2s. 6d.

**MONTANUM**, 5s.

**PARVIFLORUM**, 2s. 6d.

**PUBESCENS**, 2s. 6d.

**SPECTABILE**, 3s. 6d., 5s. and 7s. 6d.

[Various species of these interesting Terrestrial Orchids can be supplied at the proper season, when dormant.]

**CYTISUS SCOPARIUS ANDREANUS**, 3s. 6d.

**DELPHINIUMS**, of sorts, 1s. 6d. and 2s. 6d.

**DESMODIUM PENDULIFLORUM**, *vide* Lespedeza Sieboldii.

**DEUTZIA CRENATA ROSEO-PLENA**, 1s. 6d.

**PARVIFLORA**, a hardy shrub introduced from Northern China, the upper part of the branches becoming completely covered with large round white flowers. It comes into flower much earlier than other species and is admirably adapted for forcing. 3s. 6d.

**PRIDE OF ROCHESTER**, a handsome flowering double variety. *vide* illustration. 1s. 6d. each; 15s. per dozen.

**DIETRA SPECTABILIS**, 1s. and 1s. 6d.

**SPECTABILIS ALBA**, 2s. 6d.

**DIMORPHANTHUS MANDCHURICUS**, 1s. 6d.

**ELYMUS OLAUICIFOLIUS**, 1s. 6d. each, 15s. per doz.

**EREMURUS ROBUSTUS**, 5s.

**ERYTHRINA**, *vide* pages 17 and 33.

**ESCALLONIA MACRANTHA**, 2s. 6d.

**EUCRYPHIA PINNATIFOLIA**, 10s. 6d.

**EULALIA ORACILLIMA UNIVITTATA**, *vide* Miscanthus sinensis.

**JAPONICA ALBO-LINEATA**, 2s. 6d. and 3s. 6d.

**ZEBRINA**, 2s. 6d. and 3s. 6d.

**EUONYMUS OCCIDENTALE**, a hardy ornamental flowering shrub, introduced from the Eastern States of North America. 3s. 6d.



**DEUTZIA, PRIDE OF ROCHESTER.**

**EXOCHORDA ALBERTI**, 3s. 6d.

**FRAXINUS MANDCHURICUS**, 3s. 6d.

**FREESIAS**, *vide* page 33.

**GENISTA ANDREANA**, *vide* Cytisus Scoparius Andreanus.

**GUNNERA MANICATA**, 3s. 6d.

**SCABRA**, 3s. 6d.

**HEDERA AMURENSIS**, 2s. 6d.

**ATROPURPUREA**, 1s. 6d.

**SPECTABILIS AUREA**, 2s. 6d.

**HELIx AURANTIOA**: this is the scarlet-berried Ivy. 2s. 6d. and 3s. 6d.

**HEMEROCALLIS**, of sorts, 9d. and 1s.

### HERBACEOUS PLANTS.

Choice selections of these useful hardy border plants, 6s. and 9s. per dozen.

**HIBISCUS SYRIACUS (ALTHEA FRUTEX)**, 1s. 6d.

**SYRIACUS ALBO-PLENUS**, 1s. 6d.

— **AMARANTHE**, 1s. 6d.

— **ANEMONEFLORUS**, 1s. 6d.

— **ARDENS**, 1s. 6d.

— **BICOLOR HYBRIDA**, 1s. 6d.

— **BOULE DE FEU**, 1s. 6d.

— **CERULEUS PLENUS**, 1s. 6d.

— **CARNEUS PLENUS**, 1s. 6d.

— **COMTE DE FLANDRES**, 1s. 6d.

— **CELESTIS**, 1s. 6d.

— **DE LA REINE**, 1s. 6d.

— **DE LA VEUVE**, 1s. 6d.

— **DUC DE BRABANT**, 1s. 6d.

— **ELEGANTISSIMUS**, 1s. 6d.

— **ORANDIFLORUS SUPERBUS**, 1s. 6d.

— **LEOPOLDII**, 1s. 6d.

**HIBISCUS SYRIACUS.**

**SYRIACUS PURPUREUS VARIEGATUS**, 1s. 6d.

— **RANUNCULIFLORUS**, 1s. 6d.

— **RUBER PURPUREUS FL. PL.**, 1s. 6d.

— **SPECIOSUS**, 1s. 6d.

— **TOTUS ALBUS**, 1s. 6d.

— **VIOLACEUS ATROPURPUREUS FL. PL.**, 1s. 6d.

— **SEMI-PLENUS**, 1s. 6d.

*See also* pages 17 and 19.

**HOTEIA JAPONICA**, *vide* Spirea japonica.

**HYACINTHUS CANDICANS**, 1s. 6d. per dozen.

**HYDRANGEA ASPERA**, 1s. 6d.

**PANICULATA ORANDIFLORA**, 1s. and 1s. 6d.

**PEKINENSIS**, 3s. 6d.

**VOLUBILIS (SCANDENS)**, 1s. 6d.

*See also* page 34.

### HYPERICUM MOSERIANUM.

A handsome evergreen shrub, attaining a height of 3 to 5 feet, of great floriferousness, being covered from May till late in Autumn with magnificent deep yellow flowers, having a diameter of nearly 3 inches. It has obtained a First-Class Certificate. 2s. 6d.



IRIS KÄMPFERI.



IRIS LORTETII.

## IRIS GERMANICA.

The handsome hybrids of this beautiful section are of the greatest use for the adornment of beds and borders; the flowers are of rich and varied colours, striped or blotched with purple and violet, on a white or yellow ground. 6s., 9s. and 12s. per dozen; choice mixed varieties, 2s. 6d. per dozen.

## IRIS KÄMPFERI.

Many magnificent varieties of this handsome and attractive plant have been imported from Japan: indeed, scarcely any plants in the flower garden can compare for gorgeous beauty with this section of Iris. Varying in colour from pure white to rich maroon-crimson, there are few flowers surpassing them in size and the brightness of their colouring. Some are pure white with delicate reticulations of lavender, others are beautifully maculated with rosy-purple on a light ground, while many beautiful shades of dark crimson, blue, purple, and violet will be found amongst them. They succeed admirably planted on the margin of a lake or pond, or in any situation where plenty of moisture can be given. *Vide illustration.* 2s. 6d. and 3s. 6d. each; choice varieties, 5s. and 7s. 6d. each. Mixed Seedlings, 7s. 6d. and 10s. 6d. per dozen.

IRIS ALATA, lovely blue flowers. 9d.

ATROFUSCA, large rosy-purple flowers. 1s.

ATROPURPUREA, very dark blackish-purple flowers. 1s.

ORISTATA, 1s. 6d.

FLORENTINA, large pure white flowers. 1s.

GRANT-DUFFII, pretty creamy-yellow flowers. 1s.

HISTRIO, porcelain-blue flowers. 1s. 6d.

IBERICA, white ground, with rich brownish-purple markings. 1s.

LORTETII, inner segments pale lilac, prettily veined; falls cream colour, profusely veined and spotted with brownish-rose. *Vide illustration.* 2s. 6d.

MARIE (HELENÆ), beautiful lilac flowers, deep purple blotch on falls. 1s.

IRIS MARICOIDES, 9d.

PALESTINA, 1s.

PERSICA, white, yellow and purple. 1s. 6d. per dozen.

PUMILA ATROCERULEA, rich violet-purple. 2s. per dozen.

— CERULEA, sky-blue. 2s. per dozen.

— LUTEA, bright yellow. 3s. per dozen.

RETICULATA KESLAGER, claret-purple. 5s. per dozen.

SIBIRICA, bright blue, reticulated with white. 3s. per dozen.

SUSIANA, light brown, pencilled with black. 1s. each, 7s. 6d. per dozen.

TECTORUM, lovely pale-blue flowers; requires protection in winter. 1s. 6d.

TUBEROSA, 2s. 6d. per dozen.



**JUNCUS LÆTEVIRENS**, 3s. 6d.

**ZEBRINUS**, *vide* *Scirpus Tabernæmontani* zebrianus.

**KNIPHOFIA ALOIDES** (*Tritoma Uvaria*), 9d.

**ALOIDES** (*Tritoma Uvaria*) **GLAUCESCENS**, 1s. 6d.

— (— — —) **GRANDIFLORA**, 1s.

— (— — —) **NOBILIS**, 2s. 6d.

**LARDIZABALA BITERNATA**, 3s. 6d.

**LESPEDEZA SIEBOLDII** (*Desmodium penduliflorum*), 1s. 6d. and 2s. 6d.

**LIBERTIA FORMOSA**, 6d.

**IXIOIDES**, 6d.

## LILIUMS.

**ALEXANDRÆ**, a lovely sweet-scented white-flowered Lily from Japan, 7s. 6d.

**AURANTIACUM**, *vide* croceum.

**AURATUM**, 1s., 1s. 6d., 2s. 6d. and 3s. 6d.

Dormant bulbs at the proper season, 6d., 9d., 1s. and 1s. 6d. each.

— **CRUENTUM**, the finest of the *auratum* section, each petal being marked down the centre with a broad band of the richest crimson, 7s. 6d.



LILIUM AURATUM.

**AURATUM ORNATUM**, 7s. 6d.

— **PICTUM**, 5s.

— **PLATYPHYLLUM**, a handsome variety, giving gigantic flowers with large and very broad segments, much greater in substance than the ordinary variety. 2s. 6d. and 3s. 6d.

— **VIRGINALE**, 5s.

— **RUBRO-VITTATUM**, 5s. and 7s. 6d.

— **VIRGINALE** (Wittei), 5s.

**BATEMANÆ**, 1s. and 1s. 6d.

**BROWNII**, very handsome large flowers, trumpet-shaped, internally white, externally purplish brown. 3s. 6d. and 5s.

**BULBIFERUM**, 1s.

**BYZANTINUM**, *vide* chalcædonicum.

**CALIFORNICUM**, 2s. 6d.

**CALLOSUM**, 2s. 6d. and 3s. 6d.

**CANADENSE**, 1s. and 1s. 6d.

— **RUBRUM**, 2s. 6d.

**CANDIDUM**, 4d. and 6d.

— **FLORE-PLENO**, 6d.

**CHALCÆDONICUM** (*BYZANTINUM*), an effective and showy Lily, with brilliant scarlet flowers. 1s. 6d.

**COLUMBIANUM**, 1s. 6d. and 2s. 6d.

**CONCOLOR**, 2s. 6d. and 3s. 6d.

— **CORIDION**, 2s. 6d.

**CORDIFOLIUM**, a rare Japanese Lily. 3s. 6d.

**CROCEUM** (*AURANTIACUM*), 4d. and 6d.

**DALMATIUM**, *vide* Martagon dalmaticum.

**DAHURICUM ERECTUM**, 9d.

— **FULGIDUM** (*SAPHO*), 9d.

— **GRANDIFLORUM**, 9d.

— **IMMACULATUM**, 9d.

— **INCOMPARABILE**, 9d.

— **SULPHUREUM**, 2s. 6d.

**ELEGANS** (*THUNBERGIANUM*), 1s. 6d.

— (—) **ALICE WILSON**, 5s.

— (—) **ALUTACEUM**, 9d.

— (—) **ATROSANGUINEUM** (*FULGENS*), 9d.

— (—) **SEMI-PLENUM**, 2s. 6d.

— (—) **BICOLOR**, 2s. 6d. and 3s. 6d.

— (—) **CRUENTUM**, 3s. 6d.

— (—) **FLAVESCENS**, 2s. 6d.

— (—) **FORMOSUM**, 1s. 6d.

— (—) **GUTTATUM**, 2s. 6d.

— (—) **LATERITIMUM** (*BILIGULATUM*), 9d.

— (—) **MACULATUM**, 9d.

— (—) **PICTUM**, 9d.

— (—) **PRINCE OF ORANGE** (*CITRINUM*), 9d.

— (—) **SANGUINEUM**, 9d.

— (—) **STAMINOSUM** (*FLORE-PLENO*), 1s. 6d.

— (—) **WALLACEI**, 1s. 6d.

## LILIUMS—continued.

**LILIUM LONGIFLORUM HARRISII.****EXCELSUM**, *vide* testaceum.**EXIMIUM**, *vide* longiflorum eximium.**GIGANTEUM**, 5s., 7s. 6d. and 10s. 6d.**GRAYII**, a new red-flowered Lily from California. 3s. 6d.**HANSONI**, bright golden-yellow, spotted with crimson. 5s.**HOOKEYI**, *vide* Alexandræ.**HUMBOLDTII**, quite hardy, and produces fine spikes of golden-yellow flowers, spotted with purple. 2s. 6d.**ISABELLINUM**, *vide* testaceum.**JAPONICUM** (onorum), a beautiful sweet-scented White Lily. 7s. 6d.**KAMSHATICUM** (SARANA), The Black Lily, 3s. 6d.**KRAMERI**, an exceedingly elegant Lily, with large trumpet-shaped blossoms of a beautiful soft rose colour; the lobes of the flowers gracefully recurved. 1s. 6d. & 2s. 6d.**LANCIFOLIUM**, *vide* speciosum.**LEICHTLINI**, scarce, 3s. 6d. and 5s.**LONGIFLORUM**, 6d.

— Gigantic bulbs, 9d.

— **EXIMIUM**, 9d. and 1s.— **FOLIIS ALBO-MARGINATIS**, 2s. 6d.— **VARIEGATIS**, 3s. 6d.— **HARRISII**. The handsome free-flowering Easter Lily of Bermuda, invaluable for pot culture, its pure white flowers being borne in the greatest profusion. *Vide* illustration. 6d., 9d. and 1s.

Extra size, 1s. 6d., 2s. 6d. and 3s. 6d.

**LONGIFLORUM WILSONI**, 1s. 6d. and 2s. 6d.**MARTAGON** (Turk's Cap Lily). 2/6 per doz.— **ALBUM**, 3s. 6d. and 5s.— **AURANTIACUM**, *vide* pyrenaicum.— **COCCINEUM**, *vide* chalcidonicum.— **DALMATICUM**, a very distinct and attractive Lily, producing beautiful flowers of a rich blackish-purple colour. 1s. 6d. and 2s. 6d.— **CATTANIE**, purple, 2s. 6d. & 3s. 6d.**MONADELPHUM SZOVITZIANUM**, rich citron colour, spotted with black; anthers of a rich chocolate-brown; flowers deliciously fragrant; one of the best of the Lilies. 1s. 6d. and 2s. 6d.

— gigantic bulbs, 3s. 6d.

**NEILGHERRENSE**, a magnificent Lily, one of the finest of its section; blossoms creamy-white, deliciously fragrant and nearly a foot long, admirably adapted for conservatory decoration. 3/6 & 5/-.**NEPALENSE**, very rare and extremely beautiful. 7s. 6d.**OCHROLEUCUM** (**SULPHUREUM**), basal portion of the flower clear ochreous yellow, the remaining portion of the petals, which gracefully recurve, being of a milk-white colour. Deliciously scented. 5s.**PARDALINUM**, a very showy hardy Lily, freely producing its fine flowers, which are of a rich golden-orange colour, attractively spotted with maroon-purple. 1s. and 1s. 6d.— **BOURGÆI**, 3s. 6d.**PARRYI**, flowers deep citron-yellow, with a few scattered purplish spots, and chocolate anthers; a desirable species and easily cultivated. 3s. 6d. and 5s.**PARVUM**, yellow, slightly spotted. 2s. 6d. and 3s. 6d.**PEREGRINUM**, *vide* testaceum.**POMPONIUM**, an elegant species with bright scarlet flowers. 1s. and 1s. 6d.

Extra strong English grown bulbs, 2s. 6d. and 3s. 6d.

**PUBERULUM**, 2s. 6d.**PURPUREUM** (**RUBESCENS**), 3s. 6d. and 5s.**PYRENAICUM**, 6d.**ROSEUM**, *vide* Thompsonianum.**RUBESCENS**, *vide* purpureum.**SPECIOSUM** (**LANCIFOLIUM**) **ALBUM**, 1/- & 1/6— (—) **ALBUM CORYMBIFLORUM**, 9d. & 1s.— (—) **NOVUM**, 5s.— (—) **CRUENTUM**, 2s. 6d.— (—) **KRÆTZERI**, exquisitely formed flowers, of snowy-whiteness; a great improvement on the ordinary white variety. 1s. 6d. and 2s. 6d.— (—) **SUPERBUM**, 5s.— (—) **MELPOMENE**, 2s. 6d. and 3s. 6d.— (—) **PUNCTATUM**, 1s. 6d. and 2s. 6d.— (—) **PURPURATUM**, 2s. 6d. and 3s. 6d.— (—) **ROSEUM**, 6d., 9d. and 1s.— (—) **RUBRUM**, 6d., 9d. and 1s.



## LILIUMS—continued.

**SPECIOSUM (LANCIFOLIUM) RUBRUM CORYMBIFLORUM**, 1s. 6d.

— (—) — **SUPERBUM**, 1s. 6d. and 2s. 6d.

— (—) **SCHRYMAKERSI**, 1s. 6d.

**SUPERBUM**, 9d. and 1s.

— **PYRAMIDALE**, 2s. 6d.

**SZOVITZIANUM**, *vide* monadelphum Szovitzianum.

**TESTACEUM** (EXOBESUM, ISABELLINUM, PEREGRINUM), nankeen-coloured flowers. 1s. 6d.

**THOMPSONIANUM** (ROSEUM), 1s.

**THUNBERGIANUM**, *vide* elegans.

**TIGRINUM**, 2s. per dozen.

**TIGRINUM FLORE-PLENO**, 4d.

— **FORTUNEI**, 6d. and 9d.

— **JUCUNDUM** (Maximowiczii), 1s. 6d. & 2s. 6d.

— **LEOPOLDII (SPLENDENS)**, bright orange-scarlet; large dark spots; exceedingly attractive, 6d. and 9d.

**UKE-URI**, *vide* Alexandræ.

**VENUSTUM**, 1s. 6d.

**UMBELLATUM**, *vide* dahuricum.

**WALLICHIANUM**, 7s. 6d.

**WASHINGTONIANUM**, flowers white, slightly flushed with lilac, very sweet-scented. 2s. 6d. and 3s. 6d.

Good and varied selections of Lilies made at 12s., 18s., 30s. and 42s. per dozen.

**LIMONIA TRIFOLIATA**, 3s. 6d.

**MAGNOLIA CAMPBELLII**, 10s. 6d. and 15s.

**CONSPICUA**, 3s. 6d.

**LENNEI**, 5s.

**PURPUREA**, 2s. 6d.

**SOULANGEANA**, 3s. 6d.

**STELLATA (HALLEANA)**, 5s. and 7s. 6d.

of sorts, 3s. 6d., 5s. to 10s. 6d.

**MALUS FLORIBUNDA**, 1s. 6d.

**HALLEANA**, a new and distinct Japanese sort, with narrow leaves and giving a profusion of pink flowers. 2s. 6d.

**MAXIMOWICZIA OHINENSIS**, 1s. 6d.

**MILLA BIFLORA**, 6s. per dozen.

**MISCANTHUS SINENSIS**, *syn.* **EULALIA GRACILLIMA UNIVITTATA**, 3s. 6d.

**MONTBRETIA CROCOSMIFLORA**, 6d.

**CROCOSMIFLORA AUREA**, fine spikes of large golden-yellow flowers. 1s.

— **BOUQUET PARFAIT**, spikes of very large flowers, centre dark orange-yellow, the upper part bright vermillion. 9d.

— **DRAP D'OR**, erect habit, fine flowers with chrome-yellow lobes. 3s. 6d.

— **ELDORADO**, very floriferous and of dwarf habit; large golden-yellow flowers. 9d.

— **ELEGANS**, brilliant yellow, exterior of tubes and buds vermillion. 6d.

— **ETOILE DE FEU**, large spikes of flowers, dark red on the exterior, the interior bright vermillion, centre clear yellow. 9d.

— **GERBE D'OR**, a dwarf and proliferous variety, producing magnificent golden-yellow flowers. 1s. 6d.

— **INCENDIE**, erect spikes of brilliant red flowers, centre citron, speckled with purple; the finest high-coloured variety. 3s. 6d.

— **MÉTÉORE**, large flowers, lobes large and round, interior dark orange, exterior blood red. 1s. 6d.

— **PHARE**, a most effective variety with very rich coloring; the interior of the flower is brilliant red, the centre yellow, the exterior very bright reddish-crimson. 9d.

**MONTBRETIA CROCOSMIFLORA PLUIE D'OR**, handsome spikes of ochreous yellow flowers; a new colour in Montbretias. 1s. 6d.

**CROCOSMIFLORA PYRAMIDALIS**, spikes of erect flowers of an apricot salmon colour. 6d.

— **RAYON D'OR**, golden yellow; throat spotted red. 1s.

— **SOLFATARE**, fine erect spikes of large orange-yellow flowers, a very distinct and attractive variety. 9d.

— **SOLEIL COUGHANT**, brilliant golden-yellow flowers; dwarf habit. 1s.

— **TIGRIDIE**, rich orange-yellow flowers, maculated in the centre with brown; very striking. 1s.

— **TRANSCENDENT**, bright orange-red, very floriferous. 9d.

(**TRITONIA**) **POTTSII**, 6d.

(—) — **GRANDIFLORA**, very large flowers in erect spikes, exterior reddish-scarlet, interior orange-yellow, very effective. 1s.

**NELLIA TORREYI**, a dwarf-growing shrub, furnished with small slightly pubescent leaves, and producing along the branches umbels of pretty white flowers. 3s. 6d.

**NEVIUSIA ALABAMENSIS**, 3s. 6d.

**NYMPHÆA ALBA**, 1s. 6d. and 2s. 6d.

**OPUNTIA RAFINESQUIANA**, 2s. 6d.

**PÆONIA ARBOREA** (Tree Pæony). choice sorts, 5s. each, 48s. per dozen.

**HERBACEOUS**, 12s. and 18s. per dozen.

**PANCRATIUM ILLYRICUM**, 1s.

**MARITIMUM**, 9d.

**PASSIFLORA CÆRULÆA**, 1s. 6d. and 2s. 6d.

**CONSTANCE ELLIOTT**, 1s. 6d. and 2s. 6d.

**JOHN SPAULDING**, 1s. 6d.

**PHILADELPHUS CORONARIUS FOLIIS AUREIS**, 1s. 6d.

**HYBRIDUS LEMOINEI**, 2s. 6d.

**KETELEERI FLORE-PLENO**, 2s. 6d.

**MIOROPHYLLUS**, 2s. 6d.

**PRIMULIFLORUS**, 3s. 6d.

**ROSÆFLORUS PLENO**, 2s. 6d.

**PHILADELPHUS LEMOINEI ERECTUS.**

This new variety is a cross between *Philadelphus microphyllus* and one of the beautiful varieties of *P. coronarius*. The plant is of free growth, the flowers being white and very sweet-scented, with yellow anthers, being borne in axillary umbels the whole length of the branches. 3s. 6d.

**PHLOXES (HERBACEOUS).**

Selections of good and choice kinds at 12s. and 18s. per dozen.

**PIERIS** OVALIFOLIA DENSIFLORA, 3s. 6d. and 5s.

**PIPER** FUTOKADSURA, 3s. 6d. and 5s.

**POLYGONUM** MULTIFLORUM, 2s. 6d. and 3s. 6d.  
SACHALINENSE, 1s. 6d. and 2s. 6d.

**POPULUS** CANADENSIS AUREA VAN GEERTII,  
foliage of an attractive golden hue. 2s. 6d.

**POTENTILLA**, handsome double-flowered  
kinds. 1s. 6d. and 2s. 6d.

**PRIMULA** CORTUSOIDES HYBRIDA, 2s. 6d.

**PRIMULA** FLORIBUNDA, *vide* page 36.

IMPERIALIS, *vide* page 36.

JAPONICA, 1s. and 1s. 6d.

— of sorts, 3s. 6d. each.

**PRUNUS** SINENSIS ALBO-PLENA, 2s. 6d.

SINENSIS ROSEO-PLENA, 2s. 6d.

TRILoba, 1s. 6d.

**PUNICA**, *vide* page 37.

**PRUNUS PISSARDII.**

A remarkably ornamental plant, introduced from Persia; it has splendid foliage of a deep crimson-scarlet colour, and will be found most effective for out-door decoration. 1s. 6d. and 2s. 6d.

**RHEUM OFFICINALE.**

Very much interest attaches to this plant, as being the ascertained source whence is derived the true Turkey Rhubarb. *R. officinale*, which inhabits and is cultivated in Thibet and Western China, is a very distinct and well-marked plant, of ornamental character. It is a perennial, producing three to seven lobed leaves, and flowering stems four to ten feet high, branching in a paniculate manner, and closely packed with spike-like greenish flowers. 1s. 6d., 2s. 6d. and 3s. 6d.

**RHODEA**, *vide* page 37.

**RHODODENDRONS**, choice hybrids of sorts, to  
name, 3s. 6d. and 5s.

**RHUS** GLABRA LACINIATA, 1s. and 1s. 6d.

**RIBES** ALPINUM PUMILUM AUREUM, 5s.

**RICHARDIA**, *vide* page 37.

**ROSA** RUGOSA ALBA, 1s. 6d. and 2s. 6d.

RUGOSA (REGELIANA), 1s. 6d. and 2s. 6d.

**RUBUS CRATÆGIFOLIUS.**

Introduced from Manchuria. It is erect in growth, with large shining dark-green leaves, turning red in autumn. It gives a quantity of transparent scarlet fruits of a sugary and agreeable taste, very ornamental. 1s. 6d. each. 15s. per dozen.

**RUBUS FRUTICOSUS DENTATUS.**

A very peculiar variety of our native Bramble; the stems are purple, and furnished with red thorns; the leaves are small, trifoliate, with the leaflets deeply inciso-dentate. It is of comparatively slender growth, and will form a hardy climber of a very elegant character. 3s. 6d.

**RUBUS** PHOENICOLASIUS, 5s.

**SALVIAS**, *vide* Bedding Plants.

**SARRACENIAS**, *vide* page 37.

**SAUROMATUM**, *vide* Arisema.

**SAXIFRAGA** CILIATA, 1s. 6d.

PELTATA, 1s. 6d.

**SCHIZOPHRAGMA** HYDRANGEOIDES, *vide* Hy-  
drangea volubilis.

**SCIRPUS (JUNCUS)** TABERNÆMONTANI ZEBRINUS,  
3s. 6d. and 5s.

**SEDUM** SPURIMUM SPLENDENS, 1s. 6d.

**SENECIO** PULCHER, 1s. 6d.

*See also* page 37.

**SKIMMIA** OBLATA, 2s. 6d. and 3s. 6d.

**SPIRÆA** AMURENSIS, 1s. 6d.

**SPIRÆA ASTILBOIDES.**

One of the most handsome of hardy herbaceous perennials, which cannot be too highly appreciated as a decorative plant for early forcing. Certificated both by the Royal Horticultural and Royal Botanic Societies. The inflorescence consists of compound feathery branches of elegant white flowers. It is a charming plant for pot culture, its beautiful flowers being produced in the greatest profusion. *vide* illustration, page 50. 1s. 6d. and 2s. 6d. each. 15s. and 24s. per dozen.



**SPIRÆA ASTILBOIDES.****SPIRÆA JAPONICA COMPACTA MULTIFLORA.**

This most desirable variety is a great improvement on the old *S. Japonica*, as it produces a profusion of large and dense spikes of pure white flowers, in telling contrast to the dark green foliage of the plant, the habit of which is dwarf and compact. 1s.

**SPIRÆA KAMTSCHATIKA (GIGANTEA).**

A very remarkable species imported from Asia. It grows from 6 to 7 feet high, well furnished with large Aralia-like leaves. The flowers are produced in large cymes and are pure white. 3s. 6d.

**SPIRÆA PALMATA.**

The bright pink *Spiræa*, one of the most beautiful hardy plants in cultivation, producing lovely broad corymbs of pink flowers. It is a native of Japan. 1s.

**SPIRÆA PALMATA ALBA.**

A counterpart of *S. palmata*, except in the colour of the flowers, which are pure white; a very beautiful and elegant variety. 1s. 6d.

**STAPHYLEA COLCHICA**, 2s. 6d. and 3s. 6d.

**HYBRIDA COULOMBIERI**, 3s. 6d.

**STATICE LATIFOLIA**, 1s.

**STAUNTONIA LATIFOLIA**, 2s. 6d.

**STYRAX JAPONICA**, 3s. 6d.

**SYRINGA JAPONICA**, 3s. 6d.

**VULGARIS FL.-PL. ALPHONSE LAVALLEE**, 2s. 6d.

— **COMTE HORACE DE**

**CHOISEUL** 2s. 6d.

— **HYACINTHIFLORA PLENA**, 1s. 6d.

**SYRINGA VULGARIS FLORE-PLENO LEMOINEI.**

A beautiful variety of the *Lilac*, producing large branched spikes, well furnished with double rosette-like flowers; the buds before opening are rose-coloured, and the fully expanded flowers are of a soft lilac shade; but the plant is more particularly charming when forced, in which state the blossoms are pure white; exceedingly useful for all kinds of decoration. 2s. 6d. each; 24s. per dozen.

**SYRINGA VULGARIS FL.-PL. EMILE LEMOINE.**

A very fine variety, producing immense compound bunches of large well-shaped globular flowers, the colour being a very soft shade of rosy-lilac. 5s.

**SYRINGA VULGARIS FL.-PL. JEAN BART.**

A very floriferous variety, the inflorescence being composed of very long thyrses of very double flowers, irregular in form, of a vinous rose colour; the buds carmine. 3s. 6d.

**SYRINGA VULGARIS FL.-PL. LA TOUR**

**D'Auvergne**, 3s. 6d.

**VULGARIS FL.-PL. LEON SIMON**, 3s. 6d.

**SYRINGA VULGARIS FL.-PL. LE GAULOIS**, 1s. 6d.

**VULGARIS FL.-PL. MATHIEU DE DOMBASLE**, 2s. 6d.

**SYRINGA VULGARIS FL.-PL. M. MAXIME CORNU.**

A vigorous variety, producing fine thyrses of beautiful rosy-lilac double flowers, formed by corollas superposed one in the other; forces well. 2s. 6d.

**SYRINGA VULGARIS FL.-PL. MICHEL BUCHNER**, 2s. 6d. | **SYRINGA VULGARIS FL.-PL. PYRAMIDAL**, 2s. 6d.

**SYRINGA VULGARIS FL.-PL. PRÉSIDENT GRÉVY.**

Magnificent thyrses of flower attaining a length of one foot and a proportionate breadth. The individual flowers are three-quarters of an inch in diameter, composed of several rows of petals of a beautiful cobalt-blue colour, shading off to rose at the margins. Deliciously fragrant. 2s. 6d.  
**SYRINGA VULGARIS FL.-PL. RENONCULE**, 2s. 6d. | **SYRINGA VULGARIS FL.-PL. RUBELLA**, 2s. 6d.

**SYRINGA VULGARIS FL.-PL. SENATEUR VOLLAND.**

A very dwarf brilliant coloured double lilac, a new shade of colour, buds Fuchsia-red, the flowers when open being rosy-pink. 3s. 6d.

**SYRINGA VULGARIS FL.-PL. VIRGINITE.**

Flowers very double, petals long, of a most pleasing shade of soft rose; the colour of the Rose, *Souvenir de la Malmaison*. Quite a new tint in double lilacs. 3s. 6d.

**TIGRIDIA CONCHIFLORA**, 2s. 6d. per dozen.

**GRANDIFLORA**, 2s. 6d. per dozen.

— **ALBA**, 2s. 6d. per dozen.

— **AURANTIACA**, 2s. 6d. per dozen.

**TRITOMA**, *vide* Kniphofia.

**TRITONIA AUREA**, *vide* *Crocasmia aurea*.

**TROPÆOLUM SPECIOSUM**, handsome crimson flowers, 1s.

These can be supplied, when dormant, by the dozen or hundred at the proper season.

**TROPÆOLUM TUBEROSUM**, flowers scarlet and yellow, a very attractive and decorative species, 6d. and 9d.

*See also* page 37.

**VERONICAS.**

Where the climate is mild these make handsome decorative shrubs for the open border, and produce freely an abundance of showy flowers. They are well adapted for training against low walls or trellises. *See below*.

**VITIS JAPONICA**, *vide* *Ampelopsis tricuspidata*.

**WEIGELA AMABILIS LOOYMANSII AUREA**, 1s. 6d.

**LONGIFOLIA ARGENTEO-MARGINATA**, 3s. 6d.

**SIEBOLDII FOLII ARGENTEO-MARGINATIS**, 2s. 6d.

**VITIS VINIFERA PURPUREA**, 5s.

**WEIGELA ABEL CARRIERE**, 1s. 6d.

**AUG. WILHELM**, 2s. 6d.

**CONGO**, 1s. 6d.

**WEIGELA CANDIDA.**

An extremely distinct variety, of vigorous habit and very free-blooming, producing fine large pure white flowers. 1s. 6d. each; 15s. per dozen.

**WEIGELA JEAN MACE.**

A distinct and free-blooming variety, producing fine large purple flowers; the buds are of a very dark crimson-purple colour; it is the darkest Weigela in cultivation. 1s. 6d.

**WEIGELA MONTESQUIEU.**

Fine reddish-crimson flowers of perfect shape; a very handsome and distinct variety. 1s. 6d.

**WEIGELA DIDEROT**, 1s. 6d.

**EMILE GALLÉ**, 1s. 6d.

**WISTARIA (GLYCINE) MULTIJUGA**, a magnificent species, bearing bunches of bloom from two and a half to three feet long, exceedingly handsome. 2s. 6d. and 3s. 6d.

**MULTIJUGA ALBA**, 2s. 6d. and 3s. 6d.

**SINENSIS**, 2s. 6d. and 3s. 6d.

**WISTARIA SINENSIS ALBA**, 2s. 6d. and 3s. 6d.

**SINENSIS FLORE-PLENE**, 3s. 6d.

**XANTHOCERAS SORBI-FOLIA**, a handsome flowering shrub, 3s. 6d.

**YUCCA recurva**, 3s. 6d. and 5s.

— **VARIEGATA**, 7s. 6d.

*See also* page 37.

**ZEPHYRANTHES**, *vide* page 37.

**VERONICAS.**

**ANNETTE**, pale bluish-purple, with distinct white eye. 1s. 6d.

**CAROLINE**, light lilac-blue, with small white eye; exceedingly free-flowering; a distinct and pretty variety. 1s. 6d.

**DISPLAY**, rosy-crimson, with small white eye; free, and of good habit. 1s. 6d.

**ECLATANTE**, dark carmine; very floriferous. 2s. 6d.

**IMPERIALE**, brilliant amaranth-red, changing to carmine-magenta. 1s. 6d.

**JARDIN FLEURI**, long spikes of dark carmine red flowers; a free-flowering and very distinct variety. 1s. 6d.

**LA FAVORITE**, enormous spikes of violet flowers, 2s. 6d.

**LA FÉE AUX ROSES**, very long spikes of bright rose flowers, very floriferous; very striking and attractive. 1s. 6d.

**MÉTÉORE**, dark reddish-crimson flowers; very distinct. 2s. 6d.

**THÉOPHILE ROQUES**, a very floriferous dwarf variety, long spikes of soft rose flowers edged with white, white eye. 1s. 6d.

**RICHESSÉ**, long spikes of rose-carmine flowers. 2s. 6d.

**RUBENS**, flowers large and fine, of a beautiful magenta colour. 1s. 6d.

**VESTA**, exceedingly floriferous; beautiful light blue, with attractive white centre. 1s. 6d.



## OFFICINAL AND MEDICINAL PLANTS, TROPICAL FRUITS, &c.

Mr. WILLIAM BULL's collection of living economic plants contains specimens of nearly all the spices and condiments in domestic use, many of the most highly esteemed tropical esculent fruits, many of those from which furniture and other woods are obtained, the principal gums and medicinal products, the poison trees from Java, Brazil, and Madagascar, at one time only heard of in tales of fiction, and plants which supply our daily beverages and food, as well as many of historical interest.

The individual prices of the following depend upon the size of the plants and rarity of the species, particulars of which can be furnished on application.

### Collections made at 5, 7 and 10 guineas.

Abyssinian Banana.....	Músa Enséto .....	<i>Abyssinia</i>
African Baobab Tree .....	Adansónia digitáta .....	<i>Africa</i>
African Mangosteen .....	Garcinia Livingstóni .....	<i>Africa</i>
African Rubber .....	Landolphia Watsoniana .....	<i>Africa</i>
Allspice .....	Eugenia Pimenta .....	<i>W. Indies</i>
Arrowroot .....	Maránta arundinácea.....	<i>S. America</i>
Annatto Dye Plant .....	Bixa Orellana .....	<i>Tropical America</i>
Australian Banyan .....	Ficus macrophylla .....	<i>Australia</i>
Balsam of Peru .....	Myroxylon Pereira .....	<i>Peru</i>
Banyan Tree .....	Ficus indica .....	<i>E. Indies</i>
Bark of Commerce .....	Cinchóna officinális.....	<i>Tropical America</i>
Bengal Quince.....	Ægle Marmelos .....	<i>E. Indies</i>
Betle Pepper.....	Piper Bétle .....	<i>E. Indies</i>
Black Pepper .....	Piper nigrum .....	<i>E. Indies</i>
Brazil Nut.....	Berthollétia excélsa .....	<i>Brazil</i>
Cabbage Palm .....	Eutépo edális .....	<i>Brazil</i>
Camphor .....	Cámphora officinális .....	<i>Japan</i>
Capo Chestnut.....	Calodendron capense .....	<i>Cape Colony</i>
Captain Cook's Tea Plant .....	Leptospermum scopárium .....	<i>New Zealand</i>
Cardamon .....	Amómum Cardamómum .....	<i>E. Indies</i>
Cascarilla Bark .....	Croton Elutéria .....	<i>Bahama Islands</i>
Cashew Nut .....	Anacardium occidentale .....	<i>India</i>
Cassia.....	Cinnamomum Cassia .....	<i>East Indies</i>
Cherimoyer .....	Anona Cherimolia .....	<i>Peru</i>
Chinese Plantain Tree .....	Músa Cavendishii .....	<i>China</i>
Cinnamon .....	Cinnamómum ceylanicum .....	<i>Ceylon</i>
Clove .....	Caryophyllus aromaticus .....	<i>Moluccas</i>
Coca .....	Erythroxylon Cóca .....	<i>Peru</i>
Cocoa .....	Theobroma Caeáo .....	<i>Tropical America</i>
Coffee, Arabian .....	Coffea arabícea .....	<i>Yemen</i>
Coffee, Liberian .....	Coffea liberica .....	<i>Liberia</i>
Contrayerva Root .....	Dorsténia Contrayérva .....	<i>S. America</i>
Cuba Bast.....	Paritium elátum .....	<i>W. Indies</i>
Cubeb Pepper .....	Piper Cubéba .....	<i>Java</i>
Cundurango .....	Gonólobus Cundurángo .....	<i>S. America</i>
Date .....	Phoenix daetylifera .....	<i>Levant</i>
Durian .....	Durio zibethinus.....	<i>India</i>
Edible Eugenia .....	Eugenia edulis .....	<i>Brazil</i>
Edible-fruited Passion Flower.....	Passiflora edulis .....	<i>Brazil</i>
Edible Vangueria .....	Vangueria edulis.....	<i>Madagascar</i>
Fiddle Wood.....	Citharéxylon quadranguláre....	<i>Jamaica</i>
Fustiek Wood .....	Chlorophora (Maclúra) tinetória .....	<i>W. Indies</i>
Gamboge .....	Zanthóchymus pictórius .....	<i>E. Indies</i>
Gigantic Granadilla .....	Passiflora macrocarpa .....	<i>Rio Negro</i>

## OFFICINAL AND MEDICINAL PLANTS—continued.

Ginger .....	Zingiber officinale .....	E. Indies
Granadilla .....	Passiflora quadrangularis .....	W. Indies
Guarana Tea Plant .....	Paullinia sorbilis .....	Brazil
Guava .....	Psidium Cattleianum .....	Brazil
Indian Cedar .....	Cedrela odorata .....	West Indies
Ipecacuanha .....	Cephaelis Ipecacuanha .....	Brazil
Jack Fruit .....	Artocarpus integrifolius .....	W. Indies
Jalap .....	Exogonium parga .....	Mexican Andes
Jamaica Quassia .....	Picroena excelsa .....	Jamaica
Japan Cinnamon .....	Cinnamomum sericeum .....	Japan
Japanese Pepper .....	Piper Futokadsura .....	Japan
Kola Nut .....	Cola acuminata .....	Niger
Latanier Palm .....	Latania borbonica .....	Bourbon
Ledger's Bark .....	Cinchona Ledgeriana .....	S. America
Lemon Grass .....	Andropogon citratus .....	India
Litchi .....	Nephelium Litchi .....	China
Loquat .....	Eriobotrya japonica .....	Japan
Mahogany Tree .....	Swietenia Mahagoni .....	W. Indies
Malabar Silk Cotton Tree .....	Bombax malabaricum .....	Malabar
Mango .....	Mangifera indica .....	E. Indies
Mangosteen .....	Garcinia Mangostana .....	Java
Matico .....	Artanthe elongata .....	Peru
Milk Tree .....	Galactodendron utile .....	S. America
Mustard Tree of Scripture .....	Salvadora persica .....	Persia
Nardoo .....	Marsilea macropus .....	Australia
Natal Plum .....	Arduina grandiflora .....	Natal
Netted-leaved Custard Apple .....	Anoua reticulata .....	S. America
Nutmeg .....	Myristica moschata .....	E. Indies
Palissander Wood .....	Macheraium firmum .....	S. America
Para Rubber .....	Hévea brasiliensis .....	Brazil
Patchouli Scent Plant .....	Pogostemon Patchouli .....	E. Indies
Poison Bulb .....	Buphane toxicaria .....	Natal
Poison Nut .....	Thevetia nerifolia .....	W. Indies
Queensland Nut .....	Macadamia ternifolia .....	Queensland
Rhubarb .....	Rhéum officinale .....	China
Roso Apple .....	Eugenia Jambos .....	India
Sacred Indian Fig .....	Ficus religiosa .....	India
Sandal Wood .....	Santalum album .....	India
Sand Box Tree .....	Hura crepitans .....	S. America
Sarsaparilla .....	Smilax Sarsaparilla .....	N. America
Satin Wood .....	Chloroxylum Swietenia .....	E. Indies
Snake Wood .....	Cecropia palmata .....	S. America
Soap Berry .....	Sapindus Saponaria .....	W. Indies
Sour Sop .....	Anona muricata .....	W. Indies
Strychnine .....	Strychnos nux-vomica .....	East Indies
Sugar Cane .....	Saccharum officinarum .....	India
Sugar Cane, Elephant .....	Saccharum officinarum giganteum .....	India
Sweet Sop .....	Anona squamosa .....	S. America
Sycamore Tree of Scripture .....	Ficus Sycomorus .....	Egypt
Tamarind Tree .....	Tamarindus indica .....	E. Indies
Tea, Assam .....	Thea assamica .....	Assam
Tonga .....	Epipremnum mirabile .....	South Sea Islands
Tonquin Beau .....	Dipterix odorata .....	Guiana
Traveller's Tree .....	Ravenala madagascariensis .....	Madagascar
Turpentine Tree .....	Pistacia Terebinthus .....	S. Europe
Upas Tree .....	Antiaris toxicaria .....	Java
Vanilla .....	Vanilla aromatica .....	S. America
Violet Sugar Cane .....	Saccharum violaceum .....	India
Zerumbet Ginger .....	Zingiber Zerumbet .....	E. Indies

Purchasers of Official and Medicinal Plants, Tropical Fruits, &c., can have collections made at 5, 7 and 10 guineas. The difference in price principally depends upon the size of the plants, and the rarity of the species.



# ORCHIDS.

In Mr. WILLIAM BULL'S Establishment will be found the largest and best stock in Europe of good established plants—tens of thousands of plants to select from. His Orchid Houses are always quite a sight, from the large number of plants in flower, and he will be pleased to show them to any one interested in this beautiful class.

Mr. W. B. recommends those desirous of having their houses gay with Orchid flowers, to purchase good established well-cultivated plants, which bloom well, are more satisfactory, and comparatively cheaper than newly-imported or semi-established plants.

Besides plants at the prices enumerated, Mr. W. B. has a large quantity of very fine specimens (some of them unique), at 2, 3, 5, 7 and 10 guineas each, and upwards.

**S**, distinguishes the stove kinds; **I**, intermediate house; **C**, cool house.

Those marked thus (\*) are winter-blooming kinds.

<b>S</b>	<b>ACANTHEPHIPIUM</b>	<b>bicolor</b>	East Indies	7s. 6d. and 10s. 6d.
<b>I</b>	<b>ACINETA</b>	<b>Barkeri</b>	Mexico	7s. 6d., 10s. 6d. and 15s.
<b>I</b>		<b>chrysantha</b>	South America	10s. 6d. and 15s.
<b>I</b>		<b>densa</b>	South America	21s. and 31s. 6d.
<b>I</b>		<b>Humboldtii</b> (superba)	Colombia	5s., 7s. 6d. and 10s. 6d.
<b>I</b>	<b>ACROPERA</b>	<b>Loddigesii</b>	Mexico	5s. and 7s. 6d.
<b>I</b>		<b>luteola</b>	Mexico	7s. 6d. and 10s. 6d.
<b>*C</b>	<b>ADA</b>	<b>aurantiaca</b>	Pamplona	3s. 6d., 5s. and 7s. 6d.
			Fine plants,	21s. and 31s. 6d.
<b>*C</b>		<b>aurantiaca punctata</b>	Pamplona	
<b>S</b>	<b>AERANTHUS</b>	<b>Leonis</b> , <i>vide</i> <b>Angræcum Leonis</b>		
<b>I</b>	<b>AERIDES</b>	<b>affine</b>	Sylhet	5s., 7s. 6d. and 10s. 6d.
<b>I</b>		<b>affine roseum</b>	Sylhet	7s. 6d. and 10s. 6d.
<b>I</b>		<b>superbum</b>	Sylhet	21s. and 31s. 6d.
<b>S</b>	<b>Ballantianum</b>		East Indies	42s. and 63s.
<b>I</b>	<b>crassifolium</b>		Burmah	5s., 7s. 6d. and 10s. 6d.
<b>S</b>	<b>crispum</b> (Brookei)		Bombay	7s. 6d. and 10s. 6d.
<b>S</b>	<b>cylindricum</b> (Vandarum)		East Indies	21s. and 31s. 6d.
<b>S</b>	<b>Emericii</b>		Andaman Islands	21s. and 31s. 6d.
<b>S</b>	<b>expansum</b>	<b>Leonis</b> , <i>vide</i> <b>falcatum Leonis</b>		
<b>S</b>		<b>falcatum</b> (Larpenæ)	East Indies	21s. and 31s. 6d.
<b>S</b>		<b>Leonis</b> (expansum)	East Indies	7s. 6d. to 21s.
<b>I</b>	<b>Fieldingii</b> (Fox Brush)		East Indies	10s. 6d. and 15s.
			Fine plants,	21s. to 84s.
<b>I</b>		<b>rubrum</b>	East Indies	84s. and 105s.
<b>S</b>	<b>Godefroyanum</b>		Cochin China	15s., 21s. and 31s. 6d.
<b>S</b>	<b>Houlletianum</b>		Cochin China	10s. 6d., 15s. and 21s.
<b>C</b>	<b>japonicum</b>		Japan	7s. 6d. and 10s. 6d.
<b>S</b>		<b>Larpenæ</b> , <i>vide</i> <b>falcatum</b>		
<b>S</b>	<b>Lawrenceæ</b>		East Indies	21s., 31s. 6d. and 42s.
<b>I</b>	<b>Lindleyanum</b>		Coonoor	10s. 6d. and 15s.
<b>S</b>	<b>Lobbii</b>		Moulmein	7s. 6d., 10s. 6d. and 15s.
<b>S</b>		<b>magnificum</b>	Moulmein	42s. and 63s.
<b>S</b>		<b>rubrum</b>	Moulmein	42s. and 63s.
<b>S</b>	<b>maculosum</b>		Bombay	7s. 6d., 10s. 6d. and 15s.
<b>S</b>		<b>superbum</b>	Bombay	
<b>S</b>	<b>mitratum</b>		East Indies	10s. 6d. and 15s.
<b>S</b>	<b>nobile</b>		India	21s. and 31s. 6d.
<b>S</b>	<b>odoratum</b> (cornutum)		East Indies	5s., 7s. 6d. and 10s. 6d.
<b>S</b>		<b>majus</b>	East Indies	7s. 6d. and 10s. 6d.

<i>S</i>	<b>AERIDES</b> <i>odoratum purpurascens</i> . . . . .	East Indies . . . . .	10s. 6d., 15s. & 21s. "
<i>S</i>	<i>Picotianum</i> . . . . .	Cochin China . . . . .	63s. and 84s.
<i>S</i>	<i>quinquevulnerum</i> . . . . .	Philippine Islands . . . . .	10s. 6d., 15s. and 21s.
<i>S</i>	<i>Rohanianum</i> . . . . .	East Indies . . . . .	15s. and 21s.
<i>S</i>	<i>rubrum (radicosum)</i> . . . . .	Bombay . . . . .	63s. and 84s.
<i>S</i>	<i>Sanderianum</i> . . . . .	East Indies . . . . .	31s. 6d., 42s. and 63s.
<i>S</i>	<i>Savageanum</i> . . . . .	East Indies . . . . .	21s. and 31s. 6d.
<i>S</i>	<i>Schroederi</i> . . . . .	Bombay . . . . .	
<i>S</i>	<i>suavissimum</i> . . . . .	East Indies . . . . .	15s. and 21s.
<i>S</i>	<i>Vandarum, vide cylindricum</i>		
<i>S</i>	<i>Veitchii</i> . . . . .	East Indies . . . . .	105s.
<i>S</i>	<i>virens</i> . . . . .	Java . . . . .	7s. 6d. and 10s. 6d.
<i>S</i>	— <i>Dayanum</i> . . . . .	East Indies . . . . .	10s. 6d., 15s. and 21s.
<i>S</i>	— <i>superbum</i> . . . . .	East Indies . . . . .	15s. and 21s.
<i>I</i>	<i>Warneri</i> . . . . .	Bombay . . . . .	10s. 6d., 15s. and 21s.
<i>S</i>	<b>AMBLOSTOMA</b> <i>cernuum</i> . . . . .	Brazil . . . . .	7s. 6d. and 10s. 6d.
<i>S</i>	<b>ANGRÆCUM</b> <i>arcuatum</i> . . . . .	Africa . . . . .	15s. and 21s.
<i>S</i>	<i>articulatum</i> . . . . .	Madagascar . . . . .	7s. 6d., 10s. 6d. to 21s.
<i>S</i>	<i>bilobum</i> . . . . .	West Coast of Africa . . . . .	10s. 6d.
<i>S</i>	<i>calceolus</i> . . . . .	Madagascar . . . . .	10s. 6d.
<i>S</i>	<i>Chailluanum</i> . . . . .	West Coast of Africa . . . . .	21s. and 31s. 6d.
<i>S</i>	<i>citratum</i> . . . . .	Madagascar . . . . .	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	<i>distichum</i> . . . . .	West Coast of Africa . . . . .	7s. 6d. and 10s. 6d.
<i>S</i>	<i>Du Buyssoni</i> . . . . .	Madagascar . . . . .	21s. and 31s. 6d.
* <i>S</i>	<i>eburneum (superbum)</i> . . . . .	Madagascar . . . . .	10s. 6d., 15s. and 21s.
<i>S</i>	<i>Ellisii</i> . . . . .	Madagascar . . . . .	21s. and 31s. 6d.
<i>I</i>	<i>falcatum</i> . . . . .	Japan . . . . .	10s. 6d. and 15s.
<i>S</i>	<i>fastuosum</i> . . . . .	Madagascar . . . . .	21s. and 31s. 6d.
<i>S</i>	<i>hyaloides</i> . . . . .	Madagascar . . . . .	10s. 6d., 15s. & 21s.
<i>S</i>	<i>Leonis (Aeranthus Leonis)</i> . . . . .	Comoro Island . . . . .	5s., 7s. 6d. and 10s. 6d.
<i>S</i>	<i>modestum (Sanderianum)</i> . . . . .	West Coast of Africa . . . . .	10s. 6d., 15s. and 21s.
<i>S</i>	<i>polystachys</i> . . . . .	West Coast of Africa . . . . .	21s. and 31s. 6d.
<i>S</i>	<i>Scottianum</i> . . . . .	Comoro Island . . . . .	10s. 6d., 15s. and 21s.
* <i>S</i>	<i>sesquipedale</i> . . . . .	Madagascar . . . . .	21s., 31s. 6d. and 42s.
		Fine plants, 3 to 5 guineas.	
* <i>S</i>	— <i>majus</i> . . . . .	Madagascar . . . . .	84s. and 105s.
<i>S</i>	<i>vesicatum</i> . . . . .	West Coast of Africa . . . . .	15s.
* <i>S</i>	<i>virens (Brongniartianum)</i> . . . . .	Madagascar . . . . .	21s. and 31s. 6d.
<i>I</i>	<b>ANGULOA</b> <i>Clowesii</i> . . . . .	Colombia . . . . .	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>eburnea</i> . . . . .	Peru . . . . .	63s. and 84s.
<i>I</i>	<i>Ruckerii</i> . . . . .	South America . . . . .	15s., 21s. and 31s. 6d.
<i>I</i>	— <i>acuta</i> . . . . .	South America . . . . .	
<i>I</i>	— <i>punctata</i> . . . . .	South America . . . . .	42s. and 63s.
<i>I</i>	— <i>retusa</i> . . . . .	South America . . . . .	
<i>I</i>	— <i>sanguinea</i> . . . . .	South America . . . . .	63s. and 84s.
<i>I</i>	<i>uniflora</i> . . . . .	Colombia . . . . .	21s. and 31s. 6d.
<i>I</i>	— <i>alba</i> . . . . .	Colombia . . . . .	42s. and 63s.
<i>I</i>	— <i>superba</i> . . . . .	Colombia . . . . .	42s.
<i>I</i>	<b>ANIA</b> <i>latifolia, vide Tainia latifolia</i>		
<i>S</i>	<b>ANÆCTOCHILUS</b> <i>Dawsonianus, vide Goodyera</i>		
* <i>S</i>	<b>ANSELLIA</b> <i>africana</i> . . . . .	Sierra Leone . . . . .	10s. 6d., 15s. and 21s.
<i>S</i>	— <i>humilis</i> . . . . .	Zambesi . . . . .	31s. 6d. and 42s.
<i>S</i>	— <i>pallida</i> . . . . .	Zambesi . . . . .	31s. 6d. and 42s.
<i>I</i>	<i>lutea</i> . . . . .	Africa . . . . .	21s. and 31s. 6d.
<i>I</i>	<b>ARPOPHYLLUM</b> <i>giganteum</i> . . . . .	Mexico . . . . .	15s. and 21s.
<i>I</i>	<i>spicatum</i> . . . . .	Mexico . . . . .	10s. 6d. and 15s.



<i>C</i>	<b>BARKERIA</b>	<i>melanocaulon</i>	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<b>BIFRENARIA</b>	<i>atropurpurea</i>	Brazil	21s. and 31s. 6d.
<i>I</i>		<i>aurantiaca</i>	South America	15s. and 21s.
<i>I</i>		<i>Harrisoniæ, vide Lycaste Harrisonæ</i>		
<i>I</i>		<i>vitellina</i>	South America	15s.
<i>C</i>	<b>BLETIA</b>	<i>hyacinthina</i>	China	2s. 6d., 3s. 6d. and 5s.
<i>I</i>		<i>Sherrattiana</i>	Colombia	10s. 6d. and 15s.
* <i>I</i>		<i>Tankervilleæ, vide Phaius grandifolius</i>		
<i>I</i>		<i>verecunda</i>	Florida	15s.
<i>I</i>		— <i>alba</i>	Florida	15s.
<i>I</i>	<b>BRASSAVOLA</b>	<i>cucullata</i>	Mexico	10s. 6d. and 15s.
<i>S</i>		<i>Digbyana</i>	Honduras	10s. 6d. and 15s.
<i>I</i>		<i>glauca</i>	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		— <i>oculata</i>	Mexico	15s.
<i>I</i>	<b>BRASSIA</b>	<i>antherotes</i>	South America	42s. and 63s.
<i>I</i>		<i>brachiata, vide Wrayæ</i>		
<i>I</i>		<i>caudata</i>	South America	21s. and 31s. 6d.
<i>I</i>		<i>Keiliana</i>	South America	42s. and 63s.
<i>S</i>		<i>Lawrenceana</i>	Demerara	42s. and 63s.
<i>S</i>		<i>maculata</i>	West Indies	10s. 6d. and 15s.
<i>I</i>		<i>signata</i>	South America	31s. 6d.
<i>C</i>		<i>verrucosa</i>	Guatemala	3s. 6d., 5s. and 7s. 6d.
<i>I</i>		<i>Wrayæ (brachiata)</i>	South America	31s. 6d. and 42s.
<i>S</i>	<b>BROUGHTONIA</b>	<i>sanguinea</i>	Jamaica	7s. 6d. and 10s. 6d.
<i>S</i>	<b>BULBOPHYLLUM</b>	<i>Baileyi</i>	East Indies	
<i>S</i>		<i>Henshalli</i>	East Indies	31s. 6d. and 42s.
<i>S</i>		<i>Lobbii, vide Sarcopodium Lobbii</i>		
<i>S</i>		<i>mandibulare</i>	East Indies	
<i>S</i>		<i>reticulatum</i>	East Indies	
<i>S</i>		<i>umbellatum</i>	East Indies	21s., 31s. 6d. and 42s.
<i>I</i>	<b>BURLINGTONIA</b>	<i>candida</i>	Demerara	7s. 6d. and 10s. 6d.
<i>I</i>		<i>decora</i>	Brazil	15s. and 21s.
<i>I</i>		— <i>imperialis</i>	Brazil	21s. and 31s. 6d.
<i>I</i>		<i>fragrans</i>	Brazil	7s. 6d. and 10s. 6d.
<i>I</i>	<b>CALANTHE</b>	<i>curculigoides</i>	Indian Archipelago	
<i>S</i>		<i>furcata</i>	Nsw Caledonia	21s., 31s. 6d. and 42s.
<i>I</i>		<i>Masuca</i>	Nepal, Sikkim	21s. and 31s. 6d.
<i>C</i>		<i>pleiochroma</i>	Japan	21s.
<i>C</i>		— <i>brevior</i>	Japan	21s.
* <i>I</i>		<i>Regnieri</i>	Cochin China	7s. 6d., 10s. 6d. and 15s.
* <i>I</i>		— <i>amethystina</i>	Cochin China	42s.
* <i>I</i>		— <i>fulgens</i>	Cochin China	42s.
* <i>I</i>		— <i>purpurea</i>	Cochin China	42s.
* <i>I</i>		— <i>striata</i>	Cochin China	42s.
* <i>I</i>		<i>Sedenii</i>	Hybrid	21s.
<i>C</i>		<i>Sieboldii, vide Phaius Sieboldii</i>		
* <i>I</i>		<i>Stevensiana</i>	Cochin China	7s. 6d., 10s. 6d. and 15s.
<i>C</i>		<i>Textori</i>	Japan	15s. and 21s.
* <i>I</i>		<i>Turneri</i>	India	10s. 6d. and 15s.
* <i>I</i>		— <i>nivalis</i>	India	10s. 6d. and 15s.
* <i>I</i>		<i>Veitchii</i>	Hybrid	3s. 6d., 5s. and 7s. 6d.
* <i>I</i>		— <i>alba</i>	Hybrid	
* <i>I</i>		— <i>superba</i>	Hybrid	10s. 6d.
<i>S</i>		<i>veratrifolia</i>	East Indies	10s. 6d., 15s. and 21s.
* <i>I</i>		<i>vestita luteo-oculata</i>	Tavoy, Java	5s. and 7s. 6d.
* <i>I</i>		— <i>oculata gigantea</i>	Tavoy, Java	21s.
* <i>I</i>		— <i>rubro-oculata</i>	Tavoy, Java	2s. 6d. and 3s. 6d.

<i>I</i>	<b>CATASETUM</b>	<b>Bungerothii</b>	Ecuador	42s.
<i>I</i>		<b>macrocarpum</b>	Brazil	10s. 6d.
<i>I</i>		<b>purum</b>	South America	
<i>I</i>		<b>saccatum</b>	South America	
<i>I</i>		<b>sanguineum integrale</b>	South America	15s.
<i>I</i>		<b>tridentatum</b>	South America	
<i>I</i>	<b>CATTLEYA</b>	<b>Aclandiae</b>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		<b>Alexandræ</b>	Northern Brazil	
<i>I</i>		<b>amethystina, vide intermedia</b>		
<i>I</i>		<b>amethystoglossa</b>	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>		<b>aurea, vide Dowiana aurea</b>		
<i>I</i>		<b>Bassetii, vide speciosissima</b>		
<i>I</i>		<b>bicolor Measuresiana</b>	Brazil	31s. 6d. and 42s.
<i>I</i>		<b>Boothiana, vide lobata</b>		
<i>I</i>		<b>Bowringiana</b>	Central America	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		<b>— splendens</b>	Central America	42s. and 63s.
<i>I</i>		<b>— violacea</b>	Central America	42s. and 63s.
<i>I</i>		<b>bulbosa, vide Walkeriana</b>		
<i>I</i>		<b>chocoensis</b>	Colombia	10s. 6d., 15s. and 21s.
<i>C</i>		<b>citrina</b>	Oaxaca	3s. 6d., 5s. and 7s. 6d.
<i>I</i>		<b>crispa</b>	Brazil	10s. 6d., 15s. and 21s.
<i>I</i>		<b>— superba</b>	Brazil	21s., 31s. 6d. and 42s.
<i>I</i>		<b>dolosa</b>	Brazil	10s. 6d. and 15s.
<i>I</i>		<b>Dormaniana</b>	Brazil	31s. 6d. and 42s.
<i>S</i>		<b>Dowiana</b>	Costa Rica	10s. 6d., 15s. and 21s.
<i>S</i>		<b>— aurea</b>	Colombia	10s. 6d., 15s. and 21s.
<i>S</i>		<b>— magnifica</b>	Colombia	
<i>I</i>		<b>Eldorado</b>	Rio Negro	10s. 6d. and 15s.
<i>I</i>		<b>— aurea</b>	Rio Negro	42s. and 63s.
<i>I</i>		<b>— carnea</b>	Rio Negro	31s. 6d. and 42s.
<i>I</i>		<b>— conspicua</b>	Rio Negro	63s. and 84s.
<i>I</i>		<b>— fulgens</b>	Rio Negro	
<i>I</i>		<b>— picta</b>	Rio Negro	84s.
<i>I</i>		<b>— rosea</b>	Rio Negro	31s. 6d. and 42s.
<i>I</i>		<b>— splendens</b>	Rio Negro	21s., 31s. 6d. and 42s.
<i>I</i>		<b>— superba</b>	Rio Negro	42s. and 63s.
<i>I</i>		<b>— Wallisii (alba)</b>	Rio Negro	105s.
<i>I</i>		<b>elegans, vide Lælia elegans</b>		
<i>I</i>		<b>Forbesii</b>	Brazil	10s. 6d.
<i>I</i>		<b>Gaskelliana</b>	Venezuela	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		<b>— Alexandræ</b>	Venezuela	
<i>I</i>		<b>— aurea</b>	Venezuela	
<i>I</i>		<b>— carnea</b>	Venezuela	21s. and 31s. 6d.
<i>I</i>		<b>— delicata</b>	Venezuela	21s. and 31s. 6d.
<i>I</i>		<b>— grandiflora</b>	Venezuela	42s.
<i>I</i>		<b>— picta</b>	Venezuela	21s. and 31s. 6d.
<i>I</i>		<b>— pulchra</b>	Venezuela	21s. and 31s. 6d.
<i>I</i>		<b>— rosea</b>	Venezuela	31s. 6d.
<i>I</i>		<b>— superba</b>	Venezuela	21s. and 31s. 6d.
<i>I</i>		<b>gigas (Warscewiczii)</b>	Colombia	5s. to 21s.
<i>I</i>		<b>— atropurpurea</b>	Colombia	
<i>I</i>		<b>— Chelsoniensis</b>	Colombia	
<i>I</i>		<b>— formosa</b>	Colombia	
<i>I</i>		<b>— fulgens</b>	Colombia	
<i>I</i>		<b>— imperialis</b>	Colombia	21s., 31s. 6d. and 42s.
<i>I</i>		<b>— magnifica</b>	Colombia	



<i>I</i>	<b>CATTLEYA</b> <i>gigas marginata</i> .....	Colombia .....	
<i>I</i>	<i>gigas</i> <i>Normaniana</i> .....	Colombia .....	
<i>I</i>	— <i>picturata</i> .....	Colombia .....	
<i>I</i>	— <i>regalis</i> .....	Colombia .....	
<i>I</i>	— <i>Reginæ</i> .....	Colombia .....	
<i>I</i>	— <i>rosea</i> .....	Colombia .....	
<i>I</i>	— <i>Sanderiana</i> .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>I</i>	— — <i>mirabile</i> .....	Colombia .....	
<i>I</i>	— <i>splendens</i> .....	Colombia .....	
<i>I</i>	— <i>tyrianthina</i> .....	Colombia .....	
<i>I</i>	<i>grandis</i> , <i>vide</i> <i>Lælia grandis</i>		
<i>I</i>	<i>guttata</i> .....	Brazil .....	15s. and 21s.
<i>I</i>	<i>Harrisoniæ</i> .....	Brazil .....	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>superba</i> .....	Brazil .....	31s. 6d. and 42s.
<i>I</i>	— <i>violacea</i> .....	Brazil .....	
<i>I</i>	<i>Holfordi</i> , <i>vide</i> <i>C. luteola</i>		
<i>I</i>	<i>intermedia</i> ( <i>amethystina</i> ) .....	Brazil .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>labiata</i> ( <i>Warocqueana</i> ) .....	Pernambuco .....	5s., 7s. 6d. to 21s.
<i>I</i>	— <i>marginata</i> .....	Pernambuco .....	
<i>I</i>	— <i>picta</i> .....	Pernambuco .....	
<i>I</i>	<i>Lawrenceana</i> .....	British Guiana .....	15s., 21s. and 31s. 6d.
<i>I</i>	— <i>oculata</i> .....	British Guiana .....	
<i>I</i>	— <i>splendens</i> .....	British Guiana .....	
<i>I</i>	<i>Lemoniana</i> , <i>vide</i> <i>C. speciosissima</i>		
<i>I</i>	<i>Leopoldii</i> .....	Brazil .....	10s. 6d., 15s. and 21s.
<i>I</i>	<i>lobata</i> ( <i>Lælia Boothiana</i> ) .....	Brazil .....	10s. 6d., 15s. and 21s.
<i>I</i>	<i>Loddigesii</i> .....	Brazil .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>Luddemanniana</i> , <i>vide</i> <i>C. speciosissima</i>		
<i>I</i>	<i>luteola</i> ( <i>Holfordii</i> ) .....	South America .....	7s. 6d., 10s. 6d. and 15s.
<i>*I</i>	<i>marginata</i> , <i>vide</i> <i>Lælia marginata</i>		
<i>I</i>	<i>maxima</i> ( <i>Quindos</i> ) .....	Ecuador, Popayan ...	15s., 21s. and 31s. 6d.
<i>I</i>	— <i>peruvienis</i> .....	Peru .....	21s., 31s. 6d. and 42s.
<i>I</i>	<b>Mendelii</b> .....	South America .....	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	— <i>Alexandræ</i> .....	South America .....	
<i>I</i>	— <i>ampliata</i> .....	South America .....	
<i>I</i>	— <i>chelsoniensis</i> .....	South America .....	
<i>I</i>	— <i>conspicua</i> .....	South America .....	
<i>I</i>	— <i>delicata</i> .....	South America .....	
<i>I</i>	— <i>excellens</i> .....	South America .....	
<i>I</i>	— <i>gigantea</i> .....	South America .....	
<i>I</i>	— <i>grandiflora</i> .....	South America .....	
<i>I</i>	— <i>grandis</i> .....	South America .....	
<i>I</i>	— <i>insignis</i> .....	South America .....	
<i>I</i>	— <i>magnifica</i> .....	South America .....	
<i>I</i>	— <i>magniflora</i> .....	South America .....	
<i>I</i>	— <i>majestica</i> .....	South America .....	
<i>I</i>	— <i>miniata</i> .....	South America .....	
<i>I</i>	— <i>ornata</i> .....	South America .....	
<i>I</i>	— <i>picta</i> .....	South America .....	
<i>I</i>	— <i>princeps</i> .....	South America .....	
<i>I</i>	— <i>Rex</i> .....	South America .....	
<i>I</i>	— <i>speciosa</i> .....	South America .....	
<i>I</i>	— <i>superba</i> .....	South America .....	
<i>I</i>	— <i>tincta</i> .....	South America .....	21s., 31s. 6d. and 42s.
<i>I</i>	— <i>triumphans</i> .....	South America .....	
<i>I</i>	— <i>Venus</i> .....	South America .....	
<i>I</i>	— <i>Victoriæ</i> .....	South America .....	

<i>I</i>	<b>CATTLEYA Mossiæ</b> .....	Venezuela .....	5s., 7s. 6d. and 10s. 6d.
		Fine plants, 21s., 31s. 6d., 42s. and 63s.	
<i>I</i>	<b>Mossiæ albo-marginata</b> .....	Venezuela .....	63s. and 84s.
<i>I</i>	— <b>Alexandræ</b> .....	Venezuela .....	
<i>I</i>	— <b>amœna</b> .....	Venezuela .....	
<i>I</i>	— <b>aurantiaca</b> .....	Venezuela .....	15s., 21s. and 31s. 6d.
<i>I</i>	— <b>aurea grandiflora</b> .....	Venezuela .....	
<i>I</i>	— <b>Chelsoni</b> .....	Venezuela .....	
<i>I</i>	— <b>Cleopatra</b> .....	Venezuela .....	
<i>I</i>	— <b>conspicua</b> .....	Venezuela .....	
<i>I</i>	— <b>delicata</b> .....	Venezuela .....	21s. and 31s. 6d.
<i>I</i>	— <b>aurantiaca</b> .....	Venezuela .....	
<i>I</i>	— <b>flammea</b> .....	Venezuela .....	
<i>I</i>	— <b>formosa</b> .....	Venezuela .....	
<i>I</i>	— <b>gigantea</b> .....	Venezuela .....	
<i>I</i>	— <b>grandiflora</b> .....	Venezuela .....	21s. and 31s. 6d.
<i>I</i>	— <b>grandis</b> .....	Venezuela .....	
<i>I</i>	— <b>imperialis</b> .....	Venezuela .....	
<i>I</i>	— <b>insignis</b> .....	Venezuela .....	
<i>I</i>	— <b>Lawrenceana</b> .....	Venezuela .....	63s. and 84s.
<i>I</i>	— <b>magnifica</b> .....	Venezuela .....	
<i>I</i>	— <b>marginata</b> .....	Venezuela .....	
<i>I</i>	— <b>maxima</b> .....	Venezuela .....	
<i>I</i>	— <b>mirabilis</b> .....	Venezuela .....	
<i>I</i>	— <b>picta</b> .....	Venezuela .....	
<i>I</i>	— <b>picturata</b> .....	Venezuela .....	63s. and 84s.
<i>I</i>	— <b>pulcherrima</b> .....	Venezuela .....	63s. and 84s.
<i>I</i>	— <b>rosea</b> .....	Venezuela .....	63s. and 84s.
<i>I</i>	— <b>elegans</b> .....	Venezuela .....	
<i>I</i>	— <b>rubra</b> .....	Venezuela .....	105s. and 147s.
<i>I</i>	— <b>speciosa</b> .....	Venezuela .....	
<i>I</i>	— <b>splendens</b> .....	Venezuela .....	42s. and 63s.
<i>I</i>	— <b>superba</b> .....	Venezuela .....	21s., 31s. 6d. and 42s.
<i>I</i>	— <b>venosa</b> .....	Venezuela .....	
<i>I</i>	— <b>versicolor</b> .....	Venezuela .....	
<i>I</i>	<b>nobilior</b> .....	Brazil .....	31s. 6d. and 42s.
<i>I</i>	<b>Patinii</b> , <i>see</i> <b>Lælia Patinii</b>		
<i>I</i>	<b>Percivaliana</b> .....	Venezuela .....	7s. 6d., 10s. 6d. and 16s.
<i>I</i>	— <b>magnifica</b> .....	Venezuela .....	
<i>I</i>	— <b>marginata</b> .....	Venezuela .....	31s. 6d. and 42s.
<i>I</i>	— <b>ornata</b> .....	Venezuela .....	
<i>I</i>	— <b>rubra superba</b> .....	Venezuela .....	
<i>I</i>	— <b>splendens</b> .....	Venezuela .....	
<i>I</i>	<b>Perrinii</b> , <i>vide</i> <b>Lælia Perrinii</b>		
<i>*I</i>	<b>Pinelii</b> , <i>vide</i> <b>Lælia præstans</b>		
<i>*I</i>	<b>Rex</b> .....	Andes of Peru .....	
<i>I</i>	<b>Schilleriana</b> ( <b>Regnellii</b> ) .....	Brazil .....	15s., 21s. and 31s. 6d.
<i>I</i>	<b>Schofieldiana</b> .....	Brazil .....	
<i>I</i>	<b>Schröderæ</b> .....	Colombia .....	5s., 7s. 6d. to 42s.
<i>I</i>	— <b>albescens</b> .....	Colombia .....	
<i>I</i>	— <b>aurantiaca</b> .....	Colombia .....	
<i>I</i>	— <b>delicata</b> .....	Colombia .....	
<i>I</i>	— <b>luteo-picta</b> .....	Colombia .....	
<i>I</i>	— <b>superba</b> .....	Colombia .....	42s. and 63s.
<i>I</i>	— <b>virginalis</b> .....	Colombia .....	
<i>S</i>	<b>signata</b> .....	Hybrid .....	
<i>I</i>	<b>Skinneri</b> .....	Mexico .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— <b>alba</b> .....	Mexico .....	



<i>I</i>	<b>CATTLEYA</b>	<i>Skinneri oculata</i> .....	Mexico .....	42s. and 63s.
<i>I</i>		<i>speciosissima</i> ( <i>Bassettii</i> , <i>Lemoniana</i> , <i>Luddemanniana</i> ) .....	Caracas.....	{ 5s., 7s. 6d., 10s. 6d., 15s. 21s. and 31s. 6d.
<i>S</i>		<i>Stelzneriana</i> , <i>vide</i> <i>Lælia elegans</i>		
<i>S</i>		<i>superba</i> .....	Essequibo .....	7s. 6d., 10s. 6d. and 15s.
<i>*I</i>		<i>Trianaei</i> .....	Colombia .....	3s. 6d., 5s. and 7s. 6d.
<i>*I</i>		— <i>alba</i> .....	Colombia .....	
<i>*I</i>		— <i>amœna</i> .....	Colombia .....	
<i>*I</i>		— <i>ampliata</i> .....	Colombia .....	42s. and 63s.
<i>*I</i>		— <i>bogotensis</i> .....	Colombia .....	21s., 31s. 6d. and 42s.
<i>*I</i>		— <i>carnea</i> .....	Colombia .....	31s. 6d. and 42s.
<i>*I</i>		— <i>conspicua</i> .....	Colombia .....	
<i>*I</i>		— <i>delicata</i> .....	Colombia .....	5s., 7s. 6d. and 10s. 6d.
<i>*I</i>		— <i>elegans</i> .....	Colombia .....	63s. and 84s.
<i>*I</i>		— <i>erubescens</i> .....	Colombia .....	
<i>*I</i>		— <i>excellens</i> .....	Colombia .....	105s.
<i>*I</i>		— <i>fimbriata</i> .....	Colombia .....	
<i>*I</i>		— <i>flammea</i> .....	Colombia .....	
<i>*I</i>		— <i>gemma</i> .....	Colombia .....	
<i>*I</i>		— <i>illustris</i> .....	Colombia .....	105s.
<i>*I</i>		— <i>insignis</i> .....	Colombia .....	84s.
<i>*I</i>		— <i>macrantha</i> .....	Colombia .....	84s.
<i>*I</i>		— <i>magnifica</i> .....	Colombia .....	84s. and 105s.
<i>*I</i>		— <i>marginata</i> .....	Colombia .....	42s. and 63s.
<i>*I</i>		— <i>miniata</i> .....	Colombia .....	
<i>*I</i>		— <i>mirabilis</i> .....	Colombia .....	
<i>*I</i>		— <i>ornata</i> .....	Colombia .....	
<i>*I</i>		— <i>perfecta</i> .....	Colombia .....	
<i>*I</i>		— <i>picta</i> .....	Colombia .....	63s. and 84s.
<i>*I</i>		— <i>princeps</i> .....	Colombia .....	
<i>*I</i>		— <i>quadricolor</i> .....	Colombia .....	31s. 6d. and 42s.
<i>*I</i>		— <i>Rosalind</i> .....	Colombia .....	
<i>*I</i>		— <i>rosea</i> .....	Colombia .....	31s. 6d. and 42s.
<i>*I</i>		— <i>rubescens</i> .....	Colombia .....	63s.
<i>*I</i>		— <i>speciosa</i> .....	Colombia .....	63s. and 84s.
<i>*I</i>		— <i>spectabilis</i> .....	Colombia .....	
<i>*I</i>		— <i>splendens</i> .....	Colombia .....	42s. and 63s.
<i>*I</i>		— <i>superba</i> .....	Colombia .....	31s. 6d. and 42s.
<i>*I</i>		— <i>tricolor</i> .....	Colombia .....	
<i>*I</i>		— <i>Venus</i> .....	Colombia .....	63s. and 84s.
<i>*I</i>		— <i>Vesta</i> .....	Colombia .....	63s. to 105s.
<i>*I</i>		— <i>Victoria</i> .....	Colombia .....	
<i>*I</i>		— <i>virginalis</i> .....	Colombia .....	63s. and 84s.
<i>I</i>		<i>velutina</i> .....	Brazil .....	10s. 6d., 15s. and 21s.
<i>I</i>		<i>Walkeriana</i> ( <i>bulbosa</i> ) .....	Brazil .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		<i>Warnerii</i> .....	Brazil .....	7s. 6d., 10s. 6d. to 21s.
<i>I</i>		— <i>magnifica</i> .....	Brazil .....	
<i>I</i>		— <i>picta</i> .....	Brazil .....	
<i>I</i>		— <i>splendens</i> .....	Brazil .....	
<i>I</i>		— <i>superba</i> .....	Brazil .....	
<i>I</i>		<i>Warocqueana</i> , <i>vide</i> <i>labiata</i>		
<i>I</i>		<i>Warszewiczii</i> , <i>vide</i> <i>gigas</i>		
<i>I</i>		<i>xanthina</i> , <i>vide</i> <i>Lælia xanthina</i>		
<i>I</i>	<b>CHYSIS</b>	<i>aurea</i> .....	Mexico .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		<i>bractescens</i> .....	Peru .....	10s. 6d. and 15s.
<i>I</i>		<i>chelsoniensis</i> .....	Hybrid .....	21s. and 31s. 6d.
<i>I</i>		<i>lævis</i> .....	Mexico .....	21s.

<i>I</i>	<b>CIRRHOPETALUM imbricatum</b> .....	Sierra Leone .....	63s.
<i>I</i>	<b>ornatissimum</b> .....	East Indies .....	42s.
<i>I</i>	<b>picturatum</b> .....	East Indies .....	31s. 6d. and 42s.
<i>S</i>	<b>pulchrum</b> .....	Borneo .....	63s.
<i>S</i>	<b>Thouarsii</b> .....	Manilla.....	42s. and 63s.
<i>S</i>	<b>umbellatum, vide Bulbophyllum</b>		
<i>C</i>	<b>COCHLIODA Noezliana, vide Odontoglossum Noezlianum</b>		
<i>S</i>	<b>CÆLIA bella</b> .....	Mexico .....	21s. and 31s. 6d.
<i>S</i>	<b>macrostachya</b> .....	Guatemala .....	15s., 21s. and 31s. 6d.
<i>S</i>	<b>CÆLOGYNE asperata (Lowii)</b> .....	Borneo .....	10s. 6d., 15s. and 21s.
<i>I</i>	<b>assamica</b> .....	Assam .....	21s.
* <i>I</i>	<b>barbata</b> .....	Assam .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<b>corrugata</b> .....	Khasya .....	10s. 6d. and 15s.
* <i>C</i>	<b>cristata</b> .....	Nepal, Sylhet .....	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	— <b>Chatsworth variety</b> .....	East Indies .....	10s. 6d., 15s. and 21s.
* <i>C</i>	— <b>hololeuca (alba)</b> .....	East Indies .....	42s., 63s. and 84s.
* <i>C</i>	— <b>Lemoniana</b> .....	East Indies .....	10s. 6d., 15s. and 21s.
* <i>C</i>	— <b>maxima</b> .....	East Indies .....	
<i>S</i>	<b>Dayana</b> .....	Borneo .....	21s. and 31s. 6d.
<i>I</i>	<b>elata</b> .....	Assam .....	7s. 6d., 10s. 6d. to 21s.
<i>I</i>	<b>fimbriata</b> .....	East Indies .....	15s. and 21s.
* <i>I</i>	<b>flaccida</b> .....	Assam .....	10s. 6d. and 15s.
<i>I</i>	<b>lentiginosa</b> .....	Moulmein .....	7s. 6d. and 10s. 6d.
<i>I</i>	<b>Massangeana</b> .....	Assam .....	10s. 6d., 15s. and 21s.
		Remarkably fine specimens, from 5 to 20 guineas.	
<i>I</i>	<b>ocellata</b> .....	Assam .....	5s. and 7s. 6d.
<i>I</i>	<b>ovalis</b> .....	East Indies .....	
<i>I</i>	<b>pandurata</b> .....	Borneo .....	
<i>I</i>	<b>Ruckerii</b> .....	East Indies .....	
<i>I</i>	<b>speciosa</b> .....	Java .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— <b>major</b> .....	Java .....	10s. 6d., 15s. and 21s.
<i>I</i>	<b>tomentosa</b> .....	East Indies .....	10s. 6d.
<i>C</i>	<b>COLAX jugosus</b> .....	Brazil .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<b>COMPARETTIA macroplectron</b> .....	South America .....	10s. 6d., 15s. and 21s.
<i>S</i>	<b>CORYANTHES macrantha</b> .....	Caracas .....	42s.
<i>C</i>	<b>CRYPTOCHILUS sanguineus</b> .....	Assam .....	21s.
<i>C</i>	<b>CRYPTOPHORANTHUS Dayanum, vide Masdevallia Dayana</b>		
<i>S</i>	<b>CYCNOCHES chlorochilon</b> .....	South America .....	15s., 21s. and 31s. 6d.
<i>I</i>	<b>CYMBIDIUM affine, vide C. Mastersii affine</b>		
<i>I</i>	<b>albucæfforum, vide C. madidum</b>		
<i>I</i>	<b>aloifolium of gardens, see pendulum</b>		
<i>I</i>	<b>Devonianum</b> .....	Assam .....	
* <i>C</i>	<b>eburneum</b> .....	East Indies .....	10s. 6d., 15s. and 21s.
* <i>C</i>	— <b>Dayanum</b> .....	East Indies .....	
* <i>C</i>	— <b>maculatum</b> .....	East Indies .....	
* <i>C</i>	— <b>tinctum</b> .....	East Indies.....	
<i>S</i>	<b>elegans, vide Cyperorchis elegans</b>		
<i>S</i>	<b>Finlaysonianum atropurpureum (pendulum</b>		
	<b>atropurpureum of gardens)</b> .....	Java .....	
* <i>C</i>	<b>giganteum</b> .....	Assam .....	21s. and 31s. 6d.
<i>C</i>	<b>grandiflorum (Hookerianum)</b> .....	Sikkim, Himalaya....	63s., 84s. and 105s.
<i>C</i>	<b>Lowianum</b> .....	Burmah .....	10s. 6d., 15s. and 21s.
		Very fine specimens, from 3 to 40 guineas each.	
<i>C</i>	— <b>atropurpureum</b> .....	Burmah .....	
<i>C</i>	— <b>fulgens</b> .....	Burmah .....	
<i>C</i>	— <b>eximium</b> .....	Burmah .....	
<i>C</i>	— <b>superbum</b> .....	Burmah .....	



<i>I</i>	<b>CYMBIDIUM</b> madidum (albucæflorum) Queensland .....	
* <i>C</i>	Mastersii, <i>vide</i> Cyperorchis Mastersii	
* <i>C</i>	— affine <i>vide</i> Cyperorchis Mastersii affine	
<i>I</i>	pendulum (aloifolium of gardens) .. East Indies.....	5s. and 7s. 6d.
<i>S</i>	— atropurpureum of gardens, <i>vide</i> Finlaysonianum atropurpureum	
<i>I</i>	tigrinum .....	East Indies .....
<i>S</i>	<b>CYPERORCHIS</b> elegans (Cymbidium)	East Indies .....
* <i>C</i>	Mastersii (Cymbidium Mastersii) ..	East Indies .....
* <i>C</i>	— affine .....	East Indies.....
<i>I</i>	<b>CYPRIPEDIUM</b> Ainsworthii .....	Hybrid .....
<i>I</i>	albo-purpureum .....	Hybrid .....
* <i>I</i>	amandum .....	Hybrid .....
<i>I</i>	Amesianum .....	Hybrid .....
<i>I</i>	apiculatum .....	Hybrid .....
* <i>I</i>	Argus .....	East Indies .....
* <i>I</i>	— superbum .....	East Indies .....
<i>I</i>	Arthurianum .....	Hybrid .....
<i>I</i>	Ashburtoniæ .....	Hybrid .....
<i>I</i>	aureum .....	Hybrid .....
<i>I</i>	barbatum .....	Mount Ophir .....
<i>I</i>	— biflorum .....	Mount Ophir .....
<i>I</i>	— grandiflorum .....	Java .....
<i>I</i>	— nanum .....	Java .....
<i>I</i>	— majus .....	Mount Ophir .....
<i>I</i>	— nigrum .....	Mount Ophir .....
<i>I</i>	— pictum .....	Mount Ophir .....
<i>I</i>	— plumosum .....	Mount Ophir .....
<i>I</i>	— pulcherrimum .....	Mount Ophir .....
<i>I</i>	— purpureum .....	Mount Ophir .....
<i>I</i>	— superbum .....	Mount Ophir .....
<i>I</i>	— violaceum .....	Mount Ophir .....
* <i>I</i>	— Warnerianum .....	East Indies .....
<i>I</i>	Bartetii .....	Hybrid .....
<i>S</i>	bellatulum .....	Siam .....
<i>C</i>	Boxallii .....	Burmah .....
<i>C</i>	— atratum .....	Burmah .....
* <i>I</i>	Bullenianum .....	Borneo .....
<i>I</i>	callosum .....	Siam .....
<i>I</i>	— coloratum .....	Siam .....
<i>I</i>	— pictum .....	Siam .....
<i>I</i>	— sublæve .....	Siam .....
<i>I</i>	calophyllum .....	Hybrid .....
<i>I</i>	calurum .....	Hybrid .....
<i>I</i>	Calypso .....	Hybrid .....
<i>I</i>	cardinale .....	Hybrid .....
<i>I</i>	Carnusianum .....	Hybrid .....
<i>I</i>	caudatum .....	Central America .....
<i>I</i>	— nigrum .....	Central America .....
<i>I</i>	— roseum .....	Central America .....
<i>I</i>	— Wallisii .....	Ecuador .....
<i>S</i>	Chamberlainianum .....	New Guinea .....
<i>S</i>	Charlesworthii .....	Burmah .....
<i>I</i>	chloroneurum .....	Hybrid .....
<i>I</i>	ciliolare .....	East Indies .....
<i>I</i>	conchiferum .....	Hybrid .....
<i>I</i>	concolor .....	Moulmein .....
<i>I</i>	— Regnierii .....	Moulmein .....
* <i>I</i>	Crossianum .....	Hybrid .....

<i>I</i>	<b>CYPRIPEDIUM Crossianum superbum</b>	Hybrid	31s. 6d. and 42s.
<i>S</i>	Curtisii	Sumatra	7s. 6d., 10s. 6d. to 31/6
<i>C</i>	Dauthierii	Hybrid	10s. 6d., 15s. and 21s.
<i>I</i>	Dayanum (Petri)	Borneo	10s. 6d., 15s. and 21s.
<i>I</i>	Dominii	Hybrid	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	Druryi	East Indies	21s., 31s. 6d. and 42s.
<i>I</i>	Elliotianum (Rothschildianum)	Hybrid	15s., 21s. and 31s. 6d.
<i>I</i>	Euryale	Hybrid	63s.
<i>S</i>	euryandrum	Hybrid	21s., 31s. 6d. and 42s.
<i>S</i>	exul	East Indies	10s. 6d., 15s. and 21s.
<i>I</i>	Fitchianum	Hybrid	42s. and 63s.
<i>S</i>	gemmiferum	Hybrid	21s., 31s. 6d. and 42s.
<i>S</i>	Germinyanum	Hybrid	21s. and 31s. 6d.
<i>S</i>	glanduliferum (præstans)	New Guinea	42s. and 63s.
<i>S</i>	Godefroyæ	Siam	10s. 6d. and 15s.
<i>S</i>	grande	Hybrid	10s. 6d., 15s. and 21s.
<i>C</i>	Harrisianum	Hybrid	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— nigrum	Hybrid	42s. and 63s.
<i>C</i>	— superbum	Hybrid	63s. and 84s.
<i>I</i>	Hartwegii (Roetzlii)	Ecuador	10s. 6d., 15s. and 21s.
<i>S</i>	Haynaldianum	Philippine Islands	10s. 6d., 15s. and 21s.
<i>I</i>	hirsutissimum	Assam	10s. 6d., 15s. and 21s.
<i>S</i>	Hookeræ	Borneo	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	hybridum	Hybrid	10s. 6d., 15s. and 21s.
<i>I</i>	— marginatum	Hybrid	21s. and 31s. 6d.
* <i>C</i>	insigne	Nepal	3s. 6d. and 5s.
* <i>C</i>	— albo-marginatum	Nepal	10s. 6d. and 15s.
* <i>C</i>	— Chantinii (punctatum violaceum)	Nepal	10s. 6d., 15s. and 21s.
* <i>C</i>	— Freemanii	Nepal	
* <i>C</i>	— maculatum	Nepal	15s. and 21s.
* <i>C</i>	— Maulei	Nepal	10s. 6d., 15s. and 21s.
* <i>C</i>	— maximum	Nepal	10s. 6d.
* <i>C</i>	— pictum	Nepal	21s.
* <i>C</i>	— punctatum	Nepal	15s.
* <i>C</i>	— violaceum, vide Chantinii		
* <i>C</i>	— sylhetense	Nepal	10s. 6d. and 15s.
<i>I</i>	Io	Hybrid	42s. and 63s.
<i>I</i>	— grande	Hybrid	
<i>S</i>	javanico-superbiens	Hybrid	63s., 84s. and 105s.
<i>I</i>	javanicum	Java	5s., 7s. 6d. and 10s. 6d.
<i>S</i>	lævigatum (philippinense)	Philippine Islands	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	Laforcadei	Hybrid	42s. and 63s.
<i>I</i>	Lathamianum	Hybrid	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	Lawrenceanum	Borneo	3s. 6d., 5s. and 7s. 6d.
<i>I</i>	— coloratum	Borneo	63s.
<i>I</i>	— expansum	Borneo	42s.
<i>I</i>	— majus	Borneo	
<i>I</i>	— marmoratum	Borneo	
<i>I</i>	— superbum	Borneo	21s. and 31s. 6d.
* <i>I</i>	Leeanum	Hybrid	7s. 6d., 10s. 6d. and 15s.
* <i>I</i>	— superbum	Hybrid	10s. 6d., 15s. and 21s.
<i>S</i>	Lindleyanum	British Guiana	10s. 6d., 15s. and 21s.
<i>I</i>	longifolium	Costa Rica	7s. 6d. and 10s. 6d.
<i>S</i>	Lowii	Borneo	10s. 6d., 15s. and 21s.
<i>S</i>	marmorophyllum	Hybrid	15s., 21s. and 31s. 6d.
<i>S</i>	Mastersianum	East Indies	63s., 84s. and 105s.
* <i>S</i>	Meirax	Hybrid	42s., 63s. and 84s.



*S	CYPRIPEDIUM melanophthalmum	Hybrid	15s., 21s. and 31s. 6d.
S	Morganiae	Hybrid	42s., 63s. and 84s.
S	Niobe	Hybrid	63s. and 84s.
*S	nitens	Hybrid	10s. 6d., 15s. and 21s.
*S	— superbum	Hybrid	21s., 31s. 6d. and 42s.
S	nitidissimum	Hybrid	21s., 31s. 6d. and 42s.
*S	niveum	East Indies	5s., 7s. 6d. and 10s. 6d.
I	cœnanthum	Hybrid	7s. 6d., 10s. 6d. and 15s.
I	— superbum	Hybrid	15s., 21s. and 31s. 6d.
S	Parishii	East Indies	7s. 6d., 10s. 6d. and 15s.
I	pavoninum	Hybrid	
S	philippinense, vide lævigatum		
I	politum	Hybrid	21s., 31s. 6d. and 42s.
I	porphyreum	Hybrid	10s. 6d., 15s. and 21s.
S	præstans, vide glanduliferum		
S	pulchellum	Hybrid	
I	purpuratum	Hong Kong	15s., 21s. and 31s. 6d.
I	regale	Hybrid	105s.
S	Robelenii, vide lævigatum		
I	Roezlii, vide Hartwegii		
S	Rothschildianum, vide Elliotianum		
I	Sallierii	Hybrid	15s., 21s. and 31s. 6d.
S	Sanderianum	Malay Archipelago	15s. and 21s.
S	Saundersianum	Hybrid	
C	Schlimii	Colombia	10s. 6d., 15s. and 21s.
I	Schroderæ	Hybrid	21s., 31s. 6d. and 42s.
C	Sedeni	Hybrid	5s., 7s. 6d. and 10s. 6d.
C	— candidulum	Hybrid	10s. 6d., 15s. and 21s.
C	— superbum	Hybrid	15s. and 21s.
I	Seegerianum	Hybrid	63s.
I	selligerum	Hybrid	7s. 6d., 10s. 6d. and 15s.
I	— majus	Hybrid	31s. 6d., 42s. and 63s.
*I	Spicerianum	East Indies	5s., 7s. 6d. and 10s. 6d.
*I	— grandiflorum	East Indies	63s.
*I	— magnificum	East Indies	
*I	— prasinum	East Indies	63s.
*I	— virescens	East Indies	21s., 31s. 6d. and 42s.
*I	— viride	East Indies	
I	stenophyllum	Hybrid	10s. 6d., 15s. and 21s.
S	Stonei	Borneo	7s. 6d., 10s. 6d. and 15s.
I	superbiens (Veitchii)	Java	10s. 6d., 15s. and 21s.
I	superciliare	Hybrid	7s. 6d., 10s. 6d. and 15s.
I	— ornatum	Hybrid	10s. 6d., 15s. and 21s.
I	Swanianum	Hybrid	10s. 6d., 15s. and 21s.
S	tonsum	Sumatra	21s., 31s. 6d. and 42s.
*C	venustum	Nepal	5s. and 7s. 6d.
*C	— pardinum	Nepal	21s.
I	vernixium	Hybrid	7s. 6d., 10s. 6d. and 15s.
I	vexillarium	Hybrid	31s. 6d., 42s. and 63s.
C	villosum	Moulmein	7s. 6d., 10s. 6d. and 15s.
C	— aureum	Moulmein	31s. 6d., 42s. and 63s.
S	Volonteanum	East Indies	5s., 7s. 6d. and 10s. 6d.
I	CYRTOPODIUM punctatum	South America	15s., 21s. and 31s. 6d.
I	St. Legerianum	Paraguay	15s., 21s. and 31s. 6d.
S	CYRTOPTERA Regnieri	Cochin China	21s. and 31s. 6d.
I	DENDROBIUM aggregatum	East Indies	5s., 7s. 6d. and 10s. 6d.
I	aggregatum majus	East Indies	7s. 6d., 10s. 6d. and 15s.
I	Ainsworthii	Hybrid	7s. 6d., 10s. 6d. to 21s.

<i>I</i>	<b>DENDROBIUM</b> <i>Ainsworthii decorum</i> ..	Hybrid.....	
<i>I</i>	<i>Ainsworthii roseum</i> .....	Hybrid.....	31s. 6d., 42s. and 63s.
<i>I</i>	<i>albo-sanguineum</i> .....	Moulmein .....	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>amœnum</i> .....	East Indies .....	15s. and 21s.
<i>S</i>	<i>anosmum</i> ( <i>Dayanum</i> ) .....	Manilla .....	21s. and 31s. 6d.
<i>S</i>	<i>aurantiacum</i> .....	East Indies .....	10s. 6d. and 15s.
<i>I</i>	<i>aureum</i> ( <i>heterocarpum</i> ) .....	East Indies .....	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	<i>Bensoniæ</i> .....	Arracan Hills.....	5s., 7s. 6d. and 10s. 6d.
<i>S</i>	— <i>nigrum</i> .....	Arracan Hills.....	42s.
<i>S</i>	<i>bigibbum</i> .....	Torres Straits .....	10s. 6d. and 15s.
<i>I</i>	<i>binoculare</i> .....	Burmah .....	21s. and 31s. 6d.
<i>S</i>	<i>Brymerianum</i> .....	Burmah .....	10s. 6d., 15s. and 21s.
<i>I</i>	<i>Calceolaria</i> .....	East Indies .....	10s. 6d. and 15s.
<i>I</i>	<i>Cambridgeanum</i> , <i>vide D. ochreatum</i>		
<i>I</i>	<i>canaliculatum</i> ( <i>Tattonianum</i> ).....	Queensland .....	10s. 6d. and 15s.
<i>I</i>	<i>chrysanthum</i> .....	Nepal .....	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>chrysotoxum</i> .....	Moulmein.....	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	— <i>superbum</i> .....	Moulmein.....	10s. 6d. and 15s.
<i>I</i>	<i>clavatum</i> .....	East Indies .....	15s., 21s. and 31s. 6d.
<i>*I</i>	<i>crassinode</i> .....	Arracan & Siam Mountains	5s., 7s. 6d. and 10s. 6d.
<i>*I</i>	— <i>album</i> .....	Arracan & Siam Mountains	
<i>*I</i>	— <i>Barberianum</i> .....	Arracan & Siam Mountains	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>crepidatum</i> .....	East Indies .....	5s. and 7s. 6d.—
<i>S</i>	<i>cretaceum</i> .....	Burmah .....	5s. and 7s. 6d.
<i>S</i>	<i>crystallinum</i> .....	Arracan Mountains ..	7s. 6d. and 10s. 6d.
<i>S</i>	<i>cucullatum</i> , <i>vide D. Pierardii</i>		
<i>I</i>	<i>cupreum</i> .....	East Indies .....	21s. and 31s. 6d.
<i>S</i>	<i>Dalhousianum</i> .....	East Indies .....	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	<i>Dayanum</i> , <i>vide D. anosmum</i>		
<i>S</i>	<i>Dearei</i> .....	Philippine Islands ...	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>densiflorum</i> .....	East Indies .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>Devonianum</i> .....	Khasya.....	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>dixanthum</i> .....	East Indies .....	10s. 6d. and 15s.
<i>I</i>	<i>Dominii</i> .....	Hybrid.....	10s. 6d., 15s. and 21s.
<i>S</i>	<i>Draconis</i> ( <i>eburneum</i> ) .....	Burmah .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>Endocharis</i> .....	Hybrid.....	10s. 6d., 15s. and 21s.
<i>I</i>	<i>Falconeri</i> .....	East Indies .....	7s. 6d. and 10s. 6d.
<i>S</i>	<i>Farmeri</i> .....	India.....	10s. 6d., 15s. and 21s.
<i>S</i>	— <i>album</i> .....	India.....	
<i>S</i>	— <i>aureum</i> .....	India.....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>fimbriatum</i> .....	Nepal .....	10s. 6d. and 15s.
<i>I</i>	— <i>oculatum</i> .....	Nepal .....	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	<i>Findlayanum</i> .....	Moulmein .....	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	<i>formosum giganteum</i> .....	Burmah .....	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>Freemanii</i> .....	Assam .....	10s. 6d., 15s. and 21s.
<i>I</i>	<i>Gibsonii</i> .....	Tenasserim .....	21s. and 31s. 6d.
<i>I</i>	<i>Griffithianum</i> .....	East Indies .....	42s. and 63s.
<i>I</i>	<i>Guibertii</i> .....	East Indies .....	
<i>I</i>	<i>heterocarpum</i> , <i>vide aureum</i>		
<i>*C</i>	<i>Hillii</i> , <i>vide speciosum Hillii</i>		
<i>C</i>	<i>Infundibulum</i> .....	Moulmein .....	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>Jamesianum</i> .....	Moulmein .....	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>japonicum</i> , <i>vide moniliforme</i>		
<i>S</i>	<i>Jenkinsii</i> .....	Gualpara .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>Kingianum</i> .....	Australia .....	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>album</i> .....	Australia .....	31s. 6d. and 42s.
<i>S</i>	<i>Leechianum</i> .....	Hybrid .....	63s. and 84s.



## I DENDROBIUM

	Linawianum (moniliforme, Hort.)	China and Japan	10s. 6d., 15s. and 21s.
I	lituiflorum	East Indies	7s. 6d., 10s. 6d. and 15s.
I	longicorne	Khasya Hills	15s. and 21s.
I	luteolum	Moulmein	10s. 6d. and 15s.
S	macrophyllum (superbum)	Manilla	5s., 7s. 6d. and 10s. 6d.
S	— giganteum	Manilla	21s. and 31s. 6d.
S	MacCarthiae	Ceylon	21s. and 31s. 6d.
I	marmoratum	Assam	7s. 6d. and 10s. 6d.
C	moniliforme (japonicum)	Japan	7s. 6d.
I	moniliforme, Hort., vide Linawianum		
I	moschatum	East Indies	10s. 6d. and 15s.
S	mutabile (triadenium)	Java	
*I	nobile	Assam	5s. and 7s. 6d.
*I	— albescens	Assam	
*I	— cærulescens	Assam	15s., 21s. and 31s. 6d.
*I	— Cooksoni	Assam	
*I	— elegans	Assam	21s.
*I	— excellens	Assam	
*I	— grandiflorum	Assam	21s. and 31s. 6d.
*I	— insignis	Assam	
*I	— nobilius	Assam	31s. 6d., 42s. and 63s.
*I	— oculatum	Assam	21s.
*I	— pendulum	Assam	21s. and 31s. 6d.
*I	— pulcherrimum	Assam	21s. and 31s. 6d.
*I	— roseum	Assam	42s. and 63s.
*I	— rubellum	Assam	31s. 6d. and 42s.
*I	— splendens	Assam	
*I	— Wallichianum	Assam	15s. and 21s.
I	nodatum (Aphrodite)	Moulmein	7s. 6d. and 10s. 6d.
I	ochreatum (Cambridgeanum)	Chittagong	5s., 7s. 6d. and 10s. 6d.
I	Parishii	Moulmein	7s. 6d., 10s. 6d. and 15s.
S	Parthenium	Borneo	31s. 6d. and 42s.
I	Paxtonii	Khasya	10s. 6d. and 15s.
S	Phalænopsis	North Australia	31s. 6d. and 42s.
S	— Schroderianum	New Guinea	10s. 6d., 15s. and 21s.
I	philippinense	East Indies	10s. 6d. and 15s.
*I	Pierardi	Delta of Ganges	3s. 6d., 5s. and 7s. 6d.
I	primulinum	East Indies	7s. 6d., 10s. 6d. and 15s.
I	— giganteum	East Indies	10s. 6d. and 15s.
I	pulchellum (Loddigesii)	Assam	7s. 6d. and 10s. 6d.
I	secundum	East Indies	7s. 6d. and 10s. 6d.
S	senile	Moulmein	15s. and 21s.
*C	speciosum	Australia	10s. 6d. and 15s.
*C	— Hillii	Australia	21s. and 31s. 6d.
S	splendidissimum grandiflorum	Hybrid	
S	suavissimum	Burmah	7s. 6d., 10s. 6d. and 15s.
S	superbiens	Torres Straits	
S	superbum, vide macrophyllum		
I	Tattonianum, vide canaliculatum		
S	tetragonum	North Australia	21s.
I	thyrsiflorum	Burmah	5s., 7s. 6d. and 10s. 6d.
I	— carneum	Burmah	21s.
I	— citrina	Burmah	21s.
I	— superbum	Burmah	63s., 84s. and 105s.
I	— Walkerianum	Burmah	

<i>S</i>	<b>DENDROBIUM</b> tortile .....	East Indies .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	transparens .....	Nepal .....	5s., 7s. 6d. and 10s. 6d.
<i>S</i>	Treacherianum .....	Borneo .....	42s. and 63s.
<i>S</i>	triadenium, <i>vide mutabile</i> .....		
<i>S</i>	undulatum .....	Queensland .....	
<i>I</i>	Veitchianum .....	Java .....	7s. 6d. and 10s. 6d.
<i>I</i>	— stenopterum .....	Java .....	42s.
<i>*I</i>	Wardianum .....	Burmah .....	3s. 6d., 5s. and 7s. 6d.
<i>*I</i>	— album .....	Burmah .....	
<i>*I</i>	— grandiflorum .....	Burmah .....	15s. and 21s.
<i>I</i>	<b>DENDROCHILUM</b> , <i>vide</i> <i>Platyclinis</i> .....		
<i>S</i>	<b>DIACRIUM</b> bicornutum .....	West Indies .....	10s. 6d., 15s. and 21s.
<i>S</i>	<b>DICHÆA</b> vaginata .....	Mexico .....	10s. 6d.
<i>C</i>	<b>DISA</b> grandiflora .....	Cape of Good Hope ..	10s. 6d., 15s. and 21s.
<i>C</i>	racemosa .....	Cape of Good Hope ..	10s. 6d., 15s. and 21s.
<i>I</i>	<b>EPIDENDRUM</b> aromaticum .....	Guatemala .....	10s. 6d.
<i>C</i>	atropurpureum, <i>vide macrochilum</i> .....		
<i>S</i>	bicornutum, <i>vide</i> <i>Diacrium bicornutum</i> .....		
<i>I</i>	Brasavolæ .....	Guatemala .....	10s. 6d., 15s. and 21s.
<i>I</i>	Christii .....	South America .....	21s.
<i>I</i>	ciliare .....	South America .....	7s. 6d. and 10s. 6d.
<i>I</i>	cochleatum .....	West Indies .....	7s. 6d. and 10s. 6d.
<i>I</i>	Cooperianum .....	Brazil .....	21s.
<i>I</i>	criniferum .....	Costa Rica .....	15s. and 21s.
<i>I</i>	cuspidatum .....	Costa Rica .....	7s. 6d. and 10s. 6d.
<i>I</i>	dichromum .....	Bahia .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	eburneum .....	Colon .....	
<i>I</i>	evectum .....	South America .....	10s. 6d. and 15s.
<i>I</i>	falcatum (Parkinsonianum) .....	Mexico .....	10s. 6d., 15s. and 21s.
<i>I</i>	fals-loquum .....	South America .....	21s. and 31s. 6d.
<i>I</i>	Frederici Guilielmi .....	Peru .....	10s. 6d., 15s. and 21s.
<i>I</i>	Godseffianum .....	South America .....	10s. 6d. and 15s.
<i>I</i>	ibaguense .....	South America .....	15s. and 21s.
<i>I</i>	insidiosum .....	South America .....	15s.
<i>I</i>	inversum .....	Brazil .....	
<i>I</i>	leucochilum .....	South America .....	
<i>C</i>	macrochilum (atropurpureum) .....	South America .....	10s. 6d., 15s. and 21s.
<i>C</i>	— album .....	South America .....	
<i>C</i>	myrianthum .....	Guatemala .....	63s. and 84s.
<i>I</i>	nemorale .....	Mexico .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— superbum .....	Mexico .....	21s. and 31s. 6d.
<i>I</i>	nutans .....	South America .....	10s. 6d.
<i>I</i>	prismatocarpum .....	Chiriqui .....	10s. 6d., 15s. and 21s.
<i>I</i>	— superbum .....	Chiriqui .....	42s. and 63s.
<i>I</i>	radiatum roseum .....	South America .....	15s.
<i>I</i>	rhizophorum (radicans) .....	Mexico .....	5s., 7s. 6d. to 21s.
<i>I</i>	selligerum .....	South America .....	10s. 6d.
<i>I</i>	syringothyrsus .....	South America .....	10s. 6d., 15s. and 21s.
<i>C</i>	vitellinum majus .....	Mexico .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<b>ERIA</b> convallarioides .....	Nepal .....	15s. and 21s.
<i>I</i>	stellata .....	East Indies .....	10s. 6d., 15s. and 21s.
<i>S</i>	<b>EULOPHIA</b> pulchra .....	West Africa .....	15s. and 21s.
<i>S</i>	<b>EULOPHIELLA</b> Elisabethæ .....	Madagascar .....	
<i>S</i>	<b>GALEANDRA</b> Devoniana .....	Guiana .....	10s. 6d., 15s. and 21s.
<i>I</i>	<b>GEODORUM</b> dilitatum .....	East Indies .....	
<i>I</i>	<b>GONGORA</b> portentosa .....	South America .....	15s. and 21s.
<i>S</i>	<b>GOODYERA</b> (Anæctochilus) Dawsoniana .....	East Indies .....	10s. 6d. and 15s.
<i>I</i>	discolor .....	South America .....	5s. and 7s. 6d.



<i>S</i>	<i>GOODYERA</i>	<i>Rollissonii</i>	.....	
<i>S</i>	<i>GRAMMANGIS</i>	<i>Ellisii</i>	.....	Madagascar..... 21s., 31s. 6d. and 42s.
<i>S</i>	<i>GRAMMATOPHYLLUM</i>	<i>Measuresianum</i>	.....	Philippine Islands .. 42s. and 63s.
<i>S</i>	<i>GROBYA</i>	<i>Amherstiae</i>	.....	Brazil ..... 10s. 6d.
<i>S</i>	<i>HABENARIA</i>	<i>militaris</i>	.....	Cochin China .....
<i>I</i>	<i>HOULLETIA</i>	<i>Brocklehurstiana</i>	.....	Brazil ..... 15s. and 21s.
<i>I</i>	<i>HUNTLEYA</i>	<i>cerina</i> ; <i>vide</i> <i>Pescatoria cerina</i>	.....	
<i>S</i>	<i>IPSEA</i>	<i>speciosa</i>	.....	Ceylon ..... 7s. 6d. and 10s. 6d.
<i>S</i>	<i>KERFERSTEINIA</i>	<i>graminea</i>	.....	Colombia ..... 10s. 6d., 15s. and 21s.
* <i>C</i>	<i>LÆLIA</i>	<i>acuminata</i>	.....	Mexico ..... 10s. 6d. and 15s.
* <i>C</i>	—	<i>albida</i>	.....	Guatemala ..... 5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	—	<i>bella</i>	.....	Guatemala ..... 10s. 6d. and 15s.
* <i>C</i>	—	<i>grandiflora</i>	.....	Guatemala ..... 15s. and 21s.
* <i>C</i>	—	<i>Marianæ</i>	.....	Guatemala ..... 10s. 6d. and 15s.
<i>I</i>	—	<i>amanda</i>	.....	Brazil ..... 21s., 31s. 6d. and 42s.
* <i>C</i>	—	<i>anceps</i>	.....	Mexico ..... 5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	—	<i>alba</i>	.....	Mexico .....
* <i>C</i>	—	<i>Barkeriana</i>	.....	Mexico ..... 7s. 6d., 10s. 6d. and 15s.
* <i>C</i>	—	<i>conspicua</i>	.....	Mexico ..... 105s.
* <i>C</i>	—	<i>Dawsonii</i>	.....	Mexico .....
* <i>C</i>	—	<i>delicata</i>	.....	Mexico ..... 21s. and 31s. 6d.
* <i>C</i>	—	<i>grandiflora</i>	.....	Mexico .....
* <i>C</i>	—	<i>Hilli</i>	.....	Mexico ..... 42s. and 63s.
* <i>C</i>	—	<i>insignis</i>	.....	Mexico ..... 84s.
* <i>C</i>	—	<i>major</i>	.....	Mexico ..... 21s. and 31s. 6d.
* <i>C</i>	—	<i>oculata</i>	.....	Mexico ..... 21s. and 31s. 6d.
* <i>C</i>	—	<i>Percivaliana</i>	.....	Mexico ..... 21s., 31s. 6d. and 42s.
* <i>C</i>	—	<i>pulcherrima</i>	.....	Mexico ..... 42s.
* <i>C</i>	—	<i>Sanderiana</i>	.....	Mexico ..... 21s., 31s. 6d. and 42s.
* <i>C</i>	—	<i>Schroderiana</i>	.....	Mexico .....
* <i>C</i>	—	<i>splendens</i>	.....	Mexico ..... 42s. and 63s.
* <i>C</i>	—	<i>Stella</i>	.....	Mexico ..... 42s., 63s. and 84s.
* <i>C</i>	—	<i>rosea</i>	.....	Mexico .....
* <i>C</i>	—	<i>rubra</i>	.....	Mexico ..... 42s. and 63s.
* <i>C</i>	—	<i>Williamsiana</i> , <i>vide</i> <i>Stella</i>	.....	
* <i>C</i>	—	<i>autumnalis</i>	.....	Mexico ..... 10s. 6d., 15s. and 21s.
* <i>C</i>	—	<i>alba</i>	.....	Mexico .....
* <i>C</i>	—	<i>atrorubens</i>	.....	Mexico ..... 15s., 21s. and 31s. 6d.
* <i>C</i>	—	<i>insignis</i>	.....	Mexico .....
* <i>C</i>	—	<i>superba</i>	.....	Mexico ..... 42s.
<i>I</i>	—	<i>Boothiana</i> , <i>vide</i> <i>Cattleya lobata</i>	.....	
<i>I</i>	—	<i>cinnabarina</i>	.....	Brazil ..... 10s. 6d. and 15s.
<i>I</i>	—	<i>crispa</i> , <i>vide</i> <i>Cattleya crispa</i>	.....	
<i>I</i>	—	<i>crispilabia</i> ( <i>Lawrenceana</i> )	.....	Brazil ..... 31s. 6d. and 42s.
* <i>I</i>	—	<i>Dayana</i>	.....	Brazil ..... 5s., 7s. 6d. and 10s. 6d.
* <i>I</i>	—	<i>superba</i>	.....	Brazil ..... 21s.
<i>I</i>	—	<i>elegans</i>	.....	Brazil ..... 21s., 31s. 6d. and 42s.
<i>I</i>	—	<i>alba</i>	.....	Brazil ..... 31s. 6d., 42s. and 63s.
<i>I</i>	—	<i>carnea</i>	.....	Brazil ..... 63s. and 84s.
<i>I</i>	—	<i>Dayana</i>	.....	Brazil .....
<i>I</i>	—	<i>irrorata</i>	.....	Brazil .....
<i>I</i>	—	<i>macroloba</i>	.....	Brazil .....
<i>I</i>	—	<i>Mastersiana</i>	.....	Brazil .....
<i>I</i>	—	<i>miranda</i>	.....	Brazil ..... 147s.
<i>I</i>	—	<i>prasiata</i>	.....	Brazil .....
<i>I</i>	—	<i>pulchra</i>	.....	Brazil .....

<i>I</i>	<i>LÆLIA elegans Schilleriana</i> .....	Brazil .....	63s. and 84s.
<i>I</i>	<i>elegans Stelzneriana</i> .....	Brazil .....	84s. and 105s.
<i>I</i>	— <i>Wolstenholmiæ</i> .....	Brazil .....	
* <i>I</i>	<i>Eyermanniana</i> .....	Mexico .....	21s., 31s. 6d. and 42s.
<i>I</i>	<i>flava</i> .....	Brazil .....	10s. 6d., 15s. and 21s.
<i>C</i>	<i>furfuracea</i> .....	Mexico .....	21s. and 31s. 6d.
* <i>C</i>	<i>Gouldiana</i> .....	Mexico .....	
<i>I</i>	<i>grandis</i> .....	Brazil .....	21s., 31s. 6d. and 42s.
<i>I</i>	— <i>tenebrosa</i> .....	Brazil .....	21s., 31s. 6d. and 42s.
<i>I</i>	<i>harpophylla</i> .....	Brazil .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>Lindleyana</i> .....	Brazil .....	31s. 6d. and 42s.
<i>I</i>	<i>lobata, vide Cattleya lobata</i>		
<i>C</i>	<i>majalis (Flor de Maio)</i> .....	Oaxaca .....	10s. 6d. and 15s.
* <i>I</i>	<i>marginata</i> .....	Oaxaca .....	5s., 7s. 6d. and 10s. 6d.
* <i>I</i>	— <i>rubra</i> .....	Oaxaca .....	63s.
<i>I</i>	<i>Patinii</i> .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>I</i>	<i>Perrinii</i> .....	Brazil .....	7s. 6d., 10s. 6d. to 21s.
<i>I</i>	— <i>superba</i> .....	Brazil .....	31s. 6d. and 42s.
* <i>I</i>	<i>præstans (Pinelii, pumila)</i> .....	Brazil .....	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>purpurata</i> .....	Brazil .....	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>alba</i> .....	Brazil .....	31s. 6d. and 42s.
<i>I</i>	— <i>gloriosa</i> .....	Brazil .....	
<i>I</i>	— <i>atropurpurea</i> .....	Brazil .....	
<i>I</i>	— <i>atrorubens</i> .....	Brazil .....	
<i>I</i>	— <i>atrosanguinea</i> .....	Brazil .....	
<i>I</i>	— <i>bella</i> .....	Brazil .....	
<i>I</i>	— <i>Brysiانا</i> .....	Brazil .....	
<i>I</i>	— <i>Chelsoni</i> .....	Brazil .....	
<i>I</i>	— <i>erubescens</i> .....	Brazil .....	
<i>I</i>	— <i>formosa</i> .....	Brazil .....	
<i>I</i>	— <i>fulgens</i> .....	Brazil .....	
<i>I</i>	— <i>gloriosa</i> .....	Brazil .....	
<i>I</i>	— <i>grandis</i> .....	Brazil .....	
<i>I</i>	— <i>Imperialis</i> .....	Brazil .....	
<i>I</i>	— <i>magnifica</i> .....	Brazil .....	
<i>I</i>	— <i>marginata</i> .....	Brazil .....	
<i>I</i>	— <i>maxima</i> .....	Brazil .....	
<i>I</i>	— <i>Nelisii</i> .....	Brazil .....	
<i>I</i>	— <i>nigra</i> .....	Brazil .....	
<i>I</i>	— <i>nobilior</i> .....	Brazil .....	
<i>I</i>	— <i>picta</i> .....	Brazil .....	
<i>I</i>	— <i>picturata</i> .....	Brazil .....	
<i>I</i>	— <i>Princess</i> .....	Brazil .....	
<i>I</i>	— <i>refulgens</i> .....	Brazil .....	
<i>I</i>	— <i>rosea</i> .....	Brazil .....	
<i>I</i>	— <i>rubella</i> .....	Brazil .....	
<i>I</i>	— <i>rubicunda</i> .....	Brazil .....	
<i>I</i>	— <i>Russelliana</i> .....	Brazil .....	
<i>I</i>	— <i>Schröderiana</i> .....	Brazil .....	
<i>I</i>	— <i>speciosa</i> .....	Brazil .....	
<i>I</i>	— <i>splendens</i> .....	Brazil .....	
<i>I</i>	— <i>superba</i> .....	Brazil .....	
<i>I</i>	— <i>versicolor</i> .....	Brazil .....	
<i>I</i>	— <i>Victoriæ</i> .....	Brazil .....	
*	— <i>Wyattiana</i> .....	Brazil .....	
<i>I</i>	<i>Schilleriana, vide L. elegans</i>		
<i>I</i>	<i>superbiens</i> .....	Malacatan .....	
<i>I</i>	<i>xanthina (Cattleya xanthina)</i> .....	Brazil .....	10s. 6d., 15s. and 21s.



<i>I</i> LEPTOTES bicolor	South America	7s. 6d. and 10s. 6d.
* <i>I</i> LIMATODIS rosea	Moulmein	5s. and 7s. 6d.
<i>I</i> LIPARIS Rheedii	South America	10s. 6d.
<i>S</i> longipes	India	
<i>S</i> — pendula	India	
<i>I</i> LISSOCHILUS Krebsii	Natal	15s. and 21s.
<i>C</i> LYCASTE aromatica	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>I</i> Cobbiana	South America	
<i>C</i> costata	South America	15s., 21s. and 31s. 6d.
<i>C</i> cruenta	Guatemala	10s. 6d. and 15s.
<i>C</i> — major	Guatemala	
<i>C</i> Deppei	Mexico	7s. 6d. and 10s. 6d.
<i>C</i> fulvescens	Colombia	
<i>C</i> gigantea	South America	10s. 6d., 15s. and 21s.
<i>C</i> (Maxillaria) Harrisoniæ	South America	5s., 7s. 6d. and 10s. 6d.
<i>C</i> (—) — alba	South America	
<i>C</i> (—) — eburnea	South America	15s. and 21s.
<i>C</i> (—) — pubigera	South America	31s. 6d.
<i>C</i> (—) — purpurea	South America	31s. 6d.
<i>C</i> lanipes	Guayaquil	10s. 6d., 15s. and 21s.
<i>I</i> Lawrenceana	South America	21s. and 31s. 6d.
<i>I</i> plana Measuresiana	Bolivia	21s., 31s. 6d. and 42s.
* <i>C</i> Skinneri	Guatemala	5s., 7s. 6d. and 10s. 6d.
* <i>C</i> — alba	Guatemala	63s., 84s. and 105s.
* <i>C</i> — albo-marginata	Guatemala	
* <i>C</i> — amena	Guatemala	
* <i>C</i> — ampliata	Guatemala	
* <i>C</i> — carnea	Guatemala	
* <i>C</i> — delicata	Guatemala	21s. and 31s. 6d.
* <i>C</i> — fulgens	Guatemala	
* <i>C</i> — grandis	Guatemala	42s. and 63s.
* <i>C</i> — imperialis	Guatemala	
* <i>C</i> — maculata	Guatemala	31s. 6d.
* <i>C</i> — magnifica	Guatemala	
* <i>C</i> — marginata	Guatemala	
* <i>C</i> — marmorata	Guatemala	
* <i>C</i> — maxima	Guatemala	
* <i>C</i> — mirabilis	Guatemala	
* <i>C</i> — picta	Guatemala	42s. and 63s.
* <i>C</i> — princeps	Guatemala	
* <i>C</i> — pulchra	Guatemala	
* <i>C</i> — rosea	Guatemala	15s. and 21s.
* <i>C</i> — — superba	Guatemala	
* <i>C</i> — rubella	Guatemala	21s. and 31s. 6d.
* <i>C</i> — — picta	Guatemala	
* <i>C</i> — rubescens	Guatemala	
* <i>C</i> — splendens	Guatemala	42s. and 63s.
* <i>C</i> — superba	Guatemala	15s. and 21s.
* <i>C</i> — tincta	Guatemala	42s. and 63s.
* <i>C</i> — tricolor	Guatemala	31s. 6d.
* <i>C</i> — venusta	Guatemala	
* <i>C</i> — Vesta	Guatemala	
* <i>C</i> — vivicans	Guatemala	
<i>I</i> tetragona (Maxillaria)	Brazil	
<i>S</i> MACODES Petola, vide Anætochilus Petola		
<i>C</i> MASDEVALLIA abbreviata	Colombia	5s. and 7s. 6d.
<i>C</i> — amabilis	Colombia	3s. 6d. and 5s.
<i>C</i> — lineata	Colombia	7s. 6d. and 10s. 6d.

<i>C</i>	<b>MASDEVALLIA</b> <i>anchorifera</i> .....	Colombia .....	42s.
<i>C</i>	<i>Backhousiana</i> , <i>vide</i> <i>Chimæra Backhousiana</i> .....		
<i>C</i>	<i>Barlæana</i> .....	Peru .....	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	<i>bella</i> .....	Colombia .....	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	<i>Benedictii</i> , <i>vide</i> <i>psittacina</i> .....		
<i>C</i>	<i>Bonplandii</i> .....	Colombia .....	5s. and 7s. 6d.
<i>I</i>	<i>candida</i> , <i>vide</i> <i>tovarensis</i> .....		
<i>C</i>	<i>Carderi</i> .....	Colombia .....	63s.
<i>C</i>	<i>chelsoniensis</i> .....	Hybrid .....	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	<i>Chimæra</i> .....	Colombia .....	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	— <i>Backhousiana</i> .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i>	— <i>gigantea</i> .....	Colombia .....	42s. and 63s.
<i>C</i>	— <i>Roezlii</i> .....	Colombia .....	21s. and 31s. 6d.
<i>C</i>	— <i>Wallisii</i> .....	Colombia .....	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>Winniana</i> .....	Colombia .....	15s. and 21s.
<i>C</i>	<i>Colibri</i> , <i>vide</i> <i>Trochilus</i> .....		
<i>C</i>	<i>corniculata</i> .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i>	<i>Crossii</i> , <i>vide</i> <i>racemosa</i> .....		
<i>C</i>	<i>cucullata</i> .....	Colombia .....	63s. and 84s.
<i>C</i>	<i>Davisii</i> .....	South America .....	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	<i>Dayana</i> ( <i>Cryptophoranthus</i> ) .....	Colombia .....	15s. and 21s.
<i>C</i>	<i>demissa</i> .....	South America .....	21s. and 31s. 6d.
<i>C</i>	<i>elephanticeps</i> .....	Colombia .....	
<i>C</i>	<i>Ephippium</i> , <i>vide</i> <i>Trochilus</i> .....		
<i>C</i>	<i>erythrochæte</i> .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i>	<i>Estradæ</i> .....	South America .....	10s. 6d., 15s. and 21s.
<i>C</i>	<i>Gorgona</i> , <i>vide</i> <i>nycterina</i> .....		
<i>C</i>	<i>Harryana</i> .....	Colombia .....	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— <i>acanthifolia</i> .—A charming variety of this beautiful Orchid, producing very fine flowers of a rich shining violet-rose colour; remarkably attractive .....	Colombia .....	42s. and 63s.
<i>C</i>	— <i>acuminata</i> .....	Colombia .....	42s. and 63s.
<i>C</i>	— <i>atropurpurea</i> .....	Colombia .....	42s. and 63s.
<i>C</i>	— <i>atrosanguinea</i> .....	Colombia .....	31s. 6d., 42s. and 63s.
<i>C</i>	— <i>aurantiaca</i> .....	Colombia .....	31s. 6d. and 42s.
<i>C</i>	— <i>cærulescens</i> .....	Colombia .....	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— <i>atroviolacea</i> .....	Colombia .....	63s. and 84s.
<i>C</i>	— <i>concolor</i> .....	Colombia .....	42s. and 63s.
<i>C</i>	— <i>gigantea</i> .....	Colombia .....	84s. and 105s.
<i>C</i>	— <i>grandiflora</i> .....	Colombia .....	63s. and 84s.
<i>C</i>	— <i>magnifica</i> .....	Colombia .....	42s. and 63s.
<i>C</i>	— <i>maxima</i> .....	Colombia .....	63s. and 84s.
<i>C</i>	— <i>superba</i> .....	Colombia .....	42s. and 63s.
<i>C</i>	— <i>chelsoniensis</i> .....	Colombia .....	
<i>C</i>	— <i>coccinea</i> .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i>	— <i>Comet</i> .....	Colombia .....	84s. and 105s.
<i>C</i>	— <i>conchiflora</i> .—This fine variety produces splendid blossoms of a rich rosy-lake shade; the large showy flowers are, as the name implies, somewhat shell-like in appearance .....		7s. 6d. and 10s. 6d.
<i>C</i>	— <i>conspicua</i> .....	Colombia .....	
<i>C</i>	— <i>decora</i> .....	Colombia .....	42s. and 63s.
<i>C</i>	— <i>delicata</i> .....	Colombia .....	42s. and 63s.
<i>C</i>	— <i>Denisoniana</i> .....	Colombia .....	21s., 31s. 6d. and 42s.
<i>C</i>	— <i>Electric</i> .....	Colombia .....	
<i>C</i>	— <i>elegans</i> .....	Colombia .....	42s. and 63s.
<i>C</i>	— <i>expansa</i> .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i>	— <i>Flambeau</i> .....	Colombia .....	
<i>C</i>	— <i>flammea</i> .....	Colombia .....	
<i>C</i>	— <i>formosa</i> .....	Colombia .....	42s. and 63s.



<i>C</i>	<b>MASDEVALLIA</b> <i>Harryana fulgens</i> ..	Colombia .....	
<i>C</i>	<i>Harryana gemma</i> .....	Colombia .....	
<i>C</i>	— <i>gloriosa</i> .....	Colombia .....	
<i>C</i>	— <i>illustris</i> .....	Colombia .....	
<i>C</i>	— <i>insignis</i> .....	Colombia .....	
<i>C</i>	— <i>leonis</i> .....	Colombia .....	
<i>C</i>	— <i>lilacina</i> .....	Colombia .....	10s. 6d. and 15s.
<i>C</i>	— <i>luteo-oculata</i> .....	Colombia .....	42s. and 63s.
<i>C</i>	— <i>magnifica</i> .....	Colombia .....	31s. 6d., 42s. and 63s.
<i>C</i>	— <i>Mars</i> .....	Colombia .....	
<i>C</i>	— <i>Meteor</i> .....	Colombia .....	
<i>C</i>	— <i>miniata</i> .....	Colombia .....	
<i>C</i>	— <i>mirabilis</i> .....	Colombia .....	
<i>C</i>	— <i>oculata</i> .....	Colombia .....	15s. and 21s.
<i>C</i>	— <i>ornata</i> .....	Colombia .....	42s. and 63s.
<i>C</i>	— <i>patens</i> .....	Colombia .....	
<i>C</i>	— <i>princeps</i> .....	Colombia .....	
<i>C</i>	— <i>purpurea</i> .....	Colombia .....	7s. 6d. and 10s. 6d.
<i>C</i>	— <i>magnifica</i> .....	Colombia .....	
<i>C</i>	— <i>regalis</i> .—A magnificent variety, with very large and broad flowers of good form and substance; their colour is peculiarly striking and attractive, being an extremely rich shade of dark glowing crimson .....	Colombia .....	31s. 6d. and 42s.
<i>C</i>	— <i>Reginæ</i> .....	Colombia .....	
<i>C</i>	— <i>rosacea</i> .....	Colombia .....	7s. 6d. and 10s. 6d.
<i>C</i>	— <i>rosea</i> .....	Colombia .....	21s. and 31s. 6d.
<i>C</i>	— <i>rotundiflora</i> .....	Colombia .....	
<i>C</i>	— <i>salmonea</i> .....	Colombia .....	
<i>C</i>	— <i>sanguinea</i> .....	Colombia .....	7s. 6d. and 10s. 6d.
<i>C</i>	— <i>aurantiaca</i> .....	Colombia .....	63s. and 84s.
<i>C</i>	— <i>speciosa</i> .....	Colombia .....	
<i>C</i>	— <i>splendens</i> .....	Colombia .....	21s., 31s. 6d. and 42s.
<i>C</i>	— <i>superba</i> .....	Colombia .....	42s. and 63s.
<i>C</i>	— <i>triumphans</i> .....	Colombia .....	63s. and 84s.
<i>C</i>	— <i>venusta</i> .....	Colombia .....	
<i>C</i>	— <i>versicolor</i> .—A distinct variety, the rich magenta ground-colour being margined, or irregularly marked with intense maroon crimson .....	Colombia .....	15s., 21s. and 31s. 6d.
<i>C</i>	— <i>violacea</i> .....	Colombia .....	31s. 6d. and 42s.
<i>C</i>	— <i>magnifica</i> .....	Colombia .....	63s. and 84s.
<i>C</i>	— <i>oculata</i> .....	Colombia .....	42s. and 63s.
<i>C</i>	— <i>superba</i> .....	Colombia .....	42s. and 63s.
<i>C</i>	— <i>vivicans</i> .....	Colombia .....	31s. 6d. and 42s.
<i>C</i>	— <i>Walkeriana</i> .—A very handsome variety, with gigantic flowers $2\frac{1}{2}$ inches across .....	Colombia .....	31s. 6d. and 42s.
<i>C</i>	<b>Houtteana</b> , <i>vide psittacina</i>		
<i>C</i>	<i>ignea</i> .....	Colombia .....	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— <i>aurantiaca</i> .....	Colombia .....	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>citrina</i> .....	Colombia .....	
<i>C</i>	— <i>Massangeana</i> .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i>	— <i>militaris</i> .....	Colombia .....	31s. 6d. and 42s.
<i>C</i>	— <i>purpurea</i> .....	Colombia .....	42s. and 63s.
<i>C</i>	— <i>splendens</i> .....	Colombia .....	63s. and 84s.
<i>C</i>	— <i>penanthe</i> .....	Colombia .....	15s. and 21s.
<i>C</i>	— <i>speciosa</i> .....	Colombia .....	
<i>C</i>	— <i>Stobartiana</i> .....	Colombia .....	21s. and 31s. 6d.
<i>C</i>	<i>inflata</i> .....	Colombia .....	42s. and 63s.
<i>C</i>	<i>infracta</i> .....	Colombia .....	7s. 6d., 10s. 6d. and 15s.

<i>C</i>	<b>MASDEVALLIA</b> <i>infracta</i> <i>purpurea</i> ..	Colombia .....	21s. and 31s. 6d.
<i>C</i>	<i>ionocharis</i> .....	South America .....	15s., 21s. and 31s. 6d.
<i>C</i>	<i>leontoglossa</i> .....	Colombia .....	21s.
<i>C</i>	<i>Lindeni</i> .....	Colombia .....	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	<i>macrura</i> .....	Colombia .....	21s., 31s. 6d. and 42s.
<i>C</i>	<i>maculata</i> .....	South America .....	3s. 6d. and 5s.
<i>C</i>	— <i>flava</i> .....	South America .....	7s. 6d. and 10s. 6d.
<i>C</i>	— <i>superba</i> .....	South America .....	
<i>C</i>	<i>muscosa</i> .....	South America .....	
<i>C</i>	<i>nycterina</i> ( <i>Gorgona</i> ) .....	Colombia .....	10s. 6d. and 15s.
<i>C</i>	<i>oethodes</i> ( <i>Scaphosepalum</i> ) .....	Colombia .....	5s.
<i>C</i>	<i>Peristeria</i> .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i>	<i>polysticta</i> .....	Colombia .....	5s. and 7s. 6d.
<i>C</i>	— <i>brevior</i> .....	Colombia .....	10s. 6d. and 15s.
<i>C</i>	— <i>caudata</i> .....	Colombia .....	10s. 6d. and 15s.
<i>C</i>	<i>porcelliceus</i> .....	Colombia .....	31s. 6d. and 42s.
<i>C</i>	<i>psittacina</i> ( <i>Benedictii</i> , <i>Houtteana</i> ) ..	Colombia .....	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	<i>racemosa</i> ( <i>Crossii</i> ) .....	Colombia .....	21s., 31s. 6d. and 42s.
<i>C</i>	<i>radiosa</i> .....	Colombia .....	21s. and 31s. 6d.
<i>C</i>	— <i>major</i> .....	Colombia .....	
<i>C</i>	<i>Reichenbachiana</i> .....	South America .....	10s. 6d. and 15s.
<i>C</i>	<i>rosea</i> .....	Ecuador .....	10s. 6d. and 15s.
<i>C</i>	<i>Schlimii</i> .....	Colombia .....	15s. and 21s.
<i>C</i>	<i>severa</i> .....	Colombia .....	42s. and 63s.
<i>C</i>	<i>Shuttleworthii</i> .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i>	— <i>xanthocorys</i> .....	Colombia .....	15s. and 21s.
<i>C</i>	<i>simula</i> .....	South America .....	15s. and 21s.
<i>C</i>	<i>swerticifolia</i> .....	Colombia .....	10s. 6d. and 15s.
<i>C</i>	<i>torta</i> .....	Colombia .....	42s. and 63s.
* <i>I</i>	<i>tovarensis</i> ( <i>candida</i> ) .....	Venezuela .....	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	<i>tridactylites</i> .....	South America .....	21s. and 31s. 6d.
<i>I</i>	<i>triangularis</i> .....	Venezuela .....	7s. 6d. and 10s. 6d.
<i>C</i>	<i>trichæte</i> .....	Colombia .....	21s. and 31s. 6d.
<i>C</i>	<i>Trochilus</i> ( <i>Colibri</i> , <i>Ephippium</i> ) ..	Colombia .....	15s., 21s. and 31s. 6d.
<i>C</i>	<i>Veitchiana</i> .....	Peru .....	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>grandiflora</i> .....	Peru .....	21s., 31s. 6d. and 42s.
<i>C</i>	— <i>magnifica</i> .....	Peru .....	
<i>C</i>	<i>Vespertilio</i> .....	Colombia .....	21s. and 31s. 6d.
<i>I</i>	<i>Wagneriana</i> .....	Venezuela .....	3s. 6d., 5s. and 7s. 6d.
<i>C</i>	<i>Wallisii</i> , <i>vide M. Chimæra Wallisii</i>		
<i>C</i>	<i>xanthina</i> .....	Colombia .....	15s., 21s. and 31s. 6d.
<i>C</i>	<b>MAXILLARIA</b> <i>grandiflora</i> .....	South America .....	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>Harrisoniæ</i> , <i>vide Lycaste Harrisoniæ</i>		
<i>I</i>	<i>leontoglossa</i> , <i>vide Xylobium</i>		
* <i>C</i>	<i>luteo-alba</i> .....	Colombia .....	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>grandiflora</i> .....	Colombia .....	21s.
<i>C</i>	— <i>purpurea</i> .....	Colombia .....	21s.
<i>C</i>	<i>picta</i> .....	Brazil .....	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>Sanderiana</i> .....	South America .....	21s., 31s. 6d. and 42s.
<i>I</i>	<i>squalens</i> .....	South America .....	5s. and 7s. 6d.
<i>I</i>	<i>tenuifolia</i> .....	Mexico .....	10s. 6d. and 15s.
<i>I</i>	<i>tetragona</i> , <i>see Lycaste tetragona</i>		
<i>C</i>	<i>Turneri</i> .....	Mexico .....	10s. 6d. and 15s.
<i>C</i>	<i>venusta</i> .....	Colombia .....	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<b>MESOPINIDIUM</b> <i>roseum</i> .....	Mexico .....	10s. 6d.
* <i>C</i>	<i>sanguineum</i> .....	Ecuador .....	7s. 6d. and 10s. 6d.
<i>C</i>	<i>vulcanicum</i> .....	Ecuador .....	15s. and 21s.
<i>C</i>	— <i>grandiflorum</i> .....	Peru .....	15s., 21s. and 31s. 6d.



<i>S</i>	<b>MICROSTYLIS calophylla</b> .....	East Indies .....	10s. 6d. and 15s.
<i>S</i>	<i>metallica</i> .....	Borneo .....	10s. 6d. and 15s.
<i>I</i>	<b>MILTONIA candida</b> .....	Brazil .....	15s. and 21s.
<i>I</i>	<i>candida punctata</i> .....	Brazil .....	
<i>I</i>	<i>Clowesii</i> .....	Brazil .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— <i>major</i> .....	Brazil .....	15s. and 21s.
<i>I</i>	— <i>pauciguttata</i> .....	Brazil .....	42s. and 63s.
<i>I</i>	<i>cuneata</i> .....	Brazil .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— <i>platyglossa</i> .....	Brazil .....	
<i>I</i>	<i>festiva</i> .....	Brazil .....	21s.
<i>I</i>	<i>flavescens (stellata)</i> .....	Brazil .....	10s. 6d. and 15s.
<i>I</i>	<i>Moreliana</i> .....	Brazil .....	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>atropurpurea</i> .....	Brazil .....	
<i>I</i>	<i>Phalænopsis, vide Odontoglossum Phalænopsis</i> .....		
<i>I</i>	<i>Regnellii (cèreola)</i> .....	Brazil .....	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>purpurea</i> .....	Brazil .....	42s. and 63s.
<i>I</i>	<i>Roezlii, vide Odontoglossum Roezlii</i> .....		
<i>I</i>	<i>Russelliana</i> .....	Brazil .....	
<i>I</i>	<i>spectabilis</i> .....	Brazil .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— <i>aspirata</i> .....	Brazil .....	
<i>I</i>	— <i>bicolor</i> .....	Brazil .....	15s., 21s. and 31s. 6d.
<i>I</i>	— <i>marginata</i> .....	Brazil .....	
<i>I</i>	— <i>virginalis</i> .....	St. Catherine's .....	21s. and 31s. 6d.
<i>I</i>	<i>vexillaria, vide Odontoglossum vexillarium</i> .....		
<i>I</i>	<b>MORMODES buccinator</b> .....	Mexico .....	15s. and 21s.
<i>I</i>	<i>Lawrenceanum</i> .....	Mexico .....	31s. 6d. and 42s.
<i>I</i>	<i>luxatum</i> .....	Mexico .....	21s. and 31s. 6d.
<i>I</i>	— <i>eburneum</i> .....	Mexico .....	10s. 6d., 15s. and 21s.
<i>I</i>	<i>pardinum</i> .....	Mexico .....	15s., 21s. and 31s. 6d.
<i>I</i>	<b>NANODES Medusæ</b> .....	South America .....	21s. and 31s. 6d.
<i>S</i>	<b>NEPHELAPHYLLUM pulchrum</b> .....	Java .....	15s. and 21s.
<i>*C</i>	<b>ODONTOGLOSSUM Alexandræ, vide O. crispum</b> .....		
<i>C</i>	<i>amabile (hybrid)</i> .....	Colombia .....	
<i>C</i>	<i>Andersonianum</i> .....	Bogota .....	31s. 6d., 42s. and 63s.
<i>C</i>	— <i>lobatum</i> .....	Bogota .....	
<i>C</i>	<i>angustatum</i> .....	Colombia .....	42s.
<i>C</i>	<i>Arnoldianum</i> .....	Colombia .....	21s., 31s. 6d. and 42s.
<i>*C</i>	<i>asperum (hybrid)</i> .....	Mexico .....	21s., 31s. 6d. and 42s.
<i>C</i>	<i>astranthum</i> .....	Colombia .....	
<i>C</i>	<i>baphicanthum (hybrid)</i> .....	Colombia .....	21s., 31s. 6d. and 42s.
<i>*C</i>	<i>bellinum (hybrid)</i> .....	Colombia .....	
<i>*C</i>	<i>bictonense</i> .....	Guatemala .....	10s. 6d., 15s. and 21s.
<i>*C</i>	— <i>album</i> .....	Guatemala .....	10s. 6d., 15s. and 21s.
<i>C</i>	<i>blandum</i> .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i>	<i>blepharicanthum</i> .....	Venezuela .....	42s. and 63s.
<i>*C</i>	<i>Bluntii, vide O. crispum</i> .....		
<i>C</i>	<i>cariniferum</i> .....	South America .....	7s. 6d., 10s. 6d. and 15s.
<i>*C</i>	<i>Cervantesii</i> .....	Mexico .....	5s., 7s. 6d. and 10s. 6d.
<i>*C</i>	— <i>decorum</i> .....	Mexico .....	21s. and 31s. 6d.
<i>*C</i>	— <i>roseum</i> .....	Mexico .....	
<i>C</i>	<i>Chestertoni (hybrid)</i> .....	Colombia .....	42s. and 63s.
<i>C</i>	<i>cirrosum</i> .....	Ecuador .....	7s. 6d. and 10s. 6d.
<i>C</i>	— <i>gemmatum</i> .....	Ecuador .....	63s.
<i>C</i>	— <i>Hrubbyanum</i> .....	Ecuador .....	
<i>C</i>	— <i>Klabochorum</i> .....	Ecuador .....	10s. 6d., 15s. and 21s.
<i>C</i>	<i>citrosum (pendulum)</i> .....	Mexico .....	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— <i>album</i> .....	Mexico .....	
<i>C</i>	— <i>carneum</i> .....	Mexico .....	

<i>C</i>	<i>ODONTOGLOSSUM citrosmum</i>		
	<i>grandiflorum</i>	Mexico	
<i>C</i>	<i>citrosmum punctatum</i>	Mexico	
<i>C</i>	— <i>maximum</i>	Mexico	
<i>C</i>	— <i>roseum</i>	Mexico	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>rubrum</i>	Mexico	
<i>C</i>	— <i>grandiflorum</i>	Mexico	
<i>C</i>	<i>constrictum</i>	South America	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	<i>Coradinei</i>	Colombia	15s. and 21s.
<i>C</i>	— <i>hemileucum</i>	Colombia	
<i>C</i>	— <i>maculatum</i>	Colombia	
<i>C</i>	— <i>stenoglossum</i>	Colombia	31s. 6d.
* <i>C</i>	<i>cordatum</i>	Mexico	10s. 6d., 15s. and 21s.
* <i>C</i>	— <i>aureum</i>	Mexico	
* <i>C</i>	— <i>Kienastianum</i>	Mexico	84s. and 105s.
* <i>C</i>	— <i>nigrum</i>	Mexico	84s.
* <i>C</i>	— <i>pictum</i>	Mexico	63s.
* <i>C</i>	— <i>superbum</i>	Mexico	42s. and 63s.
<i>C</i>	<i>coronarium</i>	Colombia	42s. and 63s.
<i>C</i>	— <i>Dayanum</i>	Colombia	
<i>C</i>	— <i>miniaturum</i>	Colombia	63s.
* <i>C</i>	<i>crispum (Alexandrae, Bluntii)</i>	Colombia	3s. 6d., 5s., 7s. 6d. and 10s. 6d., and various sizes from 21s. upwards.
* <i>C</i>	— <i>album</i>	Colombia	
* <i>C</i>	— <i>aureo-purpureum</i>	Colombia	
* <i>C</i>	— <i>amœnum</i>	Colombia	42s. and 63s.
* <i>C</i>	— <i>concinnum</i>	Colombia	
* <i>C</i>	— <i>flaveolum</i>	Colombia	
* <i>C</i>	— <i>giganteum</i>	Colombia	
* <i>C</i>	— <i>grandiflorum</i>	Colombia	63s. and 84s.
* <i>C</i>	— <i>grandis</i>	Colombia	
* <i>C</i>	— <i>guttatum</i>	Colombia	63s. and 84s.
* <i>C</i>	— <i>intermedium</i>	Colombia	
* <i>C</i>	— <i>Lehmanni</i>	Colombia	
* <i>C</i>	— <i>nivalis</i>	Colombia	
* <i>C</i>	— <i>pictum</i>	Colombia	
* <i>C</i>	— <i>princeps</i>	Colombia	
* <i>C</i>	— <i>punctatum</i>	Colombia	
* <i>C</i>	— <i>purpureum</i>	Colombia	
* <i>C</i>	— <i>roseum</i>	Colombia	42s., 63s. and 84s.
* <i>C</i>	— <i>signatum</i>	Colombia	
* <i>C</i>	— <i>speciosum</i>	Colombia	63s. and 84s.
* <i>C</i>	— <i>splendens</i>	Colombia	63s., 84s. and 105s.
* <i>C</i>	— <i>stupendum</i>	Colombia	
* <i>C</i>	— <i>superbum</i>	Colombia	63s. and 84s.
<i>C</i>	<i>cristatellum</i>	Colombia	21s., 31s. 6d. and 42s.
<i>C</i>	<i>cristatum</i>	Peru	15s., 21s. and 31s. 6d.
<i>C</i>	<i>crocatum</i>	Colombia	
<i>C</i>	<i>cuspidatum</i>	Colombia	
<i>C</i>	<i>decorum (hybrid)</i>	Colombia	
<i>C</i>	<i>deltoglossum (hybrid)</i>	Colombia	
<i>C</i>	<i>Diadema (hybrid)</i>	Colombia	
<i>C</i>	<i>Edouardii</i>	Ecuador	10s. 6d., 15s. and 21s.
			Fine strong specimens, 31s. 6d. to 105s.
* <i>C</i>	<i>Ehrenbergii</i>	Mexico	
<i>C</i>	<i>eximium (hybrid)</i>	Colombia	
<i>C</i>	<i>facetum</i>	Colombia	15s., 21s. and 31s. 6d.
<i>C</i>	<i>flaveolum (hybrid)</i>	Colombia	



<i>C</i>	<b>ODONTOGLOSSUM gloriosum</b> .....	Ocaña .....	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	gloriosum album (nævium majus) ..	Ocaña .....	10s. 6d., 15s. and 21s.
<i>C</i>	— aureum .....	Ocaña .....	
<i>C</i>	— hybridum .....	Ocaña .....	
<i>C</i>	— nigrum .....	Ocaña .....	42s. and 63s.
<i>C</i>	— pictum .....	Ocaña .....	42s. and 63s.
<i>C</i>	— superbum .....	Ocaña .....	21s. and 31s. 6d.
<i>C</i>	grande .....	Guatemala .....	5s., 7s. 6d. to 21s.
<i>C</i>	— ampliatum .....	Guatemala .....	
<i>C</i>	— macrolobum .....	Guatemala .....	42s.
<i>C</i>	— nigrum .....	Guatemala .....	
<i>C</i>	— obtusum .....	Guatemala .....	
<i>C</i>	— pictum .....	Guatemala .....	
<i>C</i>	— superbum .....	Guatemala .....	21s., 31s. 6d. and 42s.
<i>C</i>	<b>Hallii</b> .....	Ecuador .....	10s. 6d., 15s. and 21s.
<i>C</i>	— chlorops .....	Ecuador .....	
<i>C</i>	— leucoglossum .....	Ecuador .....	21s., 31s. 6d. and 42s.
<i>C</i>	— nigrum .....	Ecuador .....	
<i>C</i>	— xanthoglossum .....	Ecuador .....	10s. 6d., 15s. and 21s.
<i>I</i>	<b>Harryanum</b> .....	South America .....	5s., 7s. 6d. to 21s.
<i>I</i>	— superbum .....	South America .....	
<i>I</i>	— tigrinum .....	South America .....	
<i>I</i>	<b>hastilabium</b> .....	Colombia .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— superbum .....	Colombia .....	
<i>C</i>	<b>hebraicum (hybrid)</b> .....	Colombia .....	21s., 31s. 6d. and 42s.
<i>C</i>	— albens (hybrid) .....	Colombia .....	
<i>C</i>	<b>hieroglyphicum (hybrid)</b> .....	Colombia .....	
<i>C</i>	<b>Holfordianum</b> .....	Colombia .....	
<i>C</i>	<b>Hunnewellianum</b> .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i>	<b>hystrix (radiatum)</b> .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i>	<b>illustre (hybrid)</b> .....	Colombia .....	
<i>C</i>	<b>ioplocon</b> .....	Colombia .....	
<i>*C</i>	<b>insigne (hybrid)</b> .....	Colombia .....	
<i>I</i>	<b>Insleayi leopardinum</b> .....	Mexico .....	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	— splendens .....	Mexico .....	42s., 63s. and 84s.
<i>I</i>	<b>Karwinskii</b> .....	South America .....	15s. and 21s.
<i>I</i>	<b>Krameri</b> .....	Costa Rica .....	42s. and 63s.
<i>C</i>	<b>lanceans (hybrid)</b> .....	South America .....	
<i>C</i>	<b>lacteum (hybrid)</b> .....	South America .....	
<i>C</i>	<b>lepidum (hybrid)</b> .....	South America .....	
<i>C</i>	<b>ligulare</b> .....	South America .....	
<i>C</i>	<b>Lindeni</b> .....	Colombia .....	10s. 6d.
<i>C</i>	<b>Lindleyanum</b> .....	Colombia .....	3s. 6d. and 5s.
<i>C</i>	— speciosum .....	Colombia .....	15s. and 21s.
<i>C</i>	<b>luteo-purpureum</b> .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i>	— — conspicuum .....	Colombia .....	
<i>C</i>	— — dentatum .....	Colombia .....	
<i>C</i>	— — nobilis .....	Colombia .....	
<i>*C</i>	<b>maculatum</b> .....	Mexico .....	5s., 7s. 6d. and 10s. 6d.
<i>*C</i>	— anceps .....	Mexico .....	63s. and 84s.
<i>*C</i>	— erosum .....	Mexico .....	84s. and 105s.
<i>*C</i>	— stenanthum .....	Mexico .....	21s. and 31s. 6d.
<i>*C</i>	— superbum .....	Mexico .....	21s. and 31s. 6d.
<i>*C</i>	— triumphans .....	Mexico .....	
<i>C</i>	<b>madrense (maxillare)</b> .....	Mexico .....	10s. 6d., 15s. and 21s.
<i>C</i>	— majus .....	Mexico .....	42s. and 63s.
<i>C</i>	<b>membranaceum</b> .....	Mexico .....	10s. 6d. and 15s.
<i>C</i>	<b>mirabile (hybrid)</b> .....	Colombia .....	

<i>C</i>	<b>ODONTOGLOSSUM mirandum</b> .....	Colombia .....	7s. 6d. and 10s. 6d.
<i>C</i>	<b>mulus</b> .....	Colombia .....	
<i>C</i>	— <b>crocatum</b> .....	Colombia .....	
<i>C</i>	— <b>cuspidatum</b> .....	Colombia .....	
<i>C</i>	<b>nævium</b> .....	Ocaña .....	21s., 31s. 6d. and 42s.
<i>C</i>	— <b>majus, vide O. gloriosum album</b>		
<i>C</i>	<b>nebulosum</b> .....	Mexico .....	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <b>candidum</b> .....	Mexico .....	15s. and 21s.
<i>C</i>	— <b>grandiflorum</b> .....	Mexico .....	
<i>C</i>	— <b>pardinum</b> .....	Mexico .....	21s., 31s. 6d. and 42s.
<i>C</i>	— <b>punctatum</b> .....	Mexico .....	31s. 6d. and 42s.
<i>C</i>	<b>nevadense</b> .....	Colombia .....	
<i>C</i>	<b>Noezlianum</b> .....	Peru .....	10s. 6d., 15s. to 31s. 6d.
<i>C</i>	<b>odoratum</b> .....	Colombia .....	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— <b>giganteum</b> .....	Colombia .....	
<i>C</i>	<b>Erstedii</b> .....	Costa Rica .....	5s. and 7s. 6d.
<i>C</i>	— <b>majus</b> .....	Costa Rica .....	10s. 6d., 15s. and 21s.
<i>C</i>	<b>pendulum, vide O. citrosum</b>		
<i>C</i>	<b>Pescatorei</b> .....	Colombia .....	3s. 6d., 5s. to 21s.
<i>C</i>	— <b>aurantiacum</b> .....	Colombia .....	
<i>C</i>	— <b>formosum</b> .....	Colombia .....	
<i>C</i>	— <b>grandiflorum</b> .....	Colombia .....	42s. and 63s.
<i>C</i>	— <b>insigne</b> .....	Colombia .....	
<i>C</i>	— <b>limbosum</b> .....	Colombia .....	
<i>C</i>	— <b>nebulosum</b> .....	Colombia .....	
<i>C</i>	— <b>nivale</b> .....	Colombia .....	42s. and 63s.
<i>C</i>	— <b>oculatum</b> .....	Colombia .....	63s. and 84s.
<i>C</i>	— <b>speciosum</b> .....	Colombia .....	
<i>C</i>	— <b>splendens</b> .....	Colombia .....	42s. and 63s.
<i>C</i>	— <b>stupendum</b> .....	Colombia .....	
<i>C</i>	— <b>tinctum</b> .....	Colombia .....	
<i>I</i>	<b>Phalænopsis (Miltonia Phalænopsis)</b>	Ocaña .....	7s. 6d., 10s. 6d. to 21s.
<i>I</i>	— <b>splendens</b> .....	Ocaña .....	
<i>C</i>	<b>picturatum (hybrid)</b> .....	Colombia .....	
<i>C</i>	<b>polyxanthum</b> .....	Ecuador .....	10s. 6d., 15s. and 21s.
<i>C</i>	<b>pretiosum, vide O. Schleiperianum</b>		
<i>C</i>	<b>princeps (hybrid)</b> .....	Colombia .....	
* <i>C</i>	<b>pulchellum</b> .....	Mexico .....	5s., 7s. 6d. and 10s. 6d.
* <i>C</i>	— <b>Egertoni (tenue)</b> .....	Mexico .....	3s. 6d. and 5s.
* <i>C</i>	— <b>majus</b> .....	Mexico .....	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<b>radiatum, vide O. hystrix</b>		
<i>C</i>	<b>ramosissimum</b> .....	Colombia .....	21s., 31s. 6d. and 42s.
<i>C</i>	— <b>album</b> .....	Colombia .....	42s. and 63s.
<i>C</i>	<b>ramulosum</b> .....	Ocaña .....	16s. and 21s.
<i>C</i>	<b>Reichenheimii</b> .....	Mexico .....	21s. and 31s. 6d.
<i>S</i>	<b>Roetzlii (Miltonia Roetzlii)</b> .....	Colombia .....	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	— <b>album</b> .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>S</i>	— <b>delicatum</b> .....	Colombia .....	10s. 6d. and 15s.
<i>S</i>	— <b>roseum</b> .....	Colombia .....	21s. and 31s. 6d.
<i>S</i>	— <b>splendens</b> .....	Colombia .....	63s. and 84s.
<i>C</i>	<b>roseum, vide Mesospinidium roseum</b>		
* <i>C</i>	<b>Rossii majus</b> .....	Mexico .....	3s. 6d., 5s. and 7s. 6d.
* <i>C</i>	— <b>musaicum</b> .....	Mexico .....	
* <i>C</i>	— <b>nivosum</b> .....	Mexico .....	
* <i>C</i>	— <b>pictum</b> .....	Mexico .....	
* <i>C</i>	— <b>splendens</b> .....	Mexico .....	21s. and 31s. 6d.
* <i>C</i>	— <b>virginale</b> .....	Mexico .....	
<i>C</i>	<b>Ruckerianum (hybrid)</b> .....	Colombia .....	31s. 6d., 42s. and 63s.



<b>C ODONTOGLOSSUM Ruckerianum</b>			
	<i>giganteum (hybrid)</i>	Colombia	84s. and 105s.
C	<i>Sanderianum</i>	Colombia	10s. 6d., 15s. and 21s.
C	<i>sceptrum</i>	Colombia	21s., 31s. 6d. and 42s.
C	<i>Schillerianum</i>	Venezuela	63s.
C	<i>Schleiperianum (pretiosum)</i>	Colombia	7s. 6d., 10s. 6d. and 15s.
C	<i>flavidum</i>	Costa Rica	84s. and 105s.
C	<i>spectabile (hybrid)</i>	South America	
*C	<i>tripudians</i>	Peru	5s., 7s. 6d. and 10s. 6d.
*C	<i>grandiflorum</i>	Peru	15s. and 21s.
C	<i>triumphans</i>	Ocaña	5s., 7s. 6d. and 10s. 6d.
C	<i>chrysolorum</i>	Ocaña	
C	<i>Uroskinneri</i>	Guatemala	10s. 6d., 15s. and 21s.
C	<i>venustum (hybrid)</i>	Colombia	
I	<i>vexillarium (Miltonia vexillaria)</i>	Colombia	5s., 7s. 6d., 10s. 6d., 15s. and various sizes from 21s. upwards.
I	<i>albescens</i>	Colombia	
I	<i>amabile</i>	Colombia	
I	<i>amœnum</i>	Colombia	
I	<i>bicolor</i>	Colombia	42s. and 63s.
I	<i>Chelsoniense</i>	Colombia	
I	<i>Cobbianum</i>	Colombia	84s. and 105s.
I	<i>conspicuum</i>	Colombia	
I	<i>erubescens</i>	Colombia	
I	<i>giganteum</i>	Colombia	84s. and 105s.
I	<i>illustre</i>	Colombia	
I	<i>insigne</i>	Colombia	84s. and 105s.
I	<i>maculatum</i>	Colombia	
I	<i>marmoratum</i>	Colombia	
I	<i>pictum</i>	Colombia	
I	<i>picturatum</i>	Colombia	
I	<i>pulcherrimum</i>	Colombia	42s. and 63s.
I	<i>purpurascens</i>	Colombia	
I	<i>radiatum</i>	Colombia	
I	<i>roseum</i>	Colombia	42s., 63s. and 84s.
I	<i>rubellum (Autumn-flowering)</i>	Colombia	10s. 6d., 15s. and 21s.
I	<i>rubrum</i>	Colombia	
I	<i>splendens</i>	Colombia	
I	<i>superbum</i>	Colombia	
I	<i>tricolor</i>	Colombia	
I	<i>venosum</i>	Colombia	
C	<i>Victor (hybrid)</i>	Colombia	
C	<i>Wallisii</i>	Colombia	7s. 6d., 10s. 6d. and 15s.
C	<i>Wilckeanum (hybrid)</i>	Colombia	42s., 63s. and 84s.
C	<i>albans (hybrid)</i>	Colombia	
C	<i>pallens (hybrid)</i>	Colombia	
C	<i>Williamsianum</i>	Costa Rica	
<b>C ONCIDIUM æmulum, vide O. superbiens.</b>			
S	<i>ampliatus</i>	Panama	7s. 6d. and 10s. 6d.
S	<i>majus</i>	Panama	10s. 6d. and 15s.
I	<i>anciferum</i>	South America	15s. and 21s.
I	<i>auriferum</i>	South America	
C	<i>aurosus (excavatum)</i>	Ecuador	7s. 6d., 10s. 6d. and 15s.
C	<i>Balderramæ</i>	Colombia	
I	<i>barbatum</i>	Brazil	10s. 6d. and 15s.
*C	<i>Barkeri, vide O. tigrinum</i>		
I	<i>bioallosus</i>	Guatemala	7s. 6d., 10s. 6d. to 21s.
C	<i>bicolor</i>	Brazil	10s. 6d. and 15s.
I	<i>bifolium</i>	Brazil	10s. 6d., 15s. and 21s.

<i>S</i>	<i>ONCIDIUM. bifrons</i>	Trinidad	
<i>C</i>	<i>cæsius</i>	Mexico	7s. 6d., 10s. 6d. to 21s.
<i>I</i>	<i>carthaginense</i>	Mexico	10s. 6d., 15s. and 21s.
<i>I</i>	<i>Cavendishianum</i>	Guatemala	7s. 6d., 10s. 6d. and 15s.
<i>*I</i>	<i>cheiroporum</i>	Ecuador	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>chrysomorphum</i>	South America	21s. and 31s. 6d.
<i>C</i>	<i>concolor</i>	Brazil	5s., 7s. 6d. and 10s. 6d.
<i>I</i>	<i>cornigerum</i>	Brazil	15s. and 21s.
<i>I</i>	— <i>longiracemosum</i>	Brazil	42s.
<i>C</i>	<i>crispum</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	— <i>grandiflorum</i>	Brazil	15s. and 21s.
<i>C</i>	— <i>punctatissimum</i>	Brazil	63s.
<i>I</i>	<i>cristatum</i>	South America	
<i>I</i>	<i>cruciatum</i>	Brazil	
<i>I</i>	— <i>marginatum</i>	Brazil	
<i>C</i>	<i>cucullatum</i>	South America	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	— <i>grandiflorum</i>	South America	21s. and 31s. 6d.
<i>C</i>	— <i>maculosum</i>	South America	21s. and 31s. 6d.
<i>C</i>	— <i>panduratum</i>	South America	31s. 6d. and 42s.
<i>C</i>	— <i>purpureum</i>	South America	42s. and 63s.
<i>C</i>	<i>curtum</i>	Brazil	21s. and 31s. 6d.
<i>C</i>	<i>dasytyle</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>Diadema, vide serratum</i>		
<i>I</i>	<i>divaricatum</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>Enoi</i>	Colombia	
<i>C</i>	<i>excavatum, vide aurosum</i>		
<i>C</i>	<i>falcipetalum</i>	Venezuela	
<i>C</i>	<i>flexuosum</i>	Brazil	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	<i>Forbesii</i>	Brazil	5s., 7s. 6d. to 21s.
<i>C</i>	— <i>grandiflorum</i>	Brazil	31s. 6d. and 42s.
<i>I</i>	<i>Forstermannii</i>	South America	21s. and 31s. 6d.
<i>I</i>	<i>fuscatum</i>	Colombia	7s. 6d. to 21s.
<i>C</i>	<i>Gardnerianum</i>	Brazil	15s., 21s. and 31s. 6d.
<i>C</i>	<i>grandiflorum</i>	Colombia	
<i>C</i>	<i>Gravesianum</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>C</i>	<i>Harrisonianum</i>	Mexico	15s. and 21s.
<i>C</i>	<i>hastatum, vide stelligerum</i>		
<i>I</i>	<i>Hrubbyanum</i>	Brazil	21s.
<i>C</i>	<i>incurvum</i>	Oaxaca	5s., 7s. 6d. and 10s. 6d.
<i>C</i>	<i>insculptum</i>	South America	63s.
<i>I</i>	<i>janeirense, vide longipes</i>		
<i>S</i>	<i>Kramerianum</i>	Colombia	7s. 6d., 10s. 6d. to 21s.
<i>C</i>	<i>lamelligerum</i>	Ecuador	15s., 21s. and 31s. 6d.
<i>S</i>	<i>Lanceanum</i>	Surinam	10s. 6d., 15s. and 21s.
<i>S</i>	— <i>superbum</i>	Surinam	21s. and 31s. 6d.
<i>I</i>	<i>leucochilum</i>	Mexico	21s. and 31s. 6d.
<i>C</i>	— <i>splendens</i>	Mexico	63s. and 84s.
<i>I</i>	<i>Lietzei</i>	Brazil	21s.
<i>C</i>	<i>Limminghii</i>	Venezuela	7s. 6d., 10s. 6d. and 15s.
<i>I</i>	<i>longipes (janeirense)</i>	Brazil	5s., 7s. 6d. and 10s. 6d.
<i>S</i>	<i>luridum (guttatum)</i>	West Indies	10s. 6d., 15s. and 21s.
<i>C</i>	<i>macranthum</i>	Ecuador	10s. 6d., 15s. and 21s.
		Fine large plants, 31s. 6d. to 10 guineas each.	
<i>C</i>	— <i>aurosum</i>	Ecuador	
<i>C</i>	— <i>grandiflorum</i>	Ecuador	
<i>C</i>	— <i>hastiferum</i>	Ecuador	31s. 6d., 42s. and 63s.
<i>C</i>	<i>maculatum</i>	Mexico	
<i>C</i>	<i>Marshallianum</i>	Brazil	10s. 6d., 15s. and 21s.
<i>S</i>	<i>microchilum</i>	Brazil	21s. and 31s. 6d.



<i>I</i>	<b>ONCIDIUM</b>	<i>micropogon</i>	Brazil	7s. 6d. and 10s. 6d.
<i>C</i>		<i>monachicum</i>	South America	21s. and 31s. 6d.
<i>I</i>		<i>murinum</i>	South America	
<i>I</i>		<i>nigratum</i>	British Guiana	10s. 6d., 15s. and 21s.
<i>C</i>		<i>nubigenum</i>	Ecuador	10s. 6d., 15s. and 21s.
<i>C</i>		— <i>splendens</i>	Ecuador	21s. and 31s. 6d.
<i>I</i>		<i>oblongatum</i>	Brazil	42s.
<i>I</i>		<i>obryzatum</i>	Brazil	21s. and 31s. 6d.
* <i>C</i>		<i>ornithorrhynchum</i>	Guatemala	3s. 6d., 5s. and 7s. 6d.
<i>S</i>		<i>Papilio</i>	Panama	5s., 7s. 6d. and 10s. 6d.
<i>S</i>		— <i>majus</i>	Panama	10s. 6d., 15s. and 21s.
<i>C</i>		<i>Phalænopsis</i>	Ecuador	10s. 6d., 15s. and 21s.
<i>C</i>		<i>phylloglossum</i>	Colombia	
<i>I</i>		<i>phymatochilum</i>	Brazil	10s. 6d., 15s. and 21s.
<i>C</i>		<i>pictum</i>	South America	
<i>C</i>		<i>plagianthum</i>	Colombia	
<i>C</i>		<i>prætextum</i>	Brazil	5s., 7s. 6d. and 10s. 6d.
<i>C</i>		— <i>aureum</i>	Brazil	
<i>C</i>		— <i>superbum</i>	Brazil	15s. and 21s.
<i>I</i>		<i>pubes</i>	Brazil	7s. 6d. and 10s. 6d.
<i>C</i>		<i>pulchellum</i>	Colombia	
<i>I</i>		<i>pulvinatum</i>	Brazil	10s. 6d. and 15s.
<i>I</i>		<i>pumilum</i>	Brazil	21s. and 31s. 6d.
<i>I</i>		<i>pyramense</i>	South America	15s. and 21s.
<i>I</i>		<i>reflexum</i>	Mexico	10s. 6d. and 15s.
<i>I</i>		<i>roseum, vide carthaginense</i>		
<i>I</i>		<i>rotundatum</i>	South America	
<i>I</i>		<i>saltabundum</i>	South America	
<i>I</i>		<i>sarcodes</i>	Brazil	7s. 6d., 10s. 6d. and 15s.
<i>I</i>		— <i>decorum</i>	Brazil	42s.
<i>I</i>		— <i>splendens</i>	Brazil	21s., 31s. 6d. and 42s.
<i>I</i>		— <i>superbum</i>	Brazil	31s. 6d. and 42s.
<i>I</i>		<i>Schillerianum</i>	South America	15s. and 21s.
<i>I</i>		<i>Schlimii</i>	South America	10s. 6d. and 15s.
<i>C</i>		<i>serratum (Diadema)</i>	Peru	15s., 21s. and 31s. 6d.
<i>I</i>		<i>sessile</i>	Santa Martha	15s., 21s. and 31s. 6d.
<i>I</i>		<i>sphacelatum</i>	Mexico	5s., 7s. 6d. and 10s. 6d.
<i>I</i>		<i>sphegiferum</i>	South America	15s. and 21s.
<i>I</i>		<i>splendidum</i>	Guatemala	10s. 6d., 15s. and 21s.
<i>I</i>		<i>stelligerum (hastatum)</i>	Mexico	15s. and 21s.
<i>I</i>		— <i>Ernestii</i>	Mexico	63s.
<i>I</i>		— <i>ornatum</i>	Mexico	42s. and 63s.
<i>I</i>		— <i>pictum</i>	Mexico	42s. and 63s.
<i>C</i>		<i>superbiens (æmulum)</i>	Colombia	42s. and 63s.
<i>C</i>		<i>tetracopis</i>	Colombia	
* <i>C</i>		<i>tigrinum (Barkeri)</i>	Mechoacan	5s., 7s. 6d. and 10s. 6d.
<i>C</i>		<i>undulatum</i>	Colombia	15s., 21s. and 31s. 6d.
* <i>I</i>		<i>unguiculatum</i>	Mexico	7s. 6d., 10s. 6d. to 21s.
<i>I</i>		<i>unicolor</i>	South America	
<i>C</i>		<i>unicorne</i>	Brazil	5s. and 7s. 6d.
<i>C</i>		<i>varicosum</i>	Brazil	7s. 6d., 10s. 6d. to 21s.
<i>C</i>		— <i>pictum</i>	Brazil	31s. 6d. and 42s.
<i>C</i>		— <i>Rogersii</i>	Brazil	
<i>C</i>		<i>Wallisii</i>	Colombia	
<i>I</i>		<i>Weltoni</i>	Colombia	7s. 6d., 10s. 6d. and 15s.
<i>C</i>		<i>Wentworthianum</i>	Guatemala	7s. 6d., 10s. 6d. and 15s.
<i>C</i>		<i>zebrinum</i>	Colombia	10s. 6d., 15s. and 21s.

- I* **ORNITHOCEPHALUS** *grandiflorus* . . . . . Brazil . . . . . 7s. 6d., 10s. 6d. and 15s.
- I* **ORNITHIDIUM** *coccineum* . . . . . Brazil . . . . . 15s. and 21s.
- I* **PALUMBINA** *candida* . . . . . Mexico . . . . . 10s. 6d. and 15s.
- S* **PAPHINIA** *cristata* . . . . . West Indies . . . . . 10s. 6d., 15s. and 21s.
- S* *cristata grandis* . . . . . Brazil . . . . . 10s. 6d., 15s. and 21s.
- S* **PERISTERIA** *elata* (The Dove Flower) Panama . . . . . 10s. 6d., 15s. and 21s.
- El Espiritu Santo* (Holy Ghost Flower) of the Spaniards. The centre of each blossom bears a striking resemblance to a waxen dove, hence its name.
- I* **PESCATORIA** (Huntleya) *cerina* . . . . . South America . . . . . 15s. and 21s.
- I* **PHAIUS** *albus*, *vide* *Thunia alba*
- S* *Bensoniæ*, *vide* *Thunia Bensoniæ*
- S* *bicolor* . . . . . Ceylon . . . . . 42s., 63s. and 84s.
- I* *Blumei* . . . . . Assam . . . . .
- \**I* *grandifolius* (*Bletia Tankervillii*) . . . . . Hong Kong . . . . . 7s. 6d. and 10s. 6d.
- S* *Henryi* . . . . . Madagascar . . . . . 31s. 6d. and 42s.
- S* *Humblotii* . . . . . Madagascar . . . . . 21s., 31s. 6d. and 42s.
- S* *luridus* . . . . . Ceylon . . . . . 21s. and 31s. 6d.
- S* *Marshallianus*, *vide* *Thunia Marshalliana*
- C* *Sieboldii* . . . . . Japan . . . . . 10s. 6d. and 15s.
- C* — *maculatus* . . . . . Japan . . . . . 10s. 6d., 15s. and 21s.
- I* *Wallichii* . . . . . Sylhet . . . . . 21s. and 31s. 6d.
- I* *Woodfordii* . . . . . East Indies . . . . . 10s. 6d. and 15s.
- I* — *maculatus* . . . . . East Indies . . . . . 15s. and 21s.
- S* **PHALÆNOPSIS** *amabilis* (Aphrodite) Sunda Islands . . . . . 10s. 6d. and 15s.
- S* *Esmeralda* . . . . . Cochin China . . . . . 7s. 6d., 10s. 6d. and 15s.
- S* — *Regnieri* . . . . . Cochin China . . . . . 10s. 6d., 15s. and 21s.
- S* *grandiflora* . . . . . Borneo . . . . . 7s. 6d., 10s. 6d. and 15s.
- S* *leucorhoda* . . . . . East Indies . . . . . 105s. and 147s.
- S* *Lowii* . . . . . East Indies . . . . . 21s.
- S* *Lüddemanniana* . . . . . Philippine Islands . . . . . 7s. 6d., 10s. 6d. and 15s.
- S* *rosea* . . . . . East Indies . . . . . 15s. and 21s.
- S* *Sanderiana* . . . . . East Indies . . . . . 21s.
- \**S* *Schilleriana* . . . . . Manila . . . . . 10s. 6d., 15s. and 21s.
- S* *speciosa* . . . . . Andaman Islands . . . . .
- S* *Stuartiana* . . . . . Philippine Islands . . . . .
- S* — *cornuta* . . . . . Philippine Islands . . . . .
- S* — *nobilis* . . . . . Philippine Islands . . . . .
- S* *tetraspis* . . . . . East Indies . . . . . 21s., 31s. 6d. and 42s.
- S* **PHOLIDOTA** *imbricata* . . . . . East Indies . . . . . 5s. and 7s. 6d.
- \**C* **PILUMNA** (*Trichopilia*) *fragrans* . . . . . Merida . . . . . 5s., 7s. 6d. and 10s. 6d.
- I* *laxa*, *vide* *Trichopilia laxa*
- \**I* *nobilis* . . . . . South America . . . . . 10s. 6d., 15s. and 21s.
- I* **PLATYCLINIS** (*Dendrochilum*)
- arachnites* . . . . . East Indies . . . . . 7s. 6d., 10s. 6d. and 15s.
- I* *Cobbiana* . . . . . East Indies . . . . . 10s. 6d. and 15s.
- I* — *gigantea* . . . . . East Indies . . . . . 63s. and 84s.
- I* *cucumerina* . . . . . East Indies . . . . . 15s. and 21s.
- S* *filiformis* . . . . . Manila . . . . . 10s. 6d., 15s. and 21s.
- \**S* *glumacea* . . . . . Philippine Islands . . . . . 7s. 6d., 10s. 6d. and 15s.
- S* *uncata* . . . . . East Indies . . . . . 10s. 6d. and 15s.
- \**C* **PLEIONE** *humilis* . . . . . East Indies . . . . . 10s. 6d.
- \**C* *humilis tricolor* . . . . . Assam . . . . . 21s.
- \**C* *lagenaria* . . . . . Khasya . . . . . 5s. and 7s. 6d.
- \**C* *maculata* . . . . . Assam, Khasya . . . . . 5s., 7s. 6d. and 10s. 6d.
- \**C* *Wallichiana* . . . . . Arracan Mountains . . . . . 5s., 7s. 6d. and 10s. 6d.
- I* **PLEUROTHALLIS** *Barberiana* . . . . . South America . . . . . 21s.
- I* *plumosa* . . . . . South America . . . . .



<i>I</i>	<b>PLEUROTHALLIS</b> <i>scapha</i> .....	South America .....	105s.
<i>I</i>	<i>tridentata</i> .....	South America .....	10s. 6d.
<i>I</i>	<i>velatocaulis</i> .....	South America .....	
<i>S</i>	<b>POLYSTACHYA</b> <i>leonensis</i> .....	West Coast of Africa..	7s. 6d.
<i>S</i>	<b>PROMENÆA</b> <i>citrina</i> .....	Brazil .....	10s. 6d. and 15s.
<i>S</i>	<i>Rollissonii</i> .....	Brazil .....	31s. 6d. and 42s.
<i>S</i>	<i>stapelioides</i> .....	Brazil .....	10s. 6d. and 15s.
<i>S</i>	<b>RENANTHERA</b> <i>coccinea</i> .....	Cochin China .....	21s. and 31s. 6d.
<i>S</i>	<i>Storiei</i> .....	Philippine Islands ...	
<i>C</i>	<b>RESTREPIA</b> <i>antennifera</i> .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i>	<i>antennifera major</i> .....	Colombia .....	
<i>C</i>	<i>elegans</i> .....	Colombia .....	10s. 6d., 15s. and 21s.
<i>C</i>	<i>leopardina</i> .....	Colombia .....	10s. 6d. and 15s.
<i>I</i>	<i>ophiocephala</i> .....	Mexico .....	21s.
<i>S</i>	<b>RHYNOSTYLIS</b> ( <i>Saccolabium</i> )		
	<i>cælestis</i> .....	Cochin China .....	15s., 21s. and 31s. 6d.
<i>S</i>	<b>RODRIGUEZIA</b> <i>planifolia</i> .....	South America .....	7s. 6d. and 10s. 6d.
<i>S</i>	<i>secunda</i> .....	West Indies .....	7s. 6d. and 10s. 6d.
<i>S</i>	<b>SACCOLABIUM</b> <i>ampullaceum</i> .....	Rangoon .....	7s. 6d. and 10s. 6d.
<i>S</i>	<i>ampullaceum moulmeinense</i> .....	Moulmein .....	63s. and 84s.
<i>S</i>	<i>bellinum</i> .....	Burmah .....	21s., 31s. 6d. and 42s.
<i>S</i>	<i>Blumei</i> .....	East Indies .....	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	— <i>Dayanum</i> .....	East Indies .....	10s. 6d., 15s. and 21s.
<i>S</i>	— <i>javanense</i> .....	Java .....	21s. and 31s. 6d.
<i>S</i>	— <i>lilacinum</i> .....	East Indies .....	21s. and 31s. 6d.
<i>S</i>	— <i>longiracemosum</i> .....	East Indies .....	21s. and 31s. 6d.
<i>S</i>	— <i>majus</i> .....	East Indies .....	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	— <i>pulchrum</i> .....	East Indies .....	15s., 21s. and 31s. 6d.
<i>S</i>	— <i>rubrum</i> .....	East Indies .....	31s. 6d. and 42s.
<i>S</i>	— <i>splendens</i> .....	East Indies .....	42s. and 63s.
<i>S</i>	<i>calceolare</i> .....	Khasi Hills .....	42s. and 63s.
<i>S</i>	<i>cæleste</i> , <i>vide</i> <i>Rhyncostylis cælestis</i>		
<i>S</i>	<i>curvifolium</i> .....	Nepal, Ceylon .....	10s. 6d., 15s. and 21s.
* <i>S</i>	<i>giganteum</i> ( <i>Vanda densiflora</i> ) .....	East Indies .....	7s. 6d., 10s. 6d. and 15s.
* <i>S</i>	— <i>illustre</i> .....	East Indies .....	15s., 21s. and 31s. 6d.
<i>S</i>	<i>guttatum</i> .....	East Indies .....	7s. 6d., 10s. 6d. to 31s. 6d.
<i>S</i>	— <i>giganteum</i> .....	East Indies .....	
<i>S</i>	— <i>Holfordianum</i> .....	East Indies .....	63s.
<i>S</i>	— <i>superbum</i> .....	Ceylon .....	63s. and 84s.
<i>S</i>	<i>Harrisonianum</i> .....	Pulo, Copang .....	15s., 21s. and 31s. 6d.
<i>S</i>	<i>miniatum citrinum</i> .....	Cochin China .....	
<i>S</i>	<i>præmorsum</i> .....	Java .....	42s. and 63s.
<i>S</i>	<i>retusum</i> .....	Java .....	42s. and 63s.
<i>S</i>	<i>violaceum</i> .....	Manilla .....	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	<b>SARCOCHILUS</b> <i>Hartmanni</i> .....	North Australia .....	
<i>S</i>	<b>SARCOPODIUM</b> <i>Lobbii</i> .....	East Indies .....	10s. 6d., 15s. and 21s.
<i>I</i>	<b>SCHOMBURGKIA</b> <i>tibicinis</i> .....	Mexico .....	15s., 21s. and 31s. 6d.
<i>I</i>	<b>SCUTICARIA</b> <i>Dodgsonii</i> .....	West Indies .....	42s. and 63s.
<i>I</i>	— <i>Hadwenii</i> .....	Brazil .....	10s. 6d., 15s. and 21s.
<i>I</i>	— <i>bella</i> .....	Brazil .....	
	<b>SELENIPEDIUM</b> , <i>vide</i> <i>Cypripedium</i>		
<i>I</i>	<b>SOBRALIA</b> <i>macrantha</i> .....	Guatemala .....	10s. 6d., 15s. and 21s.
<i>I</i>	<i>macrantha nana</i> .....	Guatemala .....	21s., 31s. 6d. and 42s.
<i>C</i>	<b>SOPHRONITIS</b> <i>cernua</i> .....	Brazil .....	7s. 6d. and 10s. 6d.
* <i>C</i>	<i>grandiflora</i> .....	Brazil .....	5s., 7s. 6d. to 21s.
* <i>C</i>	— <i>coccinea</i> .....	Brazil .....	
* <i>C</i>	— <i>militaris</i> .....	Brazil .....	

*S	SOPHRONITIS grandiflora rosea	Brazil	31s. 6d. and 42s.
*C	grandiflora superba	Brazil	
S	SPATHOGLOTTIS Fortunei	Hong Kong	21s. and 31s. 6d.
S	pacifica	Pacific Islands	
S	Regnieri	Cochin China	10s. 6d., 15s. and 21s.
I	STANHOPEA chrysops	South America	
I	ecornuta	South America	42s.
I	grandiflora (eburnea)	South America	10s. 6d.
I	graveolens	South America	10s. 6d.
I	guttulata	South America	10s. 6d. and 15s.
I	inodora	South America	21s.
I	insignis	Brazil	10s. 6d. and 15s.
C	oculata	Xalapa	10s. 6d. and 15s.
I	Ruckeriana	South America	15s.
I	saccata	Guatemala	15s. and 21s.
C	tigrina	Xalapa	10s. 6d., 15s. and 15s.
C	superba	Xalapa	10s. 6d. and 15s.
S	TAINIA latifolia (Ania)	Assam	
S	THRIXSPERMUM Berkeleyi	Andamau Islands	31s. 6d. and 42s.
I	THUNIA (Phaius) alba	India	7s. 6d. and 10s. 6d.
I	alba striata	India	5s. and 7s. 6d.
S	Bensoniæ	Moulmein	10s. 6d., 15s. and 21s.
S	acuminata	Moulmein	
S	splendens	Moulmein	21s. and 31s. 6d.
S	Winniana	Moulmein	31s. 6d. and 42s.
S	intermedia	India	
S	Marshalliana	India	10s. 6d., 15s. and 21s.
S	citrina	India	21s.
S	ionophlebia	India	42s. and 63s.
S	sulphurea	India	
S	tricolor	India	63s. and 84s.
S	Veitchiana	Hybrid	21s., 31s. 6d. and 42s.
C	TRICHOPIILIA coccinea	Costa Rica	7s. 6d., 10s. 6d. and 15s.
C	coccinea marginata (very rare)	Costa Rica	
I	crispa (gloxiniæflora)	Costa Rica	21s., 31s. 6d. and 42s.
I	marginata	Costa Rica	
C	fragrans, vide <i>Pilumna fragrans</i>		
I	Galeottiana (picta)	Costa Rica	21s., 31s. 6d. and 42s.
I	luteola	Costa Rica	
I	( <i>Pilumna</i> ) laxa	South America	5s. and 7s. 6d.
I	lepida	South America	
I	rosea	Costa Rica	42s. and 63s.
I	suavis	Costa Rica	7s. 6d., 10s. 6d. and 15s.
I	superba	Costa Rica	15s., 21s. and 31s. 6d.
C	tortilis	Mexico	7s. 6d., 10s. 6d. and 15s.
*C	TRICHOSMA suavis	Assam	7s. 6d., 10s. 6d. and 15s.
I	TRIGONIDIUM ringens	Assam	15s. and 21s.
I	UROPEDIUM Lindeni	Colombia	21s., 31s. 6d. and 42s.
S	VANDA Amesiana	Eastern Archipelago	5s., 7s. 6d. to 31s. 6d.
S	Batemanii	Moluccas	15s. and 21s.
S	Bensonii	Burmah	10s. 6d., 15s. and 21s.
S	Boxallii	East Indies	10s. 6d., 15s. and 21s.
S	Cathcartii	Sikkim	42s. and 63s.
I	cærulea	Khasya	7s. 6d., 10s. 6d. and 15s.
I	cærulescens	Burmah	21s. and 31s. 6d.
S	concolor	East Indies	31s. 6d., 42s. and 63s.
S	Denisoniana	India	15s., 21s. and 31s. 6d.



**\*S VANDA densiflora, vide Saccolabium giganteum**

<i>S</i>	<i>gigantea</i> .....	Moulmein & Rangoon	15s. and 21s.
<i>S</i>	<i>Hookeriana</i> .....	Borneo .....	21s., 31s. 6d. and 42s.
<i>S</i>	<i>insignis</i> .....	Timor .....	21s. and 31s. 6d.
<i>S</i>	<i>Kimballiana</i> .....	Eastern Archipelago ..	10s. 6d., 15s. to 31s. 6d.
<i>S</i>	<i>Massaiana</i> .....	East Indies .....	42s. and 63s.
<i>S</i>	<i>Parishii</i> .....	Burmah .....	15s., 21s. and 31s. 6d.
<i>S</i>	— <i>Marriottiana</i> .....	Burmah .....	21s., 31s. 6d. and 42s.
<i>S</i>	<i>Roxburghii</i> .....	Bengal .....	21s. and 31s. 6d.
<i>S</i>	— <i>tessellata</i> .....	Bengal .....	21s. and 31s. 6d.
<i>S</i>	<i>Sanderiana</i> .....	Eastern Archipelago ..	
<i>S</i>	<i>suavis</i> .....	Java .....	21s., 31s. 6d. and 42s.
<i>S</i>	— ( <i>Chatsworth variety</i> ) .....	Java .....	31s. 6d. and 42s.
<i>S</i>	— <i>maxima</i> .....	Java .....	
<i>S</i>	<i>teres</i> .....	Sylhet .....	7s. 6d., 10s. 6d. and 15s.
<i>S</i>	— <i>Andersoni</i> .....	Sylhet .....	10s. 6d., 15s. and 21s.
<i>I</i>	<i>tricolor</i> .....	Java .....	15s., 21s. and 31s. 6d.
<i>I</i>	— <i>aurea</i> .....	Java .....	
<i>I</i>	— <i>Chelsoniensis</i> .....	Java .....	
<i>I</i>	— <i>formosa</i> .....	Java .....	31s. 6d. and 42s.
<i>I</i>	— <i>insignis</i> .....	Java .....	15s., 21s. and 31s. 6d.
<i>I</i>	— <i>limbata</i> .....	Java .....	
<i>I</i>	— <i>meleagris</i> .....	Java .....	
<i>I</i>	— <i>nebulosa</i> .....	Java .....	42s. and 63s.
<i>I</i>	— <i>splendens</i> .....	Java .....	
<i>I</i>	— <i>superba</i> .....	Java .....	31s. 6d. and 42s.
<i>I</i>	<i>undulata</i> .....	Assam .....	42s. and 63s.
<i>S</i>	<b>VANILLA aromatica</b> .....	Brazil .....	3s. 6d. and 5s.
<i>S</i>	<i>planifolia</i> .....	South America .....	5s. and 7s. 6d.
<i>I</i>	<b>WARREA tricolor</b> .....	Brazil .....	10s. 6d. and 15s.
<i>I</i>	<b>WARSCEWICZELLA discolor</b> .....	Colombia .....	15s. and 21s.
<i>I</i>	<b>XYLOBIUM (Maxillaria) leontoglossum</b> .....	South America .....	7s. 6d. and 10s. 6d.
<i>I</i>	<b>ZYGOPETALUM Clayii</b> .....	Hybrid .....	63s.
<i>*I</i>	<i>crinitum cœruleum</i> .....	Brazil .....	10s. 6d., 15s. and 21s.
<i>*I</i>	— <i>roseum</i> .....	Brazil .....	15s., 21s. and 31s. 6d.
<i>*I</i>	— <i>superbum</i> .....	Brazil .....	21s. and 31s. 6d.
<i>I</i>	<i>Gautieri</i> .....	Brazil .....	15s. and 21s.
<i>I</i>	<i>intermedium</i> .....	Brazil .....	10s. 6d., 15s. and 21s.
<i>*C</i>	<i>Mackayi</i> .....	Brazil .....	10s. 6d. and 15s.
<i>*C</i>	— <i>majus</i> .....	Brazil .....	10s. 6d., 15s. and 21s.
<i>I</i>	<i>maxillare</i> .....	Brazil .....	10s. 6d. and 15s.
<i>I</i>	<i>rostratum</i> .....	South America .....	21s. and 31s. 6d.
<i>I</i>	<i>Sedenii</i> .....	Hybrid .....	63s. and 84s.
<i>I</i>	<i>Wendlandi</i> .....	Costa Rica .....	

**CHOICE ORCHIDS.**

**EAST INDIAN | MEXICAN | WEST INDIAN | PERUVIAN | COLOMBIAN | BRAZILIAN**  
Collections made at 3, 4, 6, 9, and 12 guineas per dozen.

**ORCHIDS FOR COOL HOUSES.**

It being well known that many Orchids can be easily and successfully cultivated in a cool temperature, with scarcely any artificial heat during a great part of the year, Mr. W. B. has devoted several houses to this beautiful and desirable class, and will be pleased to make good selections of them at 3, 4, 6, 9, and 12 guineas per dozen.

**SPHAGNUM MOSS FOR ORCHIDS, 3s. 6d. per bushel, 12s. per sack.**

**BEST FIBROUS PEAT FOR ORCHIDS, 3s. 6d. per bushel, 12s. per sack.**

## NEW AND CHOICE ACHIMENES.

**BRILLIANT**, flowers reddish-scarlet, throat punctulated orange. 3s. 6d.

**COQUETTE**, flowers violet-purple, a fiery purple ring at mouth of throat. 3s. 6d.

**VIOLETTA**, rich violet-purple, the lobes and throat darkly veined. 2s. 6d.

*Good selections made at 9s., 12s. and 18s. per dozen, according to sorts.*

ADMIRATION  
ALEXANDRA  
AMBROISE VERSCHAFFELT  
ARGUS  
AURORA  
CARL WOLFARTH  
CHARM  
CHERUB  
CHIRITA  
DAZZLE  
DENTONIANA  
ECLIPSE  
EDWARD BOISSIER  
EVELINE  
EXCELSIOR  
FIREFLY  
FRANCOIS CARDNAUX  
FRAU BRUNOW  
GEOIANA  
GIBSONII  
HARRY WILLIAMS  
HENDERSONI  
JAREQUIA MAXIMA  
LABYRINTHICUM  
LADY LYTTLETON  
LEOPARD  
LONGIFLORA



LONGIFLORA MACRANTHA  
— MAJOR  
— ROSEA  
LOUIS VAN HOUTTE  
LOVELINESS  
MADAME JEHENNE  
MARGARITE  
MARVEL  
MAUVE PERFECTION  
— QUEEN  
MASTERPIECE  
METEOR  
MINIATA  
NESIDA  
OBERON  
ONDINE  
PARSONSII  
PURPUREA MULTIFLORA  
RIVAL  
ROSEA MAGNIFICA  
ROSE QUEEN  
SIR TREHERNE THOMAS  
SKINNERI  
STELLA  
UNIQUE  
VENUSTA  
VIVIOANS

## EUCODONIAS.

A free-flowering and dwarf-growing section of Gesneraceous plants, with attractive flowers intermediate between Tydas and Gloxinias. 1s. and 1s. 6d. each.

EBRENEROII  
NEORLIOIDES

— NÆGELIOIDES DIAMANTINA  
— LILACINELLA

— NEOELIOIDES NANA MULTIFLORA  
— VAN HOUTTEI.

## GESNERAS (NÆGELIAS).

The value of Gesneras as decorative plants can scarcely be over-estimated. Most of them have rich velvet-like foliage, which, in the respective kinds, varies from green to crimson. If only grown for the foliage they are very attractive, but they produce splendid pyramidal spikes of blossom, which are extremely handsome. Originally the principal colour was orange-scarlet; now, as the result of fertilisation, there are various colours and shades, added to which the spotting on the flowers of some of the varieties is extremely pretty.

Selections of good varieties at 30s. and 42s. per dozen, according to sorts.

## HYBRID GESNERAS.

**PYRAMIDAL**, a vigorous growing variety, freely developing numerous lateral branches, which become covered with rose-coloured flowers, shaded with purple; the throat is golden-yellow with small crimson spots. 3s. 6d.

**SOUVENIR DE MADAME JOIGNOT**; this variety has handsome bronze-green leaves, the Achimene-like flowers, which are abundantly produced, being of a rich carmine-purple colour. 3s. 6d.



## CHOICE GLOXINIAS.

WITH ERECT FLOWERS.

ALPHA	LYDIA
AMETHYST	MELAS
BARON DE ROTHS-	MODIOLA
CHILD	MOOUL
CALYPSO	NEPTUNE
CASILDA	ODIN
CASINO	OSCAR
CHAUCER	PARTHENIA
CYONET	PRINCE DE GALLES
DRYDEN	RUBIS
ETHEL	SPARKLER
FANTOME	TAMPICO
FLORE	TEMPLAR
HECLA	TERANO
HYDRA	VELINDRA
LA FRANCE	VIRGINALIS

Choice selections made by Mr. W. B.  
at 18s, 24s. and 30s. per dozen, ac-  
cording to sorts.

Good blooming tubers, unnamed, of various  
colours, raised from handsome varieties, 6s., 9s.  
and 12s. per dozen; 40s., 50s., and 70s. per 100.

Good blooming tubers, unnamed, spotted and mac-  
ulated kinds of various colours. 12s. & 18s. per doz.



GLOXINIA.

## TYDÆAS.

These can be cultivated so as to produce  
an abundance of bloom throughout the  
winter, their flowering season principally  
depending on the time of year their tubers  
are started into growth. With a little  
management a succession of blooming  
plants can be had nearly throughout the  
year. 18s. and 30s. per dozen, according  
to sorts.

AILSA	HOTSPUR
ALARM	LORENZO
AMARANTE ET	MARQUIS DE GUIADIARO
CANNELLE	MINERVE
AMAZON	M. RICHARD LARIOS
APOLLON	OPHYR
CECILIA	PAREPA
CLOVIS	PLUTON
COMMANDANT	PORTIA
J. B. SELLA	ROBERT LE DIABLE
COQUETTE	SABINA
DAPHNE	THALIE
ELAINE	UKARA
GIGANTEA	



TYDÆA.

## NEW AND CHOICE REGAL PELARGONIUMS.

**ALBERT VICTOR**, flowers very attractive, rich rosy-carmine, margined with white, light centre. 1s. 6d.

**BEAUTY OF OXTON**, upper petals rich maroon, darkly blotched; under petals dark crimson, shaded with maroon; light centre, tinted with rose; petals margined white. 1s.

**CAPTAIN RAIKES**, a fine large full flower; upper petals deep fiery crimson, flaked with purplish-black, and bordered with carmine; lower petals clear bright fiery crimson. 1s.

**CHAMPION**, fine trusses of beautifully crimped flowers, blush rose, lower petals spotted crimson lake; upper petals blotched maroon, surrounded fiery crimson. 1s.

**DR. MASTERS**, the upper petals have large black blotches in the centre, with a narrow margin of rich crimson. 1s.

**DOROTHY**, fine large flower, full and round, of a soft shade of carmine-rose, white centre surrounded with a lilac shade, all the petals margined white and elegantly fringed; upper petals blotched maroon. 1s. 6d.

**DUCHESS OF BEDFORD**, a very useful and charming variety; its blossoms are of the purest white, prettily fringed, with feathered spot of delicate rose on upper petals. 1s.

**DUCHESS OF FIFE**, well-filled flowers of a clear lake shade, pure white margins and centre. 1s.

**DUCHESS OF YORK** (new), *vide* page 4.

**DUKE OF YORK**, crimson, shaded with rosy-purple, edged with white, veined with maroon, light centre. 5s.

**EMPEROR OF RUSSIA**, petals dark maroon, surrounded with crimson-purple, margined with blush white. 1s.

**EMPRESS FREDERICK**, a most chaste variety, with pure snow-white, semi-double flowers, the petals being elegantly crisped. As a cut-flower variety it cannot be excelled, the blooms being so full and regular. 3s. 6d.

**EMPRESS OF INDIA**, a magnificent variety, producing splendid trusses of very large flowers, of a brilliant shade of salmon-scarlet, the two upper petals blotched with dark crimson, light centre. It is of excellent habit, and most desirable. 1s. 6d.

**FIMBRIATUM ALBUM**, pure white flowers, beautifully crimped, free-flowering and of good habit. 1s. 6d.

**H. M. STANLEY**, bright rosy-crimson, upper petals shaded scarlet, and beautifully blotched. Very free flowering. 1s. 6d.

**JUBILEE**, fine full flowers, petals blush pink; upper petals blotched with maroon, surrounded with fiery crimson. 1s.

**MADAME THIBAUT**, white blotched and marbled with rose; upper petals marked with crimson-maroon; large white centre. 1s.

**MAID OF KENT**, pure white, with bright rose-coloured spots on all the petals, which are beautifully undulated and fringed. 1s.

**PRINCE GEORGE**, large trusses of finely fringed white flowers, faintly suffused with blush, all the petals spotted with purplish lake, the two upper petals more heavily marked than the others. 1s. 6d.

**PRINCE OF PELARGONIUMS**, large flowers with elegantly fringed margins; vermilion-scarlet relieved by a blush-white centre, upper petals flushed crimson. 2s. 6d.

**PRINCE OF TECK**, rich deep crimson, shaded with violet; upper petals blotched and feathered with dark blackish maroon; centre shaded with violet. 1s. 6d.

**PRINCE OF WALES**, bright vermilion with light centre and edge to the petals, the superior ones marked with light crimson and darkly blotched. 1s.

**PRINCESS ALEXANDRA**. The beautiful snow-white flowers of this desirable variety differ from the variety *Empress Frederick* in the shape and build of the flowers, which are of irregular form, the petals being prettily crisped and undulated. 3s. 6d.

**PRINCESS OF WALES**, flowers of a rosy-lake colour, marbled and reticulated with white; large, clear, and distinct white centre; all the petals margined with white, and the upper ones blotched with maroon. 1s. 6d.

**PRINCESS MAUD**, full orange carmine flowers, margined with white, white centre surrounded with violet; upper petals blotched and feathered with maroon. 1s.

**PRINCESS MAY**, flowers delicate salmon-rose, upper petals blotched maroon. A beautiful variety. 2s. 6d.

**PRINCESS VICTORIA**, one of the most charming varieties of the Regal Section, bearing in the utmost profusion large trusses of semi-double crispy flowers, of a delicate shade of blush pink. The plant is very floriferous, and distinct in colour. 3s. 6d.

**QUEEN VICTORIA**, crispy petals of a rich vermilion colour, broadly margined with pure white, the upper ones blotched with maroon. 1s. 6d.

**SCARLET GEM**, a pretty shade of rosy-scarlet; white centre, very attractive. 7s. 6d.

**STARLIGHT**, a charming smooth-petalled flower of a pretty shade of rosy pink, the lower petals spotted with fiery crimson veined with maroon; upper petals blotched with maroon surrounded with fiery crimson. 3s. 6d.

**VOLONTE NATIONALE ALBUM**, a sport from the well-known favourite *Volonté Nationale*, with large and beautifully fringed flowers of the purest white. 1s.



## NEW AND CHOICE SHOW PELARGONIUMS.

For New Varieties, *vide* page 4.

- ACHIEVEMENT**, bright orange-scarlet lower petals, dark top, narrow scarlet edge, pure white centre; good shape. 1s. 6d.
- ADMIRAL**, lower petals deep rose, dark blotch on upper petals, margined with scarlet rose; good shape. 5s.
- AGRA**, upper petals blackish maroon, surrounded with fiery crimson, margined with rose; lower petals rosy carmine; light centre. 5s.
- AMPHION**, upper petals blackish-maroon, surrounded crimson and margined magenta-rose; lower petals rose; light centre. An attractive variety. 2s. 6d.
- ATALANTA**, upper petals maroon, edged bright rose; under petals deep rose. 1s. 6d.
- BANQUET**, upper petals crimson-maroon, edged with rose; under petals bright rose. 1s. 6d.
- BLUE BEARD**, very large light purple flowers with white eye; upper petals dark. 1s. 6d.
- CARMINE**, lower petals crimson-scarlet, upper petals darker; good habit. 2s. 6d.
- CECILIA**, upper petals dark velvety maroon, surrounded with bright crimson and edged rose; under petals rosy-pink. 1s. 6d.
- CHARTER**, rich maroon, upper petals margined with violet-rose; under petals violet-rose, shaded crimson; large white centre. 1s. 6d.
- CLAUDIA**, upper petals dark maroon, surrounded with crimson and edged bright pink; lower petals bright pink; light centre. 3s. 6d.
- CONSPIRATOR**, upper petals dark maroon, lower petals rosy salmon; light edges and centre; free and fine. 1s. 6d.
- COSSACK**, upper petals very dark maroon, surrounded with bright crimson; under petals bright rose; large white centre. 1s. 6d.
- CREUSA**, light rose; the upper petals blotched with dark crimson; light centre. 1s. 6d.
- CRUSADER**, lower petals bright crimson; dark upper petals, light eye; very dwarf. 2s. 6d.
- DIANA**, upper petals deep blackish-maroon, surrounded with bright crimson and edged with rose; lower petals bright rose. 3s. 6d.
- EDIE**, upper petals blackish-maroon, surrounded with crimson, edged with rose; lower petals pale pink, light centre. 2s. 6d.
- EMBASSY**, pure white, the two upper petals blotched with deep violet-maroon. 1s. 6d.
- ENTERPRISE**, deep rose, dark blotch, purple edge, light eye. 2s. 6d.
- EXPRESS**, lower petals purplish-rose, upper petals black, with wire edge of rose. 2s. 6d.
- EXQUISITE**, deep orange scarlet, dark top, white eye, fine shape and quality. 2s. 6d.
- HUMPHREY**, upper petals dark maroon, bordered with rose; under petals bright rose, shaded with crimson; light centre. 1s. 6d.
- INDIAN YELLOW**, light orange-salmon, darker top petals; light centre. 2s. 6d.
- JOSEPHINE**, warm rose, shaded orange; dark-top petals, light centre. 2s. 6d.
- LEANDER**, upper petals dark maroon, surrounded with rosy-purple, margined with pale rose; under petals pale blush. 2s. 6d.
- LORA**, upper petals maroon, margined with scarlet and edged with rose, under petals rosy-pink, white eye. 1s. 6d.
- MADELINA**, upper petals blotched with maroon, surrounded with fiery crimson; under petals rosy-lake; white centre. 1s. 6d.
- MAGNATE**, top petals black with narrow, fiery red edge, shaded white centre; large and fine. 2s. 6d.
- MARION**, soft carmine pink, upper petals blotched in centre with maroon, surrounded with bright crimson; light centre. 5s.
- MATHON**, upper petals blackish-maroon, surrounded with rosy-crimson; under petals white, feathered with soft purple. 1s. 6d.
- MIRANA**, upper petals dark maroon, surrounded with crimson, margined with rose; lower petals rose, suffused with pink. 2s. 6d.
- OPARO**, flower deep carmine, upper petals blotched with blackish maroon and shaded with crimson; light centre. 5s.
- ORIENT**, rose shaded orange, dark top petals, light edges and white centres; large bold flower; good habit. 2s. 6d.
- PAREPA**, upper petals bright crimson shading off to a margin of rose, blotched with maroon; lower petals blush-pink. 2s. 6d.
- PAULINE**, upper petals dark crimson, blotched with maroon and margined with white; under petals white, suffused with rose. 1s. 6d.
- PELICAN**, lower petals deep lilac rose very dark upper petals, rose edges, large, white centre; a distinct variety. 1s.
- PERIM**, upper petals blackish-maroon, margined with lavender-rose; under petals deep rose, shaded with crimson. 1s. 6d.
- PRINCE OF ORANGE**, lower petals deep scarlet, dark spot on upper petals, scarlet edge; light centre; dwarf. 5s.
- RUSTIC**, a fine flower; upper petals rich crimson, blotched and shaded maroon; under petals rich crimson; light centre, shaded with violet. 1s. 6d.
- RUTULIA**, upper petals crimson-maroon, bordered with rosy-crimson; under petals scarlet-crimson; light centre, shaded violet. 1s. 6d.
- SYMMETRY**, lilac rose lower petals; upper petals maroon; pale edges, light centre. 2s. 6d.
- TEMPLAR**, upper petals white blotched with maroon and feathered with crimson-lake; lower petals blush-white. 2s. 6d.
- TRIUMPH**, deep rich scarlet, dark top, a bright shining flower of good quality. 1s.

Selections of other good varieties can be made from Mr. W. B.'s general collection, at 18s., 24s. and 30s. per dozen.

## NEW AND CHOICE ATTRACTIVE COLOURED AND SPOTTED PELARGONIUMS.

For New Varieties, *vide* page 4.

- AMMON**, upper petals blotched deep maroon surrounded with rosy-magenta, margined with blush; lower petals blush, lightly veined with rose. 5s.
- ARDENS**, upper petals fiery crimson, heavily blotched maroon; lower petals soft crimson; spotted maroon; light centre. 2s. 6d.
- ARGUS**, blush ground suffused with pink, a maroon blotch on all the petals, surrounded by fiery crimson, feathered base. 2s. 6d.
- BRILLIANT**, bright salmon-scarlet; upper petals shaded orange-crimson, blotched maroon. 1s.
- CHARGER**, upper petals dark maroon, surrounded with crimson and edged rose; under petals deep rose, blotched with maroon. 1s. 6d.
- COMPACTUM**, upper petals rich maroon, edged crimson; lower petals carmine-salmon, marked with maroon. 1s. 6d.
- CYPRIA**, a fine flower of a rich rosy-crimson colour; upper petals blotched with maroon; under petals spotted dark crimson. 1s. 6d.
- DACIA**, upper petals dark maroon shaded with bright crimson, margined rose; under petals rosy-pink, spotted with crimson. 1s. 6d.
- DAMON**, upper petals bright crimson, blotched with maroon; under petals rosy-crimson, white centre; petals edged white. 1s. 6d.
- DAURUS**, flower rich crimson, shaded with maroon; light centre, shaded rosy-purple. 1s. 6d.
- DOLPHIN**, flower salmon-pink, upper petals blotched with maroon, surrounded with fiery crimson; under petals spotted crimson. 2s. 6d.
- EBOR**, upper petals maroon margined with white; lower petals white veined violet-purple, spotted crimson; light centre. 2s. 6d.
- ELVINA**, upper petals rich bright crimson, blotched maroon and margined white; under petals blush, spotted crimson. 1s. 6d.
- HECLA**, light rosy-purple, veined with deep purple, upper petals blotched with maroon, surrounded with crimson and rose. 1s. 6d.
- HERMINE**, nice round flower, upper petals bright carmine shaded with crimson, blotched and feathered with maroon; lower petals clear carmine; light centre. 5s.
- JESSICA**, upper petals dark maroon, surrounded with crimson, and margined with rose; under petals rosy-pink, spotted dark crimson. 1s. 6d.
- KENNETH**, upper petals purplish-crimson, margined and feathered crimson; under petals violet-crimson, edged with rosy-lavender; white centre. 1s. 6d.
- LADY ISABEL**, soft rosy-purple; upper petals blotched with maroon, lower petals lightly spotted with purple. 1s.
- LEONIS**, soft rosy-purple with pale rose, the upper petals blotched maroon. 1s. 6d.
- MAGPIE**, white, with distinct dark purple spots on each petal. 1s.
- MALCOLM**, upper petals rosy pink, blotched with maroon; under petals soft rosy-pink, spotted with deep crimson. 1s. 6d.
- MINARET**, upper petals crimson, with maroon blotch; under petals rosy-crimson marked and spotted with maroon. 1s. 6d.
- MINDORO**, upper petals velvety maroon surrounded with crimson, edged white; lower petals rosy-carmine spotted and feathered with crimson; light centre. 5s.
- MONARCH**, soft rose; upper petals blotched maroon on fiery crimson. 1s.
- Mrs. STANLEY**, an attractive variety, with heliotrope-coloured flowers, upper petals blotched rich purple. 2s. 6d.
- PERA**, upper petals bright crimson edged with white and spotted maroon; lower petals white, spotted with crimson. 2s. 6d.
- PHENIX**, deep rosy-purple, upper petals blotched and feathered with dark crimson; under petals edged with white, light centre. 1s. 6d.
- PINNACE**, light scarlet-crimson; upper petals blotched with maroon and edged with rose; under petals carmine, spotted crimson. 1s. 6d.
- PIONEER**, fiery crimson, upper petals blotched with maroon; under petals slightly spotted with crimson; light centre. 1s. 6d.
- PLACIDA**, blush shaded with rose; upper petals feathered with maroon on a crimson ground; flower prettily crimped and undulated. 5s.
- PLATEAU**, upper petals rich bright crimson, blotched maroon; under petals bright crimson, shaded dark crimson; light centre. 1s. 6d.
- REGGIO**, flower bright carmine, shaded rose; upper petals blotched and feathered with dark maroon; light centre. 5s.
- ROSY MORN**, very bright rosy pink, large trusses and dwarf habit. 3s. 6d.
- RUMOUR**, upper petals carmine-crimson, blotched with maroon and margined with rose; under petals rose-pink, spotted dark crimson. 1s. 6d.
- SCOTS GUARD**, deep orange-scarlet, dark spots, white eye; very bright. 1s.
- SPORTSMAN**, a deep rosy-purple flower, light centre, the upper petals marked and feathered with maroon edged with rose. 2s. 6d.
- SPOTTED BEAUTY**, soft rose, bottom petals with small rosy-crimson spots. 1s.
- THE BARD**, crimson upper petals, blotched maroon; lower petals deep rosy-purple. 1s.
- TYRANT**, upper petals dark crimson-maroon, edged with rose; under petals salmon-rose, spotted with dark crimson. 1s. 6d.
- VINCENT**, upper petals maroon, edged with rosy-crimson; under petals rich rosy-crimson; the centre shaded with violet. 1s. 6d.
- ZENOBI**, upper petals blackish-maroon, surrounded with fiery crimson and edged with rose; under petals rosy-crimson spotted with maroon, rose centre. 2s. 6d.

Selections of other good varieties can be made from Mr. W. B.'s general collection at 18s., 24s. and 30s. per dozen, according to sorts.



**NEW AND CHOICE FANCY PELARGONIUMS.**  
 Selections made by Mr. W. B. from general collection at 18s., 24s.,  
 and 30s. per dozen, according to sorts.

**NEW AND CHOICE DOUBLE-FLOWERED  
 IVY-LEAVED PELARGONIUMS.**

For New Varieties, *vide* page 4.

- AUGUSTE VITU**, large double rose flowers; a great improvement on *Galilée*. 1s. 6d.  
**CALYPSO**, large trusses of carmine, salmon flowers. 2s. 6d.  
**CAMILLE DOUCET**, large salmon-rose flowers, marked with bright red on each petal. 5s.  
**CENTENAIRE**, enormous dark rosy violet flowers; good habit. 2s. 6d.  
**CHARLES MONSELET**, large trusses of bright rose flowers; upper petals maculated. 5s.  
**CHATRIAN**, very large bright carmine-scarlet flowers. 1s. 6d.  
**CHIMÈNE**, large double flowers, of a clear amaranth colour, shaded with crimson. 1s. 6d.  
**DE BRAZZA**, large double flowers of a reddish-crimson colour, maculated scarlet. 1s. 6d.  
**DE MIRIBEL**, very large double flowers of good form, clear violet, very floriferous. 1s. 6d.  
**DIAMANT**, large lilac-mauve double flowers; dwarf habit. 1s. 6d.  
**ERNEST COUTANT**, brilliant orange-red double flowers; large imbricated petals. 1s. 6d.  
**FLOURENS**, large irregular flowers, salmon shaded with rose; large petals. 1s. 6d.  
**FORMOSISSIMA**, bright purplish-rose flowers, of perfect form. 1s. 6d.  
**GENERAL CHAMPIONNET**, very large Camellia-shaped flowers, of an orange-red colour. 2s. 6d.  
**GLOIRE DE LORRAINE**, bright cerise, brightened with scarlet, large and double; extra. 1s. 6d.  
**HENRI LITOLFF**, enormous double satiny-rose flowers, with undulated petals. 1s. 6d.  
**INCOMPARABLE**, large trusses of rosy red flowers; very striking. 2s. 6d.  
**JOSEPH DE MAISTRE**, large trusses of well-shaped satin amaranth flowers. 5s.  
**JULES JANIN**, very large rosy-violet flowers, cup shaped. 5s.  
**KELUNG**, bright rosy-purple flowers maculated with crimson. 1s. 6d.  
**LA FOUDRE**, fine trusses of bright orange scarlet flowers. 2s. 6d.  
**MADAME AGAR**, large trusses of rosy-lilac flowers, full and double, very floriferous. 1s. 6d.  
**MÉRIMÉE**, trusses of nearly white flowers, veined with black. 5s.  
**SIR RICHARD WALLACE**, flowers vinous rose-carmine; very floriferous. 1s. 6d.  
**TARTAR**, handsome trusses of magenta-rose flowers. 5s.  
**TROPHEE**, trusses of bright reddish vermilion flowers. 2s. 6d.  
**WINIFRED**, compact flowers of an attractive shade of mauve-purple. 5s.

Many other Choice Sorts can be supplied at 9s.  
 and 12s. per dozen.

**CHOICE SINGLE FLOWERING IVY-LEAVED  
 PELARGONIUMS.**

Ivy-leaved Pelargoniums, on account of their graceful drooping growth, are extremely useful for vases, and rustic or suspended baskets; the rich wax-like foliage alone is ornamental, but added to that, they have pretty flowers, and the different varieties present a contrast and charm obtained by few other plants.

*Selections, 12s. and 18s. per dozen.*

**NEW AND CHOICE NOSEGAY PELARGONIUMS.**

This section is admirably adapted for bedding, as the flowers are borne in the greatest profusion and in immense trusses, and hence produce great effect.

Selections made by Mr. W. B. at 9s., 12s., 18s. and 24s. per dozen,  
 according to sorts.

## NEW AND CHOICE ZONAL PELARGONIUMS.

- ADMIRAL AVELLAN, large trusses of reddish salmon flowers, shaded violet. 5s.  
 ALFRED CAPUS, large trusses of rosy-magenta flowers, upper petals bright orange; light centre. 2s. 6d.  
 ALFRED MAURY, large trusses of orange-yellow flowers. 3s. 6d.  
 ALLIANCE, very large trusses or soft lilac flowers, the lower petals edged earmine. 5s.  
 ALSACE-LORRAINE, large trusses of white flowers of perfect form. 5s.  
 ANDRÉ THEURIET, brilliant orange-salmon flowers of perfect shape; light centre. 3s. 6d.  
 ARMAND DE PONTMARTIN, immense trusses of large and round pure white flowers. 1s. 6d.  
 AURELIEN SCHOLL, rose, centre shaded violet, maculated with white on the upper petals. 1s. 6d.  
 BARBEY D'AUZEVILLY, enormous trusses of vinous rose flowers, bright centre. 2s. 6d.  
 BENJAMIN CONSTANT, flowers bright scarlet, of immense size. 1s. 6d.  
 CARMEN SYLVA, enormous trusses of pure white flowers; extra. 2s. 6d.  
 CECIL, rich crimson-scarlet flowers of good shape; fine truss. 5s.  
 CERES, fine trusses of very bright orange-scarlet flowers. 5s.  
 CH. YIARTE, enormous trusses of orange-red flowers, shading to minium. 2s. 6d.  
 CLEMENT MAROT, compact trusses of fiery scarlet flowers; white centre. 2s. 6d.  
 CUIRASSÉ, large trusses of orange-apricot flowers of great size. 5s.  
 DETAILLE, fiery-scarlet flowers, immense trusses. 2s. 6d.  
 DEUIL DE MIRIBEL, enormous trusses of brilliant crimson-scarlet flowers, carried well above the foliage; extra. 5s.  
 DUKE OF DEVONSHIRE, a rich crimson self of great substance, with broad overlapping petals. 3s. 6d.  
 DUKE OF YORK, reddish magenta, deeper in upper petals; enormous flowers and trusses. 3s. 6d.  
 EDMOND BLOUIN, dark salmon, edged red, dwarf habit. 1s. 6d.  
 EMILE GEBHART, immense trusses of orange-scarlet flowers, violet centre. 1s. 6d.  
 ETOILE DE LYON, large round flowers, crimson shaded with purple; base and centre of lower petals white, marbled with violet; upper petals rayed with white; extra. 1s. 6d.  
 GENERAL DE MARBOT, bright amaranth, shot with violet; large trusses. 1s. 6d.  
 GIRONDIN, large flowers, rose with golden orange centre. 5s.  
 GOOD FRIDAY, salmon-pink, deeper in the upper petals and stained magenta round a white eye. 3s. 6d.  
 GUSTAVE MOREAUX, extra large trusses of silvery lilac rose flowers, lighter in the centre; a new shade. 2s. 6d.  
 GYP, large trusses of pure white flowers of perfect shape. 2s. 6d.  
 JACQUES BERTILLON, brilliant orange-red flowers, bordered salmon. 2s. 6d.  
 JANUS, dark salmon, striped and spotted with rosy-white. 1s. 6d.  
 JULES BRETON, enormous trusses of salmon-rose flowers, centre bright pink. 3s. 6d.  
 JULES POURBAIX, very large trusses, rosy-magenta flowers, upper petals maculated orange. 3s. 6d.  
 LA LORRAINE, enormous trusses of soft rose flowers; good habit. 1s. 6d.  
 LOUIS CHANTRIER, large clear rose flowers of good shape. 3s. 6d.  
 MADAME A. PAILLET, creamy-white, shaded with rosy-violet. 1s. 6d.  
 MADAME A. RIVOIRE, large truss and flowers of grand shape: the petals being round, regular and large, of a brilliant satiny white; the best of all the white-flowered varieties. 2s. 6d.  
 MAGENTA, large trusses of magenta flowers, white centre; upper petals maculated with bright salmon. 5s.  
 MDLLE. ANNA KAPFF, porcelain white, shaded lilac on the margins. 1s. 6d.  
 METALLIC, beautiful circular flowers, rich crimson tinted magenta at base, bright upper petals; dwarf and free. 3s. 6d.  
 NEW STAR, rosy salmon, occasionally mottled, very large star-like white centre. 3s. 6d.  
 PAUL CRAMPPEL, enormous flowers of a brilliant minium red. 1s. 6d.  
 PAUL GINISTY, large clear magenta flowers, upper petals shaded with orange. 1s. 6d.  
 PINK DOMINO, bold trusses of pink flowers of fine shape; good habit and attractive. 3s. 6d.  
 PUVIS DE CHAVANNES, fine trusses of orange-earmine flowers, rose centre. 3s. 6d.  
 REINE BLANCHE, immense trusses of pure white flowers. 2s. 6d.  
 RENOWN, large trusses of orange-scarlet flowers. 5s.  
 SOLFERINO, large round flowers of an amaranth solferino colour, mixed with scarlet, large white centre. 5s.  
 TIBER, rich orange-vermilion flowers; good truss. 5s.  
 TOULON, large trusses of enormous fiery orange flowers. 5s.

Many other Choice Varieties can be supplied from Mr. W.B.'s  
 General Collection at 9s. and 12s. per dozen.



## NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS.

- ARMAND SILVESTRE**, large trusses of rosy-lilac flowers, shading to carmine. 3s. 6d.  
**BÉRANGER**, globular trusses of magenta-red flowers; dwarf habit. 3s. 6d.  
**BOUGEREAU**, large trusses of beautiful rose flowers, the upper petals maculated with white. 1s. 6d.  
**BOULE DE NEIGE**, enormous trusses of pure white flowers. 2s. 6d.  
**CATULLE MENDES**, rosy-purple, upper petals marked with white, very floriferous. 1s. 6d.  
**CHARLES JOLY**, of good habit and very floriferous; very bright orange-red. 1s. 6d.  
**CHELSEA GEM**, of compact and free growth, a most profuse bloomer, and an excellent bedder; the foliage is bright green, with a broad marginal variegation of pure white; large trusses; full double flowers of a charming rose-pink colour. 1s. 9s. per dozen.  
**COLOSSUS**, splendid trusses of large rich reddish-crimson flowers. 1s. 6d.  
**DAUBRAY**, large semi-double ochreous-red flowers. 3s. 6d.  
**DR. BLANCHE**, large bright capucine orange flowers. 5s.  
**FRANCISQUE SARCEY**, fine trusses of rosy-mauve flowers, maculated orange. 1s. 6d.  
**F. V. RASPAIL**, Improved, fine trusses of immense rich dazzling scarlet flowers; good habit. 1s. 6d.  
**GAMBETTA**, erect trusses of large bright rosy magenta flowers. 5s.  
**GINGOIRE**, fine round trusses of clear salmon flowers, bright centre. 1s. 6d.  
**HENRI DE BORNIER**, large trusses of blush white flowers; dwarf habit and very floriferous. 1s. 6d.  
**HENRI MEILHAC**, flowers salmon tinted with apricot, centre orange, very floriferous. 1s. 6d.  
**JULES FERRY**, very large orange-salmon flowers; a new shade. 5s.  
**LA FAVORITE**, large trusses of well-made pure white flowers. 1s. 6d.  
**LA FONTAINE**, fine trusses of rosy-red flowers. 1s. 6d.  
**LE CID**, fine trusses of very bright crimson flowers; vigorous habit. 1s. 6d.  
**LE PROPHÈTE**, plant very vigorous; fine trusses of bright madder flowers. 1s. 6d.  
**LUCIFER**, large trusses of a peculiar shade of red, very floriferous. 1s. 6d.  
**MADAME BRANDÈS**, globular trusses of shaded white flowers; dwarf and very floriferous. 5s.  
**MADAME ROZAIN**, very large pure white double flowers, exterior petals of excellent shape. 3s. 6d.  
**MADEMOISELLE DEA-DIEUDONNÉ**, white shaded with rose, fine trusses. 3s. 6d.  
**MAURICE BOUCHOR**, large trusses of blush flowers, of perfect shape. 2s. 6d.  
**MELCHIOR DE VOGUÉ**, large trusses soft rose flowers, shaded lilac. 1s. 6d.  
**M. JOVIS**, centre bright salmon, margins yellowish-white. 1s. 6d.  
**M. LOCKROY**, large trusses of bright minium red flowers. 5s.  
**PIERRE LOTI**, very large trusses of silvery rosy-lilac flowers; a new colour. 1s. 6d.  
**PRESIDENT CARNOT**, bright vermilion, shaded cardinal. 1s. 6d.  
**REINE NATHALIE**, large trusses of white flowers; plant of good habit. 1s. 6d.  
**RUBENS**, rose madder, shaded orange, white reverse. 1s. 6d.  
**RU Y BLAS**, centre bright salmon, the rest of the flower peach-rose. 1s. 6d.  
**SACHER-MASOCH**, immense trusses of dark rose-coloured flowers. 1s. 6d.  
**SAINT-SAËNS**, large trusses of bright red flowers, margined with salmon. 1s. 6d.  
**SULLY-PRUDHOMME**, large trusses of bright carmine flowers. 1s. 6d.  
**TOLSTOI**, clear rose carmine; good trusses. 3s. 6d.  
**TOURGUENIEFF**, large soft rose flowers with salmon centre. 3s. 6d.

Many other good varieties can be supplied from Mr. W. B.'s General Collection at 9s. and 12s. per dozen.

## NEW AND CHOICE VARIEGATED, GOLD AND SILVER TRICOLOUR PELARGONIUMS.

Selections made by Mr. W. B. at 12s., 18s. and 24s. per dozen, according to sorts.

## NEW AND CHOICE BRONZE, GOLD, AND SHADED YELLOW PELARGONIUMS.

Selections made by Mr. W. B. at 12s. and 18s. per dozen, according to sorts.

## SWEET-SCENTED LEAVED PELARGONIUMS.

Selections made by Mr. W. B. at 18s. and 24s. per dozen, according to sorts.

## TREE FERNS.

Of these majestic plants the stock is very large. They have stems varying in height from one foot to twelve feet, and having been imported from Australia and New Zealand, they are such as will succeed well in any ordinary greenhouse. Their fine graceful habit and singularly distinct appearance render them peculiarly adapted for the decoration of conservatories. They range in price according to sorts, sizes, and strength of the specimens. It may, however, be as well to remark that they are not merely newly imported trunks, but well-established plants, many of them having been grown in this country several years.

Prices on application, or an inspection invited.

## CHOICE STOVE FERNS.

MR. WILLIAM BULL'S general collection of these elegant decorative plants is of considerable extent, and comprises kinds that are moderate in price, as well as many that are extremely rare and unique.

Selections for the Stove can be supplied at 24s., 30s. and 42s. per dozen.

**ACROPHORUS AFFINIS**, 2s. 6d. and 3s. 6d.

**PULCHRA**, 2s. 6d. and 3s. 6d.

**ACTINOPTERIS RADIATA**, 3s. 6d.

**ADIANTOPSIS RADIATA**, 3s. 6d.

**ADIANTUM AMABILE**, 1s. 6d.

**ANEITENSE**, 3s. 6d.

**ASSIMILE CRISTATUM**, *vide* page 99.

**BELLUM**, 3s. 6d.

**CARDIOCHLENA**, 3s. 6d.

**CAUDATUM**, 3s. 6d.

**CILIATUM**, 3s. 6d.

**COLLISII**, 3s. 6d. and 5s.

**CONCINNUM**, 1s. 6d. and 2s. 6d.

— **LATUM**, 2s. 6d. and 3s. 6d.

**CURVATUM**, 3s. 6d.

**DOLABRIFORME**, 2s. 6d. and 3s. 6d.

**ELEOANTISSIMUM**, 3s. 6d. and 5s.

**FARLEYENSE**, 2s. 6d., 3s. 6d. and 5s.

**FERGUSONII**, 2s. 6d.

**FRAGRANTISSIMUM**, 2s. 6d. and 3s. 6d.

**FULVUM**, 2s. 6d. and 3s. 6d.

**GHIESBREGHTII (SCUTUM)**, 2s. 6d. and 3s. 6d.

— **ROSEUM**, 3s. 6d.

**KAULFUSSI**, 3s. 6d.

**LATHOMII**, 3s. 6d.

**LEGRANDII**, 2s. 6d. and 3s. 6d.

**LUDDMANNIANUM**, 3s. 6d.

**MACROPHYLLUM**, 3s. 6d.

— **ALBO-STRIATUM**, 5s. and 7s. 6d.

— **BIPINNATUM**, 5s.

**PENTADACTYLON**, 3s. 6d.

**PERUVIANUM**, 3s. 6d.

**REGINÆ**, 2s. 6d. and 3s. 6d.

**RHODOPHYLLUM**, 3s. 6d. and 5s.

**RHOMBOIDEUM**, 3s. 6d.

**RUBELLUM**, 2s. 6d. and 3s. 6d.

**SANCTÆ CATHERINÆ**, 2s. 6d. and 3s. 6d.

**SCUTUM**, *vide* Ghiesbreghtii.

**TENERUM**, 2s. 6d.

**TETRAPHYLLUM ACUMINATUM**, 3s. 6d.

— **ORACILE**, 3s. 6d. and 5s.

**TINCTUM**, 3s. 6d.

**ADIANTUM TRAPEZIFORME**, 3s. 6d.

**VEITCHII**, 3s. 6d.

**VERSAILLENSIS**, 3s. 6d.

**VICTORIE**, 2s. 6d. and 3s. 6d.

**WALTONII DIFFUSUM**, 3s. 6d.

**WEICANDII**, 2s. 6d. and 3s. 6d.

**AGLAMORPHA MEYENIANA** (The Bear's Foot Fern), 3s. 6d.

**ALSOPHILA REBECCE**, 3s. 6d. and 5s.

**ANEMEDICTYON PHYLLITIDIS**, 1s. 6d. and 2s. 6d.

**ANEMIA COLLINA**, 2s. 6d.

**ANGIOPTERIS EVECTA**.

**ANTIGRAMMA BRASILIENSIS**, 7s. 6d. and 10s. 6d.

**ASPIDIUM MACROPHYLLUM**, 3s. 6d.

**TRIFOLIATUM**, 2s. 6d. and 3s. 6d.

**ASPLENIUM ALATUM**, 3s. 6d.

**BAPTISTII**, 5s.

**BELANOERI**, 2s. 6d.

**BIFIDUM**, 3s. 6d.

**CICUTARIUM**, 2s. 6d.

**ERECTUM**, 3s. 6d.

**FERNANDEZIANUM**, 2s. 6d.

**FRAGRANS**, 2s. 6d.

**FENICULACEUM**, 2s. 6d.

**HOOKEIANUM**, 3s. 6d.

**INEQUALIFOLIUM**, 2s. 6d.

**LONGISSIMUM**, 3s. 6d.

**NIDUS**, 2s. 6d.

**NOBILIS**, 2s. 6d.

**PROLONGATUM**, 3s. 6d. and 5s.

**SHEPHERDII**, 2s. 6d. and 3s. 6d.

**VIVIPARUM**, 3s. 6d.

**BLECHNUM BRASILIENSE**, 2s. 6d. and 3s. 6d.

**POLYPODIODES**, 2s. 6d. and 3s. 6d.

**OCCIDENTALE**, 2s. 6d.

**CHEILANTHES CHLOROPHYLLA**, 5s. and 7s. 6d.

**ECCLINIANA**, 3s. 6d. and 5s.

**ELEGANS**, 2s. 6d. and 3s. 6d.

**HIRTA ELLISIANA**, 2s. 6d. and 3s. 6d.

**TOMENTOSA**, 2s. 6d.

**CIBOTIUM SCHIEDEI**, 5s. and 7s. 6d.

**CYATHEA (CIBOTIUM) PRINCEPS**, *vide* page 100.



**DAVALLIA EPIPHYLLA.**

A specially elegant Fern in the way of *D. filix*, but quite distinct from it. The rootstock is creeping and covered with brown scales from which ascend wiry purple stipes as thick as a crow-quill, glabrous and deeply channelled. The fronds are subcoriaceous, deltoid in outline, three to four times pinnately divided, the larger pinnae deltoid-lanceolate, the pinnules narrow, wedge-shaped and deeply pinnately divided. It has been introduced from New South Wales. 5s. and 7s. 6d.





GYMNOGRAMMA ELEGANTISSIMUM.

**GYMNOGRAMMA ELEGANTISSIMUM.**

A very elegant new Stove Fern, with beautifully arching finely cut fronds of a pleasing green colour and firm texture. The rachides are of a dark reddish brown colour, the pinnae being divided and subdivided into numberless minute emarginate segments, the whole plant presenting a most attractive appearance.

From its graceful habit of growth, and its long, elegantly recurving fronds, this variety is admirably adapted for cultivation in suspended baskets, as well as for other decorative and ornamental purposes. 5s., 7s. 6d. and 10s. 6d.



**DAVALLIA CONCINNA.**

An elegant growing evergreen Stove Fern introduced from North Australia. It has a stout creeping rootstock, from which rise purplish leaf stalks, bearing subcoriaceous fronds of a pale olive-green colour, glabrous on both surfaces, deltoid-acuminate, compoundly divided in a tripinnate manner into pinne and pinnule, the ultimate segments being oblong-obovate, wedge-shaped at the base, and remotely crenate at the apex. 10s. 6d.

**DAVALLIA BULLATA, 2s. 6d.**

CHEROPHYLLA, 3s. 6d.

EPIPHYLLA, *vide* page 94.

DECORA, 3s. 6d.

ELEGANS, 2s. 6d.

— POLYDACTYLA, 3s. 6d. and 5s.

— BUFA, 3s. 6d.

FENICULACEA, 3s. 6d.

**DAVALLIA FIJIENSIS, 3s. 6d. and 5s.**

FIJIENSIS MAJOR, 3s. 6d. and 5s.

— PLUMOSA, 3s. 6d. and 5s.

HIRSUTA, 3s. 6d. and 5s.

HEMIPTERA, 3s. 6d.

KUNZII, 3s. 6d. and 5s.

LAWSONIANA, 3s. 6d.

MOOREANA, 2s. 6d. and 3s. 6d.

**DAVALLIA LUCIDA.**

A bold-looking handsome Fern with deep shining-green coriaceous fronds. The rootstock is of the thickness of the finger, and is covered with soft fibrillose scales. The stipes are wiry and support deltoid bipinnate fronds, the primary pinne wedge-shaped at base, lanceolate-acuminate; the secondary pinne are broadly oblong, wedge-shaped and deeply lobed at the base, gradually less so towards the apex; ultimate segments oblong obtuse, remotely and shallowly toothed at the margin. 5s. and 7s. 6d.

**DAVALLIA NOVA ZEALANDIA, 2s. 6d.**

ORNATA, 3s. 6d. and 5s.

PENTAPHYLLA, 3s. 6d.

POLYANTHA, 3s. 6d.

PYXIDATA, 3s. 6d.

SOLIDA, 3s. 6d.

TYERMANNI (HUMATA), 3s. 6d.

**DIPLAZIUM ARNOTTII, 7s. 6d.****DORYOPTERIS GERANIFOLIA, 2s. 6d. and 3s. 6d.**

HASTATA, 2s. 6d. and 3s. 6d.

PALMATA, 1s. 6d. and 2s. 6d.

SAGGITTEFOLIA, 3s. 6d.

**ELAPHOGLOSSUM GLABRATUM, 7s. 6d.**

L'HERMINIERI, 7s. 6d., 10s. 6d. and 15s.

**GLEICHENIA DICARPA, 3s. 6d. and 5s.**DICARPA LONGIPINNATA, *vide* illustration, page 97, 7s. 6d. and 10s. 6d.

DICHOTOMA, 7s. 6d.

FLABELLATA, 5s. and 7s. 6d.

MENDELII, 10s. 6d. and 15s.

MICROPHYLLA, 5s. and 7s. 6d.

BUPESTRIS GLAUDESCENS, 10s. 6d.

SEMIVESTITA, 5s. and 7s. 6d.

SPELUNCÆ, 7s. 6d.

**GONIOPHLEBIUM APPENDICULATUM, 3s. 6d.**

FRAXINIFOLIUM, 5s.

GLAUCOPHYLLUM, 3s. 6d. and 5s.

SUBAURICULATUM, 2s. 6d.

**GYMNOGRAMMA ALSTONII, one of the best golden**

Ferns, 3s. 6d. and 5s.

CHRYSOPHYLLUM, 3s. 6d.

— GRANDICEPS SUPERBA, 3s. 6d. and 5s.

DECOMPOSITUM, 3s. 6d.

ELEGANTISSIMUM, *vide* page 95.

LAUCHEANUM, 3s. 6d.

**GYMNOGRAMMA MERTENSII, 2s. 6d. and 3s. 6d.**

MULTICEPS, 3s. 6d.

PARSONII, 3s. 6d.

PERUVIANUM ARGYROPHYLLUM, 2s. 6d. &amp; 3s. 6d.

— MAYII, 2s. 6d. and 3s. 6d.

SOHIZOPHYLLUM, 1s. 6d. and 2s. 6d.

— GLOBIOSUM, 3s. 6d.

TARTAREUM, 2s. 6d.

TOMENTOSUM, 2s. 6d.

WETENHALLIANUM, 2s. 6d. and 3s. 6d.

**GYMNOPTERIS QUERCIFOLIA, 3s. 6d.****GYMNOTHECA RADDIANA, 2 and 3 guineas.****HEMIONITIS CORDATA, 2s. 6d.**

PALMATA, 2s. 6d. and 3s. 6d.

**LASTREA JENMANI, 3s. 6d.**

QUINQUANGULARIS, 3s. 6d.

RICHARDII MULTIFIDA, 3s. 6d.

*See also* page 100.**LOMARIA GIBBA, 1s. 6d. and 2s. 6d.****LYGODIUM SOANDENS, 1s. 6d.**

DICHOTOMUM, 5s.

**MENISCUM RETICULATUM, 3s. 6d.****MICROLEPIA HIRTA CRISTATA, 3s. 6d.****NEPHRODIUM TRUNCATUM, 7s. 6d.****NEPHROLEPIS ACUTA, 3s. 6d.**

BARTERII, 5s.

BAUSEI, 3s. 6d.

CORDATA COMPACTA, 3s. 6d.

DAVALLIODES, 3s. 6d.

— FURCANS, 3s. 6d.

— MULTICEPS, new, 5s. and 7s. 6d.

DUFFII, 2s. 6d. and 3s. 6d.

ENSIFOLIA, 3s. 6d.

EXALTATA, 1s. 6d. and 2s. 6d.

— PLUMOSA, 5s.



GLEICHENIA DICARPA LONGIPINNATA, *vide* page 96.



**PTERIS VICTORIÆ.**

This very remarkable and beautiful variegated *Pteris* has been imported from the Eastern Archipelago, and is undoubtedly one of the most striking and desirable Ferns of recent introduction. The plant is of graceful habit, throwing up a tuft of fertile pinnate fronds, each composed of a long linear end segment, and three or four distant pairs of sessile pinnae, many of them being forked at the base. These segments are entire, about one-sixth of an inch broad, and beautifully variegated throughout, with close lanceolate white teeth, extending from the midrib nearly to the edge, forming a striking contrast to the dark green ground colour; the sterile fronds have broader and shorter segments. Extremely elegant in growth, this pretty New Fern cannot fail to become a great favourite. 2s. 6d., 3s. 6d. and 5s. A coloured illustration post free, price 1s.

**NEPHROLEPIS** PECTINATA, 3s. 6d.  
 PHILIPPINENSIS, 2s. 6d.  
 RECURVATA, 2s. 6d. and 3s. 6d.  
 RUFESCENS TRIPINNATIFIDA, 3s. 6d.  
 TUBEROSA, 1s. 6d. and 2s. 6d.  
**NOTHOCHLÆNA** CHRYSOPHYLLA, 3s. 6d.  
 NIVEA, 3s. 6d.  
 SINUATA, 3s. 6d.  
**ONYCHIUM** AURATUM, 3s. 6d.  
**PHLEBODIUM** GLAUCUM, 3s. 6d. and 5s.  
 SPORODOCARPUM, 3s. 6d.  
**PLATYCERIUM** GRANDE  
 STEMARIA, 7s. 6d. and 10s. 6d.  
**PLATYLOMA** FALCATUM, 3s. 6d.  
 FLEXUOSUM, 3s. 6d.

**PLEOPELTIS** PICTA, 5s.  
 PUSTULATA, 2s. 6d. and 3s. 6d.  
**POLYSTICHUM** LENTUM, 5s.  
 TRIANGULARE, 2s. 6d.  
 — LAXUM, 2s. 6d. and 3s. 6d.  
 VIVIPARUM, 3s. 6d. and 5s.  
*See also page 100.*  
**POLYPODIUM** PECTINATUM, 3s. 6d.  
 VENOSUM, 3s. 6d.  
**PTERIS** ASPERICHAULIS, 3s. 6d.  
 BAUSEI, 2s. 6d., 3s. 6d. and 5s.  
 TRICOLOR, 3s. 6d.  
 of sorts, 2s. 6d. and 3s. 6d.  
 VICTORIE, *vide* page 98.  
*See also page 100.*  
**STENOCHLÆNA** SCANDENS, 3s. 6d.

## CHOICE GREENHOUSE FERNS.

Selections of good kinds can be supplied from Mr. W. B.'s general collection at  
 24s., 30s. and 42s. per dozen.

### ADIANTUM ASSIMILE CRISTATUM.

A very elegant and handsomely crested form of the well-known greenhouse Fern *A. assimile*. It is of light and graceful appearance, and strikingly different from the typical species, the fronds being much more elongate, and terminated with dense tassellate growths. 3s. 6d.

**ADIANTUM** CAPILLUS-VENERIS, 1s. 6d.  
 CAPILLUS-VENERIS GRANDE, 2s. 6d.  
 — IMBRICATUM, 5s. and 7s. 6d.  
 — MAGNIFICUM, 2s. 6d.  
 — MARIESII, 2s. 6d. and 3s. 6d.  
 — PACOTTI, 1s. 6d. and 2s. 6d.  
 — VARIEGATUM, 5s.  
 CUNEATUM, 1s. 6d. and 2s. 6d.  
 — ELEGANS, 2s. 6d.  
 — GRANDICEPS, 2s. 6d. and 3s. 6d.  
 DECORUM, 2s. 6d. and 3s. 6d.  
 FORMOSUM, 1s. 6d.  
 GLAUCOPHYLLUM, 2s. 6d.  
 GRACILLIMUM, 2s. 6d. and 3s. 6d.  
 HISPIDULUM, 1s. 6d.  
 MUNDULUM, 2s. 6d. and 3s. 6d.  
 PUBESCENS, 2s. 6d.

**ADIANTUM** SETULOSUM, 2s. 6d.  
 WILLIAMSII, 2s. 6d. and 3s. 6d.  
*See also page 93.*  
**ALSOPHILA** AUSTRALIS, 2s. 6d. and 3s. 6d.  
**ASPLENIUM** BULBIFERUM, 1s. 6d. and 2s. 6d.  
 COLENSOI, 2s. 6d.  
 DIMORPHUM (*biforme*), 1s. 6d. and 2s. 6d.  
 DIVARICATUM, 2s. 6d. and 3s. 6d.  
 FLACCIDUM, 2s. 6d.  
 FALCATUM, 7s. 6d.  
 HEMIOMITIS, 3s. 6d.  
 LAXUM FUMILUM, 2s. 6d. and 3s. 6d.  
 LUCIDUM, 2s. 6d. and 3s. 6d.  
 NEO-CALEDONICUM, 5s.  
**CHEILANTHES**, *vide* page 93.  
**CIBOTIUM** REGALE, 2s. 6d., 3s. 6d. and 5s.  
 SCHIEDEI, *vide* page 93.

### CYATHEA DEALBATA.

The Silver Fern of New Zealand. 3s. 6d., 5s. and 7s. 6d.

### CYATHEA DREGEI.

A very fine South African greenhouse Fern, with bipinnate fronds of stoutish texture, and having the pinnules lanceolate, with oblong-ovate falcate segments, bluntish at the point, and the sori in the lower half immersed in rufous wool. 3s. 6d. and 5s.

### CYATHEA SPINULOSA.

A handsome Tree Fern, found throughout India and in Japan. The stipes are dark brown, strongly aculeated, the rachis being mucicated. The fronds are large, glabrous, and bipinnate, the lobes of the pinnules oblong acute and serrulate. An ornamental and desirable species. 10s. 6d.



**CYATHEA** MEDULLARIS, 2s. 6d. and 3s. 6d.  
 (CIBOTIUM) PRINCEPS, 3s. 6d. and 5s.  
**CYRTOMIUM** CARYOPHYTUM, 2s. 6d. and 3s. 6d.  
 FALCATUM, 2s. 6d.  
 — **PENSOMII**, this handsome Fern is a  
 great improvement on the old variety.  
 Awarded First-class Certificate. 3s. 6d.  
 FORTUNEI, 2s. 6d.  
**DAVALLIA** CANARIENSIS, 2s. 6d.  
 DISSECTA, 2s. 6d. and 3s. 6d.  
 GRIFFITHIANA, 3s. 6d.  
 MARISSII, 2s. 6d. and 3s. 6d.  
 — **CRISTATA**, 3s. 6d. and 5s.

**DAVALLIA** TENUIFOLIA, 2s. 6d.  
 TENUIFOLIA STRICTA, 2s. 6d.  
 of sorts, 3s. 6d. and 5s.  
**DICKSONIA** ANTARCTICA, 1s. 6d., 2s. 6d. and 3s. 6d.  
 SQUARROSA, 3s. 6d., 5s. and 7s. 6d.  
**DICTYOGRAMMA** JAPONICUM VARIEGATUM, 2s. 6d.  
**DIDYMOCHLÆNA** TRUNCATULA, 3s. 6d.  
**DIPLAZIUM**, *vide* page 96.  
**DORYOPTERIS** PALMATA, *vide* page 96.  
**DOODIA** ASPERA, 2s. 6d.  
 CAUDATA, 2s. 6d.  
**ELAPHOGLOSSUM**, *vide* page 96.

### DOODIA ASPERA MULTIFIDA.

A handsome crested Fern, of neat dwarf evergreen habit, with prettily arched fronds rendered drooping by the dense tassel at the apex; the young fronds are prettily tinted with pink. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Provincial Show of the Royal Horticultural Society held at Preston. 3s. 6d.

**HYMENOPHYLLUM** DEMISSUM, 5s. and 7s. 6d.  
 MULTIFIDUM, 21s.  
**LASTREA** ARMATA VARIEGATA, 1s. 6d. and 2s. 6d.  
 ATRATA, 2s. 6d.  
 CORUSCA, 5s.  
 ERYTHROSORA, 2s. 6d.  
 GLABELLA, 2s. 6d. and 3s. 6d.  
 LEPIDA, 2s. 6d. and 3s. 6d.  
 MEMBRANIFOLIA, 2s. 6d. and 3s. 6d.  
 PATENS, 2s. 6d.  
 PROLIFICA, 2s. 6d., 3s. 6d. and 5s.  
 SIEBOLDII, 2s. 6d.  
**LEUCOSTEGIA** IMMERSA, 2s. 6d.  
**LOMARIA** CYCADEFOLIA, 2s. 6d., 3s. 6d. & 5s.  
 GIBBA, *vide* page 96.  
 DALGAIRESII, 1½ and 2 guineas.  
 DISCOLOR BIPINNATIFIDA.  
 PATTERSONII, 1s. 6d., 2s. 6d. and 3s. 6d.  
 ZAMIEFOLIA, 2s. 6d. and 3s. 6d.  
**NEPHRODIUM** MOLLE CORYMBIFERUM, 2s. 6d.  
 MOLLE ORISTATUM, 3s. 6d.  
 — **RAMOSUM**, 3s. 6d.  
**NIPHOBOLUS** HETERACHTIS, 3s. 6d. and 5s.  
 LINQUA CORYMBIFERA, 3s. 6d. and 5s.  
**ONYCHIUM** JAPONICUM, 1s. 6d.  
**OSMUNDA** JAPONICA CORYMBIFERA, 2s. 6d. & 3s. 6d.  
 PALUSTRIS, 2s. 6d. and 3s. 6d.  
**PELLÆA** TERNIFOLIA, 3s. 6d. and 5s.  
**PHLEBODIUM** AURUM, 2s. 6d.  
**PLATYCERIUM** ALCICORNE, 3s. 6d.  
 ALCICORNE MAJUS, 7s. 6d.  
**POLYPODIUM** TRICHONES (LASTREA TENERIOAULIS),  
 3s. 6d., 5s. and 7s. 6d.  
**POLYSTICHUM** CAPENSE, 1s. 6d. and 2s. 6d.

**POLYSTICHUM** POLYBLEPHARUM, 2s. 6d., 3s. 6d.  
 and 5s.  
 SETOSUM, 2s. 6d. and 3s. 6d.  
 VENUSTUM, 5s.  
**PTERIS** ADIANTIFOLIA, 1s. 6d. and 2s. 6d.  
 ARGUTA, 2s. 6d.  
 AROYREIA, 1s. 6d. and 2s. 6d.  
 CRETICA ALBO-LINEATA, 1s. 6d.  
 — **CRISTATA**, 2s. 6d. and 3s. 6d.  
 — **MAYII**, 2s. 6d. and 3s. 6d.  
 — **NOBILIS**, 2s. 6d. and 3s. 6d.  
 — **VARIEGATA**, 3s. 6d. and 5s.  
 HASTATA, 1s. 6d. and 2s. 6d.  
 INTERNATA, 2s. 6d.  
 LEPTOPHYLLA, 2s. 6d. and 3s. 6d.  
 LONGIFOLIA, 1s. 6d. and 2s. 6d.  
 NEMORALIS VARIEGATA, 2s. 6d.  
 OUVREARDII, 1s. 6d.  
 REX, 3s. 6d. and 5s.  
 SERBULATA, 1s.  
 — **ORISTATA**, 1s. 6d.  
 — **COMPACTA**, 2s. 6d. and 3s. 6d.  
 — **DENSA**, 2s. 6d. and 3s. 6d.  
 — **GLORIOSA**, 5s.  
 — **MAJOR**, Chiswick variety, 5s.  
 — **VARIEGATA**, 2s. 6d. and 3s. 6d.  
 — **ORACILIS**, new, 3s. 6d. and 5s.  
 — **UNDULATA**, 2s. 6d. and 3s. 6d.  
 STRAMINEA, 3s. 6d.  
 TREMULA, 1s. 6d. and 2s. 6d.  
 — **ELEGANS**, 5s. and 7s. 6d.  
 — **FLACCIDA**, 3s. 6d.  
 — **FOLIOSA**, 2s. 6d.

### PTERIS TREMULA GRANDICEPS.

This handsome greenhouse Fern, which is well adapted to become a very useful one for decorative purposes, is a hybrid between *Pteris tremula* and *P. serrulata cristata*. The plant forms a dense tuft of evergreen fronds of an elegant semi-dependent character, an appearance which is chiefly induced by the graceful manner in which the ends of the pinnules are crested and tasselled. 7s. 6d.

**PTERIS TREMULA** SMITHIANA, 3s. 6d. and 5s.  
**STRUTHIOPTERIS** GERMANICA, 2s. 6d.

**TODEA** AFRICANA, 2s. 6d. and 3s. 6d.  
 MOOREANA, *vide* page 4.

### TODEA (LEPTOPTERIS) HYMENOPHYLLOIDES.

This pretty New Zealand Filmy Fern, commonly called *Todea pellucida*, can be supplied in nice plants at 2s. 6d., 3s. 6d. and 5s.

**TODEA (LEPTOPTERIS) SUPERBA.**

Any attempt at description must fall far short of conveying an adequate notion of the exquisite beauty of this lovely Fern, which should be seen to be justly appreciated. The fronds, which are fifteen to eighteen inches in length, are of a bright green, spreading, beautifully arching and feathered down to the very base; the pinnæ are crowded and cut into narrow segments, which are turned upwards, giving the fronds a frilled surface, and producing an effect distinct from that of any Fern in cultivation. This is probably the most beautiful of all the dwarf-growing New Zealand Ferns. 2s. 6d. and 3s. 6d. Fine strong plants, 10s. 6d., 15s., and 21s.

**TRICHOMANES RADICANS.**

(THE KILLARNEY OR IRISH BRISTLE FERN).

This is a British species, but it must, as far as culture is concerned, be included among the greenhouse kinds, as it is almost impossible to succeed with it if treated as an ordinary hardy Fern. 5s., 7s. 6d. and 10s. 6d.

WOODWARDIA ORIENTALIS, 2s. 6d. and 3s. 6d.

| WOODWARDIA RADICANS, 2s. 6d. and 3s. 6d.

**CHOICE HARDY FERNS.**

Selections of good kinds can be supplied at 18s., 30s. and 42s. per dozen.

**SELAGINELLAS (LYCOPODIUMS.)**

G, greenhouse; H, hardy; S, stove.

	s. d.		s. d.
S AFRICANA .....	2 6	G KRAUSSIANA AUREA ..... 1s. 6d. &	2 6
S ALBO-SPICA .....	3 6	G — VARIEGATA .....	1 6
S AMÆNA .....	2s. 6d. &	S LÆVIGATA (CÆSIA ARBOREA) .....	3 6
S APUS (APODA) .....	1 6	S LOBBII .....	2 6
S ATROVIRIDIS .....	2 6	S LYALLII .....	2 6
S CANALICULATA .....	5 0	S MARTENSII .....	1 6
S CAULESCENS .....	2 6	S — ALBO-VARIEGATA .....	1 6
S COGNATA .....	3 6	S RUBRICAULIS .....	2 6
S CUSPIDATA .....	2 6	S SERPENS (MUTABILIS and VARIABILIS) ..	1 6
S EMILIANA .....	3 6	S SETOSA .....	2 6
S FILICINA (DICHROUS) .....	2 6	S TASSELLATA .....	5 0
S FLAGELLIFERA .....	3 6	S UNCINATA (CÆSIA) .....	1 6
S GALEOTTII (SCHOTTII) .....	2 6	S USTA, vide page 102.	
S GRANDIS .....	3s. 6d. &	S VICTORIÆ .....	3 6
S INÆQUALIFOLIA .....	1s. 6d. &	S WALLICHII .....	3 6
G KRAUSSIANA (DENTICULATA) .....	0 9	G WILDENOVII (PUBESCENTS) .....	2 6

Selection of good kinds can be supplied at 18s. per dozen.



**SELAGINELLA USTA.**

An elegant species from New Caledonia, with erect pale green fronds, oblong acute in outline, arching from base to apex, and convex from side to side on the upper surface; the wiry rachis is tripinnately divided, the ultimate divisions being linear oblong. The upper leaves are distichous, flattened against the rachis, and slightly imbricate. This species is a pretty addition to this decorative class of plants. 3s. 6d. and 5s.

# PALMS, CYCLANTHS & CYCADS,

Including ENCEPHALARTOS, MACROZAMIA, &c.

The Palms constitute the most noble family in the vegetable kingdom, and afford sufficient diversity of aspect to allow of selections being made from them for the greenhouse, stove, or conservatory, to either of which Palms impart a richer tropical character than any other plants. Some of the miniature dwarf-growing kinds are, from their light and graceful forms, admirably adapted for table decoration, for vases, and for almost every purpose in which ornamentation is desired. The more hardy and larger kinds can be used for sub-tropical gardening, to which they impart a most luxuriant grandeur, evidence of which has been given in Battersea Park, and in other places where Palms have been thus used.

Selections of Stove Palms, 6, 9 and 12 guineas per dozen.


Selections for the Greenhouse, at 6, 9 and 12 guineas per dozen.

Larger specimens, from 2, 3, 4 and 5 to 10 guineas each.

*Those marked with an asterisk (\*) are kinds that will succeed in a greenhouse.*

- ACANTHOPHŒNIX CRINITA (ARECA CRINITA), fine plants..... 1 and 1½ guinea.  
 ACANTHORHIZA ACULEATA (CHAMEROPS STAURACANTHA) ..... 10s. 6d. and 15s.  
 \*ARCHONTOPHŒNIX ALEXANDRE (PTYCHOSPERMA ALEXANDRE) ..... 2s. 6d., 3s. 6d. and 5s.  
 \* CUNNINGHAMIANA (SEAFORTHIA ELEOANS, PTYCHOSPERMA CUNNINGHAMIANA) a most useful conservatory or cool greenhouse plant, possessing a highly decorative character; scarcely anything can equal the effect of a large plant of this noble Palm.  
 In all sizes..... 2s. 6d., 3s. 6d., 5s. and 7s. 6d.  
 to 1, 1½ and 2 guineas.
- ARECA ALBA, *vide* DICTYOSPERMA ALBUM.  
 AUREA, *vide* DICTYOSPERMA AUREUM.  
 \* BAUERI, *vide* RHOPALOSTYLIS BAUERI.  
 CRINITA, *vide* ACANTHOPHŒNIX CRINITA.  
 LUTESCENS, *vide* CHRYSALIDOCARPUS LUTESCENS. .... 2s. 6d., 3s. 6d. and 5s.  
 MADAGASCARIENSIS ..... 10s. 6d. and 15s.  
 SAPIDA, *vide* RHOPALOSTYLIS SAPIDA.  
 TRIANDRA ..... 10s. 6d. and 15s.  
 VERSCHAFFELTII, *vide* HYOPHORBE VERSCHAFFELTII.
- \*ARENCA WIGHTII ..... 1 guinea.  
 ASTROCARYUM MALYBO (A. ARGENTEUM)..... 1½ and 2 guineas.  
 \*BRAHEA FILAMENTOSA ..... 1s. 6d. and 2s. 6d.
- CALAMUS AUSTRALIS ..... 7s. 6d. and 10s. 6d.  
 MICRANTHUS ..... 10s. 6d., 15s. and 21s.  
 (DÆMONOROPS) PALEMBANICUS ..... 10s. 6d., 15s. and 21s.  
 (—) PERIACANTHUS ..... 10s. 6d.  
 ROXBURGHII ..... 10s. 6d. and 15s.  
 CARLUDOVICA DRUDEI ..... 10s. 6d. and 15s.  
 PALMATA ..... 10s. 6d. and 15s.  
 PLUMIERI ..... 10s. 6d.  
 WALLISII ..... 7s. 6d. and 10s. 6d.  
 CARYOTA URENS, "Wine Palm" ..... 10s. 6d., 15s. and 21s.
- CATAKIDZAMIA HOPEI.....  
 DENISONI, *vide* LEPIDIZAMIA.
- CERATIZAMIA FUSCO-VIRIDIS, a noble species, introduced from Mexico, and belonging to the Cycads. The leaves are broadly pinnate, and of arching habit, the pinne deep green, sessile, lanceolate, and tapering to a longish point. The young leaves are of a rich bronzy-chocolate colour, gradually changing to olive-green, and ultimately developing into deep green ..... 3 and 4 guineas.
- CEROXYLON NIVEUM, *vide* DIPLOTHEMIUM CAUDESCENS.





GEONOMA ACAULIS.

**GEONOMA ACAULIS.**

A dwarf, nearly stemless Brazilian Palm, with short, dilated, sheathing leaf stalks, destitute of spines, the young leaves roundish, deeply two-lobed at the apex, plicated crese, adult leaves deeply pinnately divided, pinnae lanceolate. It is a native of Northern Brazil and should be grown in the stove. 4 and 5 guineas.

- CHAMÉDOREA ELEGANTISSIMA** ..... 7s. 6d. and 10s. 6d.  
 \* **POLITA** ..... 10s. 6d.
- \* **CHAMÉROPS EXCELSA**, *vide* **TRACHYCARPUS EXCELSUS**.  
**FORTUNEI**, *vide* **TRACHYCARPUS FORTUNEI**.
- \* **HUMILIS**, this useful decorative Palm can be supplied in all sizes, from 5s., 7s. 6d., 10s. 6d., 15s. and 21s. to 2, 3 and 4 guineas each.
- \* — **GRACILIS** ..... 15s. and 21s.  
 \* — **ROBUSTA** ..... 15s. and 21s.  
 \* — **TOMENTOSA** ..... 15s. and 21s.
- STAUROCANTHA**, *vide* **ACANTHORIZA ACULEATA**.
- CHRYSLIDOCARPUS LUTESCENS** (**ARECA LUTESCENS**, **HYOPHORBE INDICA**, **H. COMMERSONIANA**), in all sizes ..... 1s. 6d., 2s. 6d., 3s. 6d. and 5s. to 21s.
- \* **COCOS AUSTRALIS** (**DIPLOTHEMIUM CAMPESTRE**), 3s. 6d. and 5s.  
 \* **FLEXUOSA** ..... 3s. 6d. and 5s.  
**INSIGNIS** (**GLAZIOVA INSIGNIS**), 7s. 6d. and 10s. 6d.  
**PLUMOSA** ..... 2s. 6d., 3s. 6d. and 5s.  
**PROCOPEANA** ..... 5s. and 7s. 6d.
- \* **WEDDELLIANA** (**GLAZIOVA ELEGANTISSIMA**, **LEOPOLDINA PULCHRA**), perhaps the most elegant of all the smaller Palms, of which so many charming species are now to be found in cultivation. Its slender erect stem is not of rapid growth, but is freely furnished with its gracefully arching leaves, made up of innumerable long narrow pinnae or segments, of a rich green colour. In all sizes, 1s. 6d., 2s. 6d., 3s. 6d., 5s. to 21s.
- \* **CORYPHA AUSTRALIS**, *vide* **LIVISTONA AUSTRALIS**.
- CYCAS ARMSTRONGII** ..... 1½ and 2 guineas.  
**CIRCINALIS** ..... 1½ and 2 guineas.  
**MEDIA**, a noble Cycad. Trunks in various sizes. Prices on application.
- \* **REVOLUTA**, in all sizes, 7s. 6d., 10s. 6d., 15s. and 21s.; fine specimens, 3, 4 and 5 guineas each.  
**RUMPHII** .....  
**SIAMENSIS** .....
- CYCLANTHUS DISCOLOR** ..... 21s.
- DÉMONOROPS**, *vide* **CALAMUS**.
- DICTYOSPERMA ALBUM** (**ARECA ALBA**) ..... 3s. 6d. and 5s.  
**AUREUM** (**ARECA AUREA**) a fine and graceful Palm, with yellowish stems ..... 10s. 6d. and 15s.
- DIOON EDULE** ..... 1½, 2 and 3 guineas.
- DIPLOTHEMIUM CAMPESTRE**, *vide* **COCOS AUSTRALIS**.  
**CAUDESCENS** (**CEROXYLON NIVEUM**) ..... 5s. and 7s. 6d.
- \* **ENCEPHALARTOS CAFFRA** .....  
 \* **HILDEBRANDII**, this fine Cycadaceous plant has been introduced from Eastern Africa.  
 \* **HORRIDUS** .....  
 \* — **MULTIFLEXUS** .....  
 \* (**ZAMIA**) **LEHMANNI** .....  
 \* (—) — **GLAUCUS** .....  
 \* (—) — **SPINOSUS** .....  
 \* (—) **REGALIS**. This handsome species forms a most desirable ornamental plant for the decoration of conservatories, imparting a grandeur that few other plants are capable of producing. Price on application.  
 \* (—) **VILLOSUS** .....  
 \* (—) — **AMPLIATUS** .....  
 \* (—) — **DENTICULATUS** .....  
 \* (—) — **GRACILIS** .....  
 \* (—) — **VROOMII** ..... 4 and 5 guineas.
- EUTERPE EDULIS**, "Assai Palm" (**OREODOXA SANCONA**) ..... 1s. 6d., 2s. 6d., 3s. 6d. and 5s.
- GEONOMA ACAULIS**, *vide* page 104.  
**GRACILIS** ..... 1s. 6d., 2s. 6d., 3s. 6d. to 10s. 6d.  
**INTERMEDIA** ..... 2s. 6d., 3s. 6d. and 5s.  
**SCHOTTIANA** ..... 3s. 6d. and 5s.
- GLAZIOVA ELEGANTISSIMA**, *vide* **COCOS WEDDELLIANA INSIGNIS**, *vide* **COCOS INSIGNIS**.
- GRISEBACHIA BELMOREANA**, *vide* **HOWEA BELMOREANA**.  
**FORSTERIANA**, *vide* **HOWEA FORSTERIANA**.
- \* **HEDYSCEPE CANTERBURYANA**, "Umbrella Palm" (**KENTIA CANTERBURYANA**), 3s. 6d. 5s. and 7s. 6d.,



COCOS WEDDELLIANA.



\***HOWEA BELMOREANA**, "Curley Palm" (KENTIA BELMOREANA, GRISEBACHIA BELMOREANA), in all sizes, 2s. 6d., 3s. 6d., 5s. to 21s.

\* **FORSTERIANA**, "Flat or Thatch-Leaf Palm" (KENTIA FORSTERIANA, GRISEBACHIA FORSTERIANA), 2s. 6d., 3s. 6d. and 5s.

**HYDRIASTELE WENDLANDIANA** (KENTIA WENDLANDIANA) .....

**HYOPHORBE COMMERSONIANA**, *vide* CHRYSLIDOCARPUS LUTESCENS.

INDICA, *vide* CHRYSLIDOCARPUS LUTESCENS.

(ARECA) VERSCHAFFELTII, 10s. 6d., 15s. and 21s.

\***KENTIA AUSTRALIS** .....

BELMOREANA, *vide* HOWEA BELMOREANA.

\* **CANTERBURYANA**, *vide* HEDYSCEPE CANTERBURYANA.

ELEOANTISSIMA .....

\* **FORSTERIANA**, *vide* HOWEA FORSTERIANA.

MACARTHURII, *vide* PTYCHOSPERMA MACARTHURII.

\* **RUPICOLA**, a graceful Palm destitute of spines, with arching pinnate leaves and narrow sharply pointed pinnae. The young fronds have a lustrous pinkish bronze colour, which adds greatly to the beauty of the plant.

SAPIDA, *vide* RHOPALOSTYLIS SAPIDA.

WENDLANDIANA, *vide* HYDRIASTELE WENDLANDIANA.

\***LATANIA BORBONICA**, *vide* LIVISTONA CHINENSIS.

\* **COMMERSONI** (L. RUBRA), 1 and 1½ guinea.

**LEOPOLDINAPULOHRA**, *vide* Cocos WEDDELLIANA

**LEPIDOZAMIA PEROFFSKYANA** (MACROZAMIA DENISONI) .....

**LICUALA GRANDIS**, *vide* pago 5.

**LIVISTONA ALTISSIMA**, 10s. 6d., 15s. and 21s.

\* **AUSTRALIS** (CORYPHA AUSTRALIS), 1s. 6d., 2s. 6d., 3s. 6d. to 10s. 6d.

\* **CHINENSIS** (LATANIA BORBONICA, L. SINENSIS, L. MAURITIANA), in all sizes, from 2s. 6d. 3s. 6d., 5s., 7s. 6d., 10s. 6d., 15s. and 2 to 3, 4 and 5 guineas each.

**HOOGENDOHRFFI**, a fine Stovo Palm, of spreading habit; the leaves, which are nearly three feet broad, are palmately divided, the segments being broad, giving the leaves a bold and distinctive character. 5s., 7s. 6d. and 10s. 6d.

**INERMIS**, an elegant and ornamental species introduced from Queensland. It early develops characterized leaves, which are fan-shaped in outline and divided almost to the petiole into linear lanceolate segments, each about half-an-inch in breadth. 10s. 6d., 15s. and 1 guinea.

\* **MAURITIANA**, *vide* L. CHINENSIS.

ROTUNDIFOLIA (SUBGLOBOSA), 5s.

\* **SINENSIS**, *vide* L. CHINENSIS.

\***MACROZAMIA CYLINDRICA** .....

\* **DENISONI**, *vide* LEPIDOZAMIA PEROFFSKYANA.

\* **PLUMOSA**, 2, 3 and 4 guineas.

**MAXIMILIANA REGIA**, 7s. 6d. and 10s. 6d.

**ONCOSPERMA FASCICULATUM**, an ornamental and elegant Stove Palm from Ceylon, which

in the adult condition attains considerable size. In the young plants, the leaflets are lanceolato-acuminate in shape, and gradually attain a pinnate form as fresh leaves develop. The rachis is covered with brown fluffy scales, and is provided with long black spines. 21s.

**OREODOXA SANCONA**, *vide* EUTERPE EDULIS.

**PHENIXOPHORUM SECHELLARUM**, *vide* STEVENSONIA GRANDIFOLIA.

\***PHENIX COMPACTA**, a dwarf-growing hybrid, the result of a cross between *P. equinotialis* and *P. leonensis*; its dense compact habit of growth will render it extremely useful for decorative purposes ..... 5s., 7s. 6d. and 10s. 6d.



GEONOMA GRACILIS.



HOWEA (KENTIA) BELMOREANA.



RHOPALBLASTE HEXANDRA.

For description, *vide* page 108.



- \***PHŒNIX DACTYLIFERA** (THE DATE PALM) ..... 10s. 6d., 15s. and 21s.  
 HYBRIDA, this elegant Palm is a hybrid between *P. dactylifera* and *P. farinifera*. It has a short stout stem, somewhat similar to *P. dactylifera*, but with the more slender and less rigid fronds of *P. farinifera*. The fruits are not much larger than the last named, and are of a glaucous red colour when mature ..... 21s. and 31s. 6d.
- INTERMEDIA, an interesting hybrid between *P. sylvestris* and *P. aquinactialis*. It is of dwarf compact habit, and will be found a useful and effective Palm for the decoration of the greenhouse and conservatory ..... 5s., 7s. 6d. and 10s. 6d.
- \* **RECLINATA** .... 3s. 6d., 5s., 7s. 6d. and 10s. 6d.
- \* **RUPICOLA**, this is one of the most exquisitely graceful among the smaller Palms, and in elegance takes a similar place among Phoenixes to that of *Cocos Weddelliana* among Cocoses. It is of acaulescent habit, with wide-spreading arching pinnate leaves, broadly lance-shaped in outline, with long narrow pinnae, the lower of which become gradually reduced to spines. It comes from India, and is a most valuable acquisition. 3s. 6d.  
 fine plants, 21s., 31s. 6d. and 42s.
- \* **SYLVESTRI**, a Sugar-yielding Palm  
 1s. 6d., 2s. 6d., 3s. 6d. and 5s.
- PINANGA KUHLEI** ..... 7s. 6d. and 10s. 6d.
- LEPIDA** ..... 21s.
- MACULATA** ..... 10s. 6d. to 21s.
- SPECTABILIS** ..... 21s.
- PRITCHARDIA AUREA** ..... 1½, 2 and 3 guineas.  
 GRANIS, vide *LICUALA GRANIS*, page 5.
- PTYCHOCOCCUS PARADOXUS**, vide page 4.
- \* **PTYCHOSPERMA ALEXANDRE**, vide *ARCHONTOPHŒNIX ALEXANDRE*.
- \* **CUNNINGHAMIANA**, vide *ARCHONTOPHŒNIX CUNNINGHAMIANA*.  
**MACARTHURII** (*KENTIA MACARTHURII*) ..... 3s. 6d., 5s. and 7s. 6d.
- \* **RHAPHIS FLABELLIFORMIS** ..... 5s., 7s. 6d. to 21s.  
**HUMILIS** ..... 21s. and 31s. 6d.
- RHOPALOLASTE HEXANDRA**, a very handsome and remarkably graceful palm, with dark olive-green pinnate leaves, broadly ovate in outline, composed of numerous narrow elongated segments, in which the midrib is most prominent on the upper surface. The leaf stalks, which are broad and sheathing at the base, are sparsely covered with a ferruginous rufescence. Being a spineless palm, of good habit and exceedingly elegant appearance, it is admirably adapted for table and other decorative purposes. Vide illustration page 107. Price on application.
- \* **RHOPALOSTYLIS BAUERI** (*ARECA BAUERI*, *SEAFORTHIA ROBUSTA*) ..... 5s., 7s. 6d. and 10s. 6d.  
**SAPIDA**, "NIKAU PALM" (*ARECA SAPIDA*, *KENTIA SAPIDA*) ..... 3s. 6d., 5s. and 7s. 6d.
- SABAL ADANSONI**, "DWARF PALMETTO" ..... 3s. 6d. and 5s.  
**GLAUCESCENS** ..... 7s. 6d. and 10s. 6d.  
**UMBACULIFERA** (*BLACKBURNIANA*), noble and very distinct ..... 3s. 6d. and 5s.
- \* **SEAFORTHIA ELEGANS**, vide *ARCHONTOPHŒNIX CUNNINGHAMIANA*  
**ROBUSTA**, vide *RHOPALOSTYLIS BAUERI*
- STANGERIA PARADOXA** ..... 10s. 6d.
- STEVENSONIA GRANDIFOLIA** (*PHŒNICOPHORIUM SECHELLARUM*) ..... 1, 1½, 2 to 5 guineas.
- THRINAX CHUCCO** ..... 5s. and 7s. 6d.  
**ELEGANS**, very handsome for exhibition purposes ..... 5s., 7s. 6d. and 10s. 6d.  
**ELEGANTISSIMA**, an exceedingly elegant and graceful Palm ..... 15s. and 21s.
- \* **PARVIFLORA** ..... 3s. 6d., 5s. and 7s. 6d.
- TRACHYCARPUS EXCELSUS** (*CHAMEROPS EXCELSA*), in all sizes, from 3s. 6d., 5s., 7s. 6d., 10s. 6d. and 15s. to 2, 3, 4 and 5 guineas each.  
**FORTUNEI** (*CHAMEROPS FORTUNEI*), in all sizes, from 3s. 6d., 5s., 7s. 6d., 10s. 6d., and 15s. to 2, 3, 4 and 5 guineas each.
- WALLICHIA DENSIFLORA** ..... 21s. and 31s. 6d.  
**NANA** .....
- \* **ZAMIA BREVIFRONS** ..... 1½ and 2 guineas.
- \* **FURFURACEA** ..... 2 and 3 guineas.
- \* **INTEGRIFOLIA** ..... 2 and 3 guineas.
- \* **LEHMANNI**, vide *ENCEPHALARTOS LEHMANNI*.  
**LINDENI** .....
- \* **PRASINA** ..... 1½ guinea.
- \* **ROEZLII** .....
- \* **SKINNERI** .....
- \* **VILLOSA**, vide *ENCEPHALARTOS VILLOSA*.
- \* **VROOMII**, vide *ENCEPHALARTOS VROOMII*.



PHŒNIX RUPICOLA.



## NEW AND CHOICE CALADIUMS.

Mr. WILLIAM BULL'S Selection of Twelve Varieties, 18s., 30s. and 42s.

Mr. WILLIAM BULL has the pleasure to offer this year, many magnificent and beautiful New Varieties distinguished in the following list by the names being printed in darker type.

**ACQUISITION**, gauze-like transparent leaf, with a delicate pinkish-purple sheen, very beautiful. 42s.

**AD MADSEN**, yellowish-white leaf, with reddish ribs. 10s. 6d.

**ADOLPHE ADAMS**, green, speckled with white; rose-coloured ribs. 2s. 6d. & 3s. 6d.

**ADOLPHE ANDRIEU**, large richly coloured leaves. 3s. 6d.

**ADRIAN**, small red leaves, margined with greenish-yellow. 31s. 6d.

**AGRIPPINE DIMITRY**, white ground, green margin and veins, pink centre. 3s. 6d.

**AÏDA**, transparent ruddy rose tissue with green ribs. 5s.

**ALBO-LUTEUM**, yellowish-white suffused green. 3s. 6d.

**ALCIBIADE**, crimson-rayed centre, surrounded with pale green and blotched with pure white; green margin. 3s. 6d.

**ALCIDE MICHAUX**, 3s. 6d.

**ALFRED BLEU**, green, with white spots and flesh-coloured centre. 2s. 6d.

**ALFRED MAME**, carmine-red, bordered with white and spotted with rose. 7s. 6d.

**ALICE FLEMMING**, soft rose, margined green. 3s. 6d. and 5s.

**ALICE VAN GEERT**, creamy-white, veined rose. 5s.

**ALPHAND**, green, spotted red; crimson centre. 2s. 6d. & 3s. 6d.

**ALPHONSE KARR**, carmine centre and red spots. 3s. 6d.

**ALTAIR**, metallic red shaded with magenta and spotted dark green. 7s. 6d.

**ALZIRE**, 7s. 6d.

**AMALTHÉE**, 3s. 6d.

**AMCENUM**, transparent rose, with red ribs, violet-rose veins green margin. 3s. 6d.

**ANDROMAQUE**, pure white with green veins, crimson nerves. 7s. 6d.

**ANGELO**, small pink leaves, yellowish-green margin. 31/6.

**ANNA DE CONDEIXA**, rose centre, with clear green margin, and white, yellow and dark green zone. 3s. 6d.

**ANNIBAL**, rosy-red, with carmine veins, green margin. 3s. 6d.

**ANTONIO**, dwarf; reddish-pink leaves, yellowish edge; very pretty. 31s. 6d.

**APELLES**, dark green, with rosy-carmine nerves. 5s.

**ARASSUAHY**, lovely rose leaves. 7s. 6d.

**ARETHUSE**, rose and white, margined green; deep rose veins. 3s. 6d.

**ARGYRITES**, pale green with white spots. 1s. 6d. & 2s. 6d.

**ARIADNE**, whitish-green ground interlaced with a network of red veins; ribs red. 31s. 6d.

**ARISTEE**, 3s. 6d.



**ARISTIDE**, light green; crimson centre. 3s. 6d.

**ARSINOË**, 3s. 6d. and 5s.

**ARTEMISE**, silvery-white with rosy-crimson ribs. 3s. 6d.

**ASSUNGUY**, transparent leaves, with black green veins, entire leaf suffused with deep rose-pink. 10s. 6d.

**ATALA**, soft rose with dark green veins. 3s. 6d.

**AUGUSTE CARPENTIER**, carmine-red centre, surrounded with reddish-maroon and margined golden-green. 5s.

**AUGUSTE LEMOINIER**, soft green centre and rosy-crimson rib and veins. 3s. 6d.

**AUGUSTE RIVIERE**, white centre and rays, and crimson spots. 3s. 6d.

**AUORE BOREALE**, dark red, spotted with bronzy-green, reddish carmine ribs. 7s. 6d.

**AYMORE**, ivory white centre, green border spotted with red. 21s.

**AZULAO**, centre transparent, light violet with bluish tint, bright green border. 7s. 6d.

**BACURY**, large leaf, greenish yellow ground, centre rosy-red; ribs and veins bright rosy-crimson. 10s. 6d.

**BARAO DE MAMORE**, white ground reticulated with green; centre and ribs marked with dark brown red; narrow green border. 10s. 6d.

**BARAQUINII BUCEPHALE**, crimson margined with green. 3s. 6d.

**BARAQUINII SUPERBUM**, 3s. 6d. and 5s.

**BARBACENA**, rose and green, with black ribs; very distinct. 21s.

**BARBARA**, dwarf grower, with dark violet-red leaves. 31s. 6d.

**BARILLET**, green, bright rosy crimson centre and ribs. 3s. 6d. and 5s.

**BARON ADOLPHE de ROTHSCCHILD**, reddish crimson with lighter centre, ornamented with bright rose spots. 31/6.

**BARON DE ROTHSCCHILD**, mottled green, with red centre and spots. 3s. 6d.

**BARONEZA DE OLIVEIRA CASTRO**, bluish pink leaves. 10s. 6d. and 15s.

**BARONNE CLARA de HIRSCH**, long creamy-white leaves, ornamented with groups of rose-coloured dots, rich brownish-red nerves. 21s.

**BARONNE JAMES DE ROTHSCCHILD**, delicate rose with red veins. 5s. and 7s. 6d.

**BARRAL**, bright green, with a fine red centre, and large spots of rose. 3s. 6d. and 5s.

**BEETHOVEN**, white, veined with green, rib delicate rose. 2s. 6d.

**BEIJA-FLOR**, dark rose centre, margin bright green, bright red veins. 10s. 6d.

**BELLEMEI**, white variegated leaves. 2s. 6d.

**BELLINI**, rose centre, surrounded with pale green; rose spots. 3s. 6d.

**BELLONE**, centre carmine rose, passing to dark red with metallic lustre. 3s. 6d.

**BENEVENTE**, transparent glossy pink leaves. 21s.

**BENJAMIN CONSTANT**, white ground, shaded red. 21s.

**BERNHARD WAGNER**, most beautiful dark crimson leaves; extra. 15s.

**BEROSE**, soft rose, surrounded with reddish crimson, edged with green. 5s.

**BICOLOR**. 1s. 6d.

**BICOLOR CANNAERTII**, reddish salmon, spotted with white. 2s. 6d.

**BICOLOR FULGENS**, bright green with deep red margins. 3s. 6d.

**BICOLOR SERICEUM**, dark crimson-red with green margin. 7s. 6d.

**BICOLOR SPLENDENS**. 2s. 6d.

**BILONTRA**, transparent pale bluish centre, shaded with violet, surrounded with greyish white. 31s. 6d.

**BOIELDIEU**, superior to *bicolor splendens*. 3s. 6d.

**BOSPHORE**. 5s.

**BOTAFOGO**, a splendid variety, centre bright red, intensified in the veins, distinct margin of greenish primrose. 10s. 6d.

**B. S. WILLIAMS**, dark rose, veined with carmine. 7s. 6d.

**BRONGNIARTII**, 2s. 6d. & 3s. 6d.

**BUREL**, dark bluish green veined bright rose, marked with rosy-violet. 3s. 6d.

**CACAPAVA**, creamy yellow with broad red ribs. 10s. 6d.

**CACIMBINHAS**, dwarf grower with small reddish-crimson leaves. 15s.

**CAJUBI**, centre fiery red, surrounded by a darker zone; green border. 10s. 6d.

**CALABAR**, centre dark brownish-red, a new colour. 21s.

**CALYPSO**. 3s. 6d.

**CANDIDUM**, white ground with strongly marked ribs. 5s.

**CANNERTII**, leaves flushed with salmon-red, and spotted white. 2s. 6d.

**CAPIBARIBE**, centre dark fiery red, the yellowish edge laced with dark red veins; magnificent variety. 21s.

**CARACAS**, white, spotted yellow; soft rose veins. 10s. 6d.

**CARAMURU**, magnificent pink leaves with vivid crimson ribs. 15s.

**CARAPAPORIS**, magnificent large crimson leaves. 21s.

**CARDINALE**, brilliant red, dotted with golden-yellow and greenish-yellow. 7s. 6d.

**CASSANDRA**, cream coloured ground, turning to a beautiful bright red colour. 31s. 6d.

**CAVALIER**, transparent rose centre; yellowish border, overlaid with dark tinge; distinct. 42s.

**C. E. DAHLE**, transparent leaf, suffused and blotched rose; green margin. 7s. 6d.

**CERES**, rich green with rosy-salmon centre. 5s.

**CHACTAS**, deep red with green margin. 5s.

**CHANTINII**, reddish ground, spotted with white. 2s. 6d.

**CHANTINII FULGENS**. 3s. 6d. and 5s.

**CHARLEMAGNE**, large rosy-red leaves, nerves dark red. 5s.

**CHARLES VERDIER**, fine green, with bluish-pink centre and spots. 2s. 6d. & 3s. 6d.

**CHELSONI**, bright glossy green, suffused with brilliant red, and blotched crimson. 2s. 6d.

**CHICORINHA**, dark rose ground, spotted red. 15s.

**CHLOE**, pale green, spotted with white and veined with rose. 5s. and 7s. 6d.

**CHLORIS**, rosy red; green margin with white blotches. 3s. 6d.

**CLAUDIUS**, red centre with carmine ribs; greenish-yellow margin. 31s. 6d.

**CLIO**, ground colour deep rose shaded white; green ribs, and narrow green margin. 5s.

**COIMBRA**, yellowish ground, lilac-rose ribs and veins; bordered rich green. 10s. 6d.

**COMTE DE GERMINY**, dull-red leaves with brighter veins, maculated white. 10s. 6d.

**COMTESSE DE BROSSE**, leaves deep rose, veins carmine. 7/6

**COMTESSE DE CONDEIXA**, white ground shaded rose; carmine-red veins; narrow green margin. 5s.

**COMTESSE DE MAILLE**, white ground, veined with bright rosy-red and green. 3s. 6d.

**COMTESSE DU BERTHIER**, pearl-white with rose veins. 3s. 6d.

**COMTESSE FERD. DEMAILLE**, 3s. 6d.

**COMTESSE FERD. de LESSEPS**, large bright rosy-red leaves, veins rich carmine. 5s.

**COMUS**, young leaves of a transparent citron colour, turning to light green. 21s.

**CONCORD**, coppery - rose leaves with bronze shade; quite a new shade. 42s.

**CONDOR**, leaf almost entirely red; a magnificent variety. 31s. 6d.

**CONQUEROR**, bright red leaves, with brilliant crimson ribs. 42s.

**CORINTH**, dwarf grower, with beautiful pinkish-purple leaves. 42s.

**CORSAIR**, large brilliant red leaves; extra fine. 31s. 6d.

**COYPEL**, deep red, green margin. 3s. 6d.

**CRYSTAL**, gauze-like transparent leaves, milk-white with pink sheen, ribs and veins cream coloured; very beautiful. 15s.

**CYPRIS**, bright red, netted with violet-rose, green margin. 3s. 6d.

**DAMON**, large crimson-red leaves; a grand variety. 31/6

**DARIUS**, green, with reddish veins. 3s. 6d.

**DE CANDOLLE**, green, spotted with red. 3s. 6d.

**DE HUMBOLDT**, glossy green, spotted with scarlet. 3s. 6d.

**DELICATISSIMUM**, pearl-white, flushed with carmine. 5s.

**DEVINCK**, leaves heart-shaped; delicate pink centre ribs, with white spots. 3s. 6d.

**DIADEM**, fine red leaves, shaded and bordered with yellow. 31s. 6d.

**DIAMANTINA**, transparent bright red centre, breaking into the green margin in a series of maculations; carmine red veins. 10s. 6d.

**DIANE**, centre bright rose; light green margin. 3s. 6d.

**DONA CARMEN MACEDO**, transparent pink leaves with green veins. 10s. 6d.

**DONIZETTI**, rich red centre, green border, rose spots. 3s. 6d.

**DON PEDRO D'ALCANTARA**, transparent leaves, intense dark claret colour, ribs and edge yellowish. 10s. 6d.

**DR. BOISDUVAL**, centre rayed crimson; snow-white blotches on a green ground. 3s. 6d.

**DR. FELIPPE MEYER**, green with white centre, spotted red. 10s. 6d.

**DR. LINDLEY**, crimson centre, the green ground marked with rose blotches. 3s. 6d.

**DR. L. WITTMACK**, leaves pink and green, blue-black ribs. 10s. 6d.

**DR. SINGELMANN**, ivory-coloured leaf, shaded red, the ribs lying in a broad current-transparent zone, scalloped and radiated. 10s. 6d.

**DUCHESS**, dwarf; peculiar small narrow red leaves. 31/6

**DUCHESS DE MORTEMART**, transparent pearl-white leaves. 5s.

**DUCHESS OF PORTLAND**, creamy-white, suffused with green, pale rose centre, veined white. 7s. 6d.

**DUC DE CLEVELAND**, red centre, surrounded with pea-green; red spots. 3s. 6d.

**DUC DE MORNAY**, deep green leaf borders with large crimson-rayed centre. 3s. 6d.

**DUC DE MORNAY SPLENDIDUM**, crimson centre, rayed into deep green border. 5s.

**DUC DE NASSAU**, brilliant red centre and ribs, white spots. 2s. 6d. and 3s. 6d.

**DUC DE RATIBOR**, green with red midribs and white spots. 2s. 6d. and 3s. 6d.

**DUCHARTRE**, leaf ground white, flushed rose, green veins and red spots. 3s. 6d.

**DUKE OF DEVONSHIRE**, bronze veined, deep crimson and spotted with red. 7s. 6d.

**DUKE OF PORTLAND**, carmine, veined with dark crimson, pale green margin. 7/6

**EDOUARD ANDRE**, crimson centre with rose blotches. 3s. 6d.

**EDOUARD MOREAUX**, margin mottled green with lake centre. 3s. 6d.

**E. G. HENDERSON**, green, with transparent rose spots and mottled crimson rays and centre. 2s. 6d.

**ELFRIDA**, transparent cherry-red, glossy leaves; very beautiful. 31s. 6d.

**ELVINA**, bright green, blotched with red; grey centre and veins. 3s. 6d.

**EMBLEM**, beautiful glossy leaves of a transparent cherry-red shade. 42s.

**EMILIE VERDIER**, leaves of a light transparent rose colour, spotted with red. 3s. 6d.

**ERNEST CAILLE**, delicate rose, green margin with white spots, veins deep rose. 7s. 6d.

**ERNST BENARY**, leaves crimson, shaded violet. 10s. 6d.

**ERNST SCHMIDT**, white with green tinged rose; distinct. 7/6

**E. SALADIN**, soft rose spotted with dark rose, violet veins. 5s. and 7s. 6d.

**ETOILE D'ARGENT**, bright green with creamy-white veins. 5s.

**EUGCHARIS**, rose centre with violet reflections margined with bright green. 5s.

**EURYDICE**, transparent white leaves spotted with red. 15s.

**EUTERPE**, scarlet lake with rose spots. 3s. 6d. and 5s.

**EXCELLENT**, blotched crimson and white, margined green, carmine veins. 3s. 6d.

**FAIRBAIRN**, red veins and white ribs. 7s. 6d.

**FAUST**, red, bordered dark green, rose spots. 5s.

**FELICIEN DAVID**, carmine centre, surrounded white, and veined with red on green ground. 3s. 6d. and 5s.

**FELIX PETIT**, dark carmine with green border. 5s.

**FERDINAND DE LESSEPS**, dark carmine-red ground with violet-rose ribs and deep green spots. 5s.

**FLORE**, bright green margins, soft carmine veins. 5s.

**FLORIAN**, long narrow leaf, bright carmine rose. 31s. 6d.

**FRANZ JOSST**, yellowish-white with rose centre. 5s.

**FRED. BAUSE**, rosy red with green margin. 3s. 6d.

**FRUCTAL**, copper-red, edge greenish-yellow. 10s. 6d.

**FULGIDUM**, large rose centre, green margin. 5s.

**GABRIELLE LEMOINIER**, silver white translucent leaves, centre veined green. 5s.

**GARNET**, large crimson leaves, very striking. 31s. 6d.

**GARTEN-DIRECTOR GIREOUD**, large leaves thickly strewn with brownish-red spots on an ivory-white ground, ornamented along the ribs with rose dots. 10s. 6d.

**GASPARD CRAYER**, intense deep red leaves, bordered with greenish violet. 3s. 6d. and 5s.



**GASTON CHANDON**, large creamy white leaf. 3s. 6d.

**GAZE DE PARIS**, translucent leaves, green ribs. 3s. 6d.

**GENERAL**, large and handsome fiery-red leaves, green border; extra fine. 31s. 6d.

**GEORGES BERGER**, dwarf variety with long leaves, centre brilliant scarlet, margined with golden-green mixed with red. 21s.

**GERARD DOW**, pale yellow ground, carmine midrib, deep red veins, narrow green margin. 5s.

**GLUCK**, dark red, green margin with red spots. 3s. 6d.

**GOLDEN QUEEN**, pale golden yellow. 5s.

**GOSSEC**, pearl-white with carmine veins. 5s.

**GRATIOSUM**, deep green, edged white, red veins. 3s. 6d.

**GRETRY**, carmine centre, with white spots. 3s. 6d.

**GUANABARA**, light rose spots on a cream-coloured ground. 10s. 6d.

**GUARAREMA**, green with white spots, crimson veins. 7s. 6d.

**GUIL-MAR**, cream coloured ground, mingled with dark salmon; a magnificent variety. 21s.

**GURUPA**, dark blood-red in centre; fine. 15s.

**HALEVY**, white midribs and crimson blotches. 3s. 6d.

**HEBE**, whitish ground, with rose spots, veined rose. 7s. 6d.

**HENRIETTE BASSET**, netted and veined rose, margined with yellow. 10s. 6d.

**HERMIONE**, large silvery rose leaves, margined with green. 10s. 6d.

**HERMON**, dwarf grower, leaves a peculiar brownish-red; a new colour. 31s. 6d.

**HEROLD**, dark carmine veins, surrounded by light green, blotched pure white. 3s. 6d.

**HOMERE**, red centre, green margin. 10s. 6d.

**HORACE**, red centre, spotted yellow, green margin. 5s. and 7s. 6d.

**HOULLETTI**, green with white spots. 2s. 6d. and 3s. 6d.

**HRUBYANUM**, white, green veins, blotched rose. 3s. 6d. and 5s.

**IANTHE**, magnificent crimson-red leaves, greenish edge. 42s.

**IBICUHY**, creamy-yellow, shaded with rose. 10s. 6d.

**IBIS ROSE**, a magnificent variety, with rich rose-coloured foliage. 10s. 6d. and 15s.

**IBIS ROUGE**, deep rose, netted carmine. 21s. and 31s. 6d.

**ICARUS**, very fine large red leaves; most striking. 31s. 6d.

**IDA**, white and green ground with rose veins. 10s. 6d.

**IGUATU**, rose and green, with blue-black leaves. 10s. 6d.

**IMPERATRICE EUGENIE**, rose centre with carmine veins. 3s. 6d.

**IMPERATRIZ THEREZA**, chalk-white heavily suffused with rose, black veins. 10s. 6d.

**INDEPENDENCIA**, transparent leaf, ground colour creamy white, suffused and mottled with reddish rose; emerald green veins. 10s. 6d.

**ISADORE LEROY**, rich metallic green, with crimson-red centre rays. 3s. 6d.

**ISIS**, bright rose, veins violet-carmine. 5s.

**ITATIBA**, small red leaves, edged with creamy-yellow. 10s. 6d.

**JAGUARUNA**, creamy-yellow with dark red; magnificent. 21s.

**JAMES H. LAING**, pink and rose, bordered green. 10s. 6d.

**J. C. SCHMIDT**, dark red, with metallic lustre. 7s. 6d.

**JESSICA**, dwarf grower, with small reddish-pink leaves, margined with yellowish-green. 31s. 6d.

**JOAQUIM NABUCO**, dark crimson-red centre and ribs. 21s.

**JOHN LAING**, centre bright rosy-red, bordered with creamy-white. 10s. 6d.

**JOHN PEED**, reddish scarlet with light green border. 42s.

**JOHN R. BOX**, red and greenish-maroon ground; carmine-red veins; violet-rose centre. 3/6.

**JOINVILLE**, fine leaves with dark red centre. 10s. 6d.

**JULES DUPLESSIS**, bright rose centre, shaded with red and bordered green. 3s. 6d.

**JULES PUTZEYS**, rich green with crimson mid-rib and veins, and red spots; centre mottled grey. 3s. 6d.

**JULIUS**, very dark leaves, with central red tints; extra fine. 42s.

**JUMNA**, a magnificent variety, the whole leaf of a transparent dark claret colour; yellowish ribs and edge. 42s.

**JUNON**, reddish-carmine, margined light green. 3s. 6d.

**JUPITER**, green with red veins. 3s. 6d.

**KETELEER**, red centre, margined green and spotted with rose. 3s. 6d.

**LAINGII**, reddish-carmine centre; the whole of the leaf sprinkled with white. 3s. 6d.

**L'ALBANE**, white, with green veins. 3s. 6d.

**LA LORRAINE**, rosy-carmine, narrow green margin; a brilliant variety. 10s. 6d. & 15s.

**LAMARTINE**, crimson centre, white and red spots. 3s. 6d.

**LA NACRE**, a beautiful variety with flesh coloured transparent leaves, reflected like mother-of-pearl, veins dark carmine. 3s. 6d. and 5s.

**LA PERLE DU BRESIL**, white, delicately tinted with rose, midrib dark green. 3s. 6d.

**L'AUREOLE**, orange-red, carmine veins, creamy-white margin. 5s. and 7s. 6d.

**L'AUTOMNE**, creamy-white, with bluish maculations. 5s.

**L'INSOLITE**, dark yellowish-green, margined with apple-green, spotted with bright red. 21s.

**LE CARAVAGE**, white ground, shaded with reddish-carmine, intersected with bright green veins, ribs reddish-brown; very distinct. 42s.

**LE CORREGE**, bright metallic red. 5s.

**LE GRAND SUCCÈS**, large opaline white leaves. 5s.

**LE NAIN ROUGE**, dwarf variety with copper-red leaves. 7s. 6d.

**LEOPOLD ROBERT**, rosy-white ground; carmine-red veins shaded with reddish-brown; green margin. 3s. 6d. and 5s.

**LEPESCHKINEI**, leaves marked with rich rose spots; bright red centre. 3s. 6d.

**LEPLAY**, leaves marked with white, and beautifully veined with rosy-violet. 3s. 6d.

**LE TITIEN**, rich green and red, magenta veins. 3s. 6d.

**LILLIE BURKE**, leaves greenish-white, suffused rose in centre, nerves and veins bright rose. 10s. 6d. and 15s.

- LINNE**, a dwarf variety, forming elegant tufts of clear grey leaves, marked with network of rose veins, and maculated with white. 42s.
- LOUISE DUPLESSIS**, red rays and veins on a white ground; green margin. 3s. 6d.
- LOUIS POIRIER**, green, red centre with white spots. 3s. 6d.
- LOUIS VAN HOUTTE**, large copper-red leaves, veins dark violet. 10s. 6d.
- LUCIDUM**, transparent leaves, silvery-white with network of green veins. 21s.
- LUGY**, pale green, white midrib. 3s. 6d.
- LUDEMANNI**, deep crimson ribs; the leaf blotched with magenta and white. 3s. 6d.
- LULLI**, deep red, spotted white. 3s. 6d. and 5s.
- LURLINA**, pale green, white blotches. 7s. 6d.
- LUTEUM AURATUM**, glittering yellow, shaded with green, dark centre. 10s. 6d. and 15s.
- LYMINGTON**, centre ivory-white, surrounded with dark green prettily spotted. 5s. and 7s. 6d.
- MADAME ALFRED BLEU**, deep green, with large white blotches, and broad crimson-scarlet veins. 2s. 6d. and 3s. 6d.
- MADAME ALFRED BLEU MAJOR**, large round white leaves, shaded rose, nerves rosy-red and green. 10s. 6d.
- MADAME ALFRED MAGNE**, transparent leaves, dark earmine red, with yellowish white margin, centre vein violet red. 10s. 6d.
- MADAME ALFRED MAME**, light green, covered with large white spots; rosy-earmine centre. 2s. 6d. and 3s. 6d.
- MADAME ANDRIEU**, crimson centre rays with pink spots. 5s.
- MADAME DE LA DEVAN-SAYE**, leaves white, shaded rose, and veined with red and green. 3s. 6d.
- MADAME D'HALLOY**, silver white, suffused with rose, veined carmine. 5s.
- MADAME DOMBRAIN**, centre and ribs pale yellowish-green, shaded rose, and spotted with white and rose. 3s. 6d.
- MADAME ED. PYNAERT**, a splendid variety, with reddish-carmine leaves. 21s.
- MADAME FRITZ KÖCHLIN**, white ground, violet-rose ribs, green veins. 3s. 6d.
- MADAME GROULT**, rosy-red leaves, bordered with dark green, spotted with white. 10s. 6d.
- MADAME HEINE**, silvery-white, stained and edged with pale green; distinct. 3s. 6d.
- MADAME HOULLET**, large leaves, with clustering bluish-white blotches. 3s. 6d.
- MADAME HUBER**, bright red, margin soft green. 5s.
- MADAME HUNNEBELLE**, white ground with red veins, green margin. 3s. 6d.
- MADAMEIMBERT KÖCHLIN**, green with large dark red spots. 5s. and 7s. 6d.
- MADAME J. R. BOX**, rose veins, pale green margin. 7s. 6d.
- MADAME JULES MENO-REAU**, white centre, tinted rose, veined rich bright rose, margined green. 3s. 6d.
- MADAME JULES PICOT**, translucent rosy-violet. 5s.
- MADAME LAFORGE**, centre and ribs reddish-crimson, with green margin. 3s. 6d.
- MADAME LEMOINIER**, pale rose with darker ribs; veins and centre encircled with creamy-white. 5s.
- MADAME LEON SAY**, leaves earmine-red margined with creamy-white. 10s. 6d.
- MADAME MARCHAND**, violet-red, margin green. 5/- & 7/6
- MADAME MARJOLIN SCHEFFER**, white foliage, charmingly veined and netted with rosy-lake. 3s. 6d.
- MADAME MERCIER**, green, rose centre and veins, pink spots. 7s. 6d.
- MADAME MITJANA**, transparent reddish-crimson, rose centre. 5s. and 7s. 6d.
- MADAME PATTI**, a pretty dwarfish growing variety. 5s.
- MADAME SCHMITT**, a very striking dwarf growing variety, leaves brilliant red in the centre, surrounded with a broad band of bright green, ornamented with red, rose and white maculations. 3s. 6d. and 5s.
- MADAME T. DE VIGIER**, rosy-white, carmine nerves. 3s. 6d.
- MADAME WILLAUME**, delicate salmon-rose coloured transparent leaves. 3s. 6d.
- MANACAPURU**, centre silvery white with green veins; margin green. 31s. 6d.
- MARAPATA**, dwarf grower, small fiery-red leaves. 15s.
- MARCHANDII**, deep green, yellow centre, violet veins. 10s. 6d.
- MARGUERITE GELINIER**, bright rose centre, with zone of greyish white, nerves rosy-violet. 10s. 6d. & 15s.
- MARIA MITJANA**, very bright rose, translucent leaves. 7s. 6d.
- MARIE FREEMAN**, rosy-carmine, netted and veined. 7s. 6d.
- MARQUIS DE CAZAUX**, red centre and veins, with rose blotches on margins. 3s. 6d.
- MARQUIS F. D'ALBERTAS**, centre silvery-white, surrounded with bright green, maculated with white and suffused rose. 5s.
- MARS**, clouded crimson centre, the whole leaf spotted with crimson. 3s. 6d.
- MARTHA**, white, blotched green, red veins. 5s.
- MARTHA LAFORGE**, rosy-earmine leaves, spotted with light green, and maculated with white. 15s. and 21s.
- MASACCIO**, red spotted with green. 7s. 6d.
- MAXIME DUVAL**, fine broad crimson centre and ribs, green margin. 3s. 6d.
- MAX KOLB**, light green ground with pale centre; distinct. 2s. 6d. and 3s. 6d.
- MEM DE SA**, splendid crimson, glossy leaves, with darker ribs; very striking. 21s.
- MERCADANTE**, pale copper-coloured centre and veins, bordered with green. 3s. 6d.
- MERCÈDES DARGENT**, white leaves, marked with a network of rose-coloured nerves, veins bright rose. 15s. and 21s.
- MEYERBEER**, white leaf ground, green veins and red midribs. 2s. 6d. and 3s. 6d.
- MICHEL BUCHNER**, leaves brilliant red. 10s. 6d.
- MINERVE**, silvery-white midrib and rays, surrounded with greyish-white; green margin, with white spots. 3s. 6d.
- MINUS ERUBESCENS**, very dwarf; leaves reddish crimson, bordered green. 1s. 6d. & 2s. 6d.
- MIRACEMA**, an exceedingly beautiful variety, large milk-white leaves, veins feathered with soft pink. 10s. 6d.
- MIRITY**, 10s. 6d.
- MITHRIDATE**, bright crimson, green margin. 3s. 6d.
- MONSIEUR A. HARDY**, rich reddish-earmine veins on white ground, tinted with rose and spotted with green. 3s. 6d.



**MONSIEUR BRIAN WYNNE**, a dwarf variety, centre violet blue, the margin marked with large white maculations. 21s. and 31s. 6d.

**MONSIEUR CHABER**, large golden-yellow leaves, maculated with white. 15s. & 21s.

**MONSIEUR DEGLOS**, transparent crimson-red leaves. 5s.

**MONSIEUR D'HALLOY**, delicate rose, bright rose centre, red and green veins. 3s. 6d.

**MONSIEUR J. LINDEN**, fine large whitish leaf, with rose veins and green border. 3s. 6d.

**MONSIEUR LEON SAY**, copper-red leaves, maculated violet-rose. 10s. 6d.

**MONSIEUR PAUCHARD**, green with carmine veins. 7s. 6d.

**MONSIEUR S. WALTER**, large purplish-violet leaves spotted with greenish grey and white. 10s. 6d.

**MONSIEUR WILLAUME**, carmine veins, green margin with red spots. 5s.

**MOSSORO**, light centre with many large rose spots on a green margin; crimson veins. 31s. 6d.

**MOZART**, rose centre and veins on green ground. 3s. 6d.

**MRS. HARRY VEITCH**, fine reddish-gold leaves. 10s. 6d. and 15s.

**MRS. LAING**, white ground; deep rose centre and veins; green margin. 3s. 6d.

**MUCURIPE**, centre rose-pink, surrounded with greenish white, green margin. 10s. 6d.

**MUNDURUCU**, centre amaranth red, margined pale green. 21s.

**MURILLO**, dark crimson with white spots. 3s. 6d.

**NAPOLEON III.**, flamed crimson centre, with forked rays, and carmine-red spots. 3s. 6d.

**NOBILE**, white flushed rose; green veins. 5s.

**CEIPE**, white flushed with rose; veins rosy red. 10s. 6d.

**OEIRAS**, a distinct variety with large pale buff leaves; red veins. 21s.

**OMBRELLA PARISIENNE**, crimson-red, veins red, and green margin. 5s.

**ON SLOW**, deep rosy-crimson centre with green margin, spotted rose. 3s. 6d.

**ORACLE**, dark red centre, surrounded with a darker shade; rich green border. 31s. 6d.

**ORIFLAMME**, brilliant red, margined with green. 5s.

**ORNATUM**, golden-yellow ground; carmine ribs encircled with rosy-lake; red-violet veins. 3s. 6d.

**ORPHEE**, leaves rosy-white, veined bright carmine. 21s.

**OURO FINO**, white ground, carmine-red ribs, green margin. The young leaves are very beautiful. 10s. 6d. and 15s.

**PACILE ANGLAIS**, soft rose, red veins, dark green margin with rose spots. 3s. 6d.

**PAILET**, red centre, green margin with rose spots. 2s. 6d.

**PASHA**, leaves greenish yellow; speckled with red; reddish ribs. 21s.

**PAUL VERONESE**, pinkish-white centre, deep scarlet ribs and green margin. 3s. 6d.

**PEDRO ALVARES CABRAL**, a magnificent variety with very dark red leaves edged with yellowish green. 21s.

**PERIPERI**, red ribs on a white and green ground, shaded with red. 10s. 6d.

**PERIQUITO**, large broad green leaf, with white blotches and crimson veins. 10s. 6d.

**PETROPOLIS**, green with red veins. 3s. 6d.

**PHILIPPE HERBERT**, green with crimson rays. 2s. 6d.

**PHILIPPE SCHULDT**, white with carmine veins. 5s.

**PHÆBUS**, crimson centre and ribs; green margin. 5s.

**PIANCO**, transparent red, ribs dark crimson. 10s. 6d.

**PICURUHY**, small leaves, red, beautifully edged with pink. 10s. 6d.

**PINTADO**, creamy yellow ground, transparent purplish-rose spots between the veins. 15s.

**PIRARA**, small very dark red leaves; a magnificent variety. 21s.

**PORTIA**, large leaf, dark velvet red ribs on a dark rose ground, mixed with green. 31s. 6d.

**PREFET BERGER**, 5s.

**PRESIDENT DE LA DEVAN-SAYE**, leaves bright rosy-carmine, bordered with golden-green. 31s. 6d. & 42s.

**PRIAM**, lovely dark rose coloured leaves. 21s.

**PRINCE ALBERT EDWARD**, dark emerald-green, rich crimson radiating midrib, white spots. 2s. 6d.

**PRINCE OF WALES**, large golden-yellow leaves. 5s.

**PRINCESS ALEXANDRA**, rosy-salmon leaf, green centro rib, bordered with magenta-crimson; green margin with light pink chain. 3s. 6d. & 5s.

**PRINCESS BEATRICE**, 5s. and 7s. 6d.

**PRINCESS OF TECK**, golden orange-centre and veins. 5s.

**PRINCESS OF WALES**, golden-yellow, spotted with crimson. 5s.

**PRINCESS ROYAL**, leaves of a golden ground colour, with crimson centre. 5s.

**PROBUS**, very dark crimson leaves with metallic lustre. 42s.

**PROSERPINE**, dark green with carmine spots, rose centre and veins. 3s. 6d.

**PURUS**, leaves heavily suffused with rosy-red, veined blackish green and reticulated with bright green on a creamy yellow ground. 5s. and 7s. 6d.

**PUVIS DE CHAVANNES**, deep greyish-blue leaves with large brownish-red nerves and numerous large white spots. 42s.

**PUTUMAYO**, very dark pink transparent leaves; very beautiful. 21s.

**PYRRHUS**, centre and ribs deep crimson, green margin. 3s. 6d.

**QUADRICOLOR**, centre of leaf pale yellowish-green, ribs white, edged rosy-crimson, and margined green. 3s. 6d.

**RACINE**, bright rose and green, set off with prominent bright reddish-carmine veins. 42s.

**RAMEAU**, centre and ribs deep reddish-crimson, surface covered with white blotches, shaded red. 3s. 6d.

**RAOUL PUGNO**, very transparent, pale flesh colour, green margin. 3s. 6d. and 5s.

**RAULINII**, rich red centre and veins, finely spotted with white. 3s. 6d.

**RAYMOND LEMOINIER**, centre bright carmine-red, margined creamy-white. 3s. 6d. and 5s.

**RAYON D'OR**, very large golden-yellow leaves, fine and of vigorous growth. 21s.

**REINE DE DANEMARK**, leaves soft rose, with marking of dark green, veins bright carmine. 7s. 6d.

**REINE MARIE DE PORTUGAL**, violet-rose centre with red veins, dark maroon, zone-green border. 3s. 6d.

**REINE VICTORIA**, green veins and margins, spotted with white and crimson. 2s. 6d.

**RICCI**, greenish white, shaded crimson. 5s.

**RIO CLARO**, soft rose, margined with green, thickly spotted with pearly white. 3ls. 6d.

**RIO DE JANEIRO**, transparent pink leaves, green margin dotted with pink. 10s. 6d.

**ROBERT BROWN**, red centre shaded with rose; dwarf. 10s. 6d. and 15s.

**ROMA**, dark fiery red leaves; extra. 2ls.

**RONCADOR**, glossy dark rose leaves, with green veins. 10s. 6d.

**ROSE LAING**, white ground with bluish veins and ribs. 3ls. 6d.

**ROSINHA**, small fiery red leaves. 10s. 6d.

**ROSSINI**, pale centre, pink midribs, red blotches. 3s. 6d.

**ROSSINI SUPERBUM**, an improvement on *Rossini*. 5s.

**ROUILLARD**, green margin, pale green centre, midrib and rays violet-plum; leaf spotted crimson. 3s. 6d.

**RUBENS**, golden-green ground, shaded bright red and veined with dark brown. 5s.

**RUBRUM AURATUM**, bronzy red leaves; very striking. 2ls.

**RUBRUM METALLICUM**, violet-red, rose centre, margin copper-red. 7s. 6d.

**SANCHONIATHON**, crimson centre, deep crimson ribs and pale green margin. 3s. 6d.

**SALVATOR ROSA**, bright red centre tinted with rosy-violet; light green margin. 3s. 6d.

**SEMRAMIS**, rosy-white, bright carmine veins. 5s.

**SENATOR**, large red leaves shaded with bronze; red leaf stalk. 3ls. 6d.

**SIEBOLD**, red and gold, green margin, spotted red. 3s. 6d.

**SIRIUS**, centre scarlet-red, spotted with rosy-red and golden-green. 5s. and 7s. 6d.

**SIR WALTER SCOTT**, red with green margin, carmine veins. 3s. 6d.

**SOCRATES**, rosy-red, bordered green, white spots. 5s.

**SOFIA**, rosy-red, green margin, carmine veins. 5s.

**SOPHOCLE**, very bright red, bronzy green margin. 7s. 6d.

**SOUVENIR DE LILLE**, translucent delicate rose leaves, nerves bright rose. 7s. 6d.

**SOUVENIR DE MADAME BERNARD**, bright red centre, dotted with golden-yellow, green and white. 5s.

**SOUVENIR DE MADAME E. ANDRE**, green marbled with white, veined with rosy-crimson. 3s. 6d.

**SOUVENIR DE PARA**, a pretty dwarf variety with red and green leaves. 3s. 6d. and 5s.

**SOUVENIR DES TOUCHES**, carmine shaded violet; red veins, rose spots surrounded with white. 7s. 6d.

**SOUVENIR DU DOCTEUR BLEU**, reddish scarlet centre; pale green border shaded with rich red. 10s. 6d.

**SPLENDIDUM**, centre deep crimson, dark green border. 3s. 6d.

**SPONTINI**, pea-green, with whitespots and rosy-pink ribs and veins. 5s.

**SUASSUHY**, magnificent crimson leaves. 2ls.

**TENIERS**, rosy-red, light green margin, carmine veins. 7s. 6d.

**THERESA**, dwarf; delicate pink leaves. 3ls. 6d.

**TRAHIRAS**, striking pearl-white leaves; very beautiful. 10s. 6d.

**TRICOLOR**, grey-green with red-lake centre and carmine midribs. 5s.

**TRIOMPHE DE COMTE**, large leaves, centre bright carmine shading to dark reddish-purple, margined with olive green. 10s. 6d. and 15s.

**TRIOMPHE DE L'EXPOSITION**, crimson centre, red ribs, green border. 2s. 6d.

**TRIUMPHO**, centre dull red, crimson veins, yellow-green margin. 10s. 6d.

**TUPA**, magnificent fiery crimson leaves. 2ls.

**TYMBIRA**, peculiar leaves, clouded with rose. 10s. 6d.

**URANUS**, greyish-blue centre, bright green margin, spotted white. 3s. 6d.

**VAN DEN HECK**, 3s. 6d.

**VAN DYCK**, transparent rosy-lake, pale rose centre, grey-green margin. 3s. 6d.

**VELASQUEZ**, red with rosy-white centre. 3s. 6d.

**VELLEDA**, green, spotted white, pale red centre. 3s. 6d.

**VERDI**, green margin, centre crimson lake. 3s. 6d.

**VERONA**, large soft rose leaves with bright red centre, veins red and green. 3ls. 6d.

**VESTA**, greenish-white veins, surrounded with crimson; leaf spotted rose. 3s. 6d.

**VICOMTESSE DE LA ROQUE-ORDAN**, red midrib and rays bordered white; green margin. 2s. 6d.

**VILLE DE HAMBOURG**, rosy red, prettily netted with carmine. 5s.

**VILLE DE LAON**, the outer part of leaf apple green, maculated with rosy red, the principal ribs and veins bright red. 2ls.

**VILLE DE MULHOUSE**, greenish-white, shaded rose; rich green centre. 3s. 6d.

**VIOLACEUM**, metallic green leaf, light margin. 3s. 6d.

**VIRGILE**, green with rose. 3s. 6d.

**VIRGINALE**, shining white, veined. 3s. 6d.

**VIUVA SANT ANNA NERY**, creamy-white ground, finely reticulated with pale green, a trace of rose colour along the ribs. 10s. 6d.

**VIVIAN**, young leaves expand with a yellowish border, but become quite red; very fine variety. 3ls. 6d.

**WEBER**, white with dark carmine veins. 5s. and 7s. 6d.

**WIGHTII**, deep green, white and red spots. 2s. 6d.

**WIGHTII SUPERBUM**, an improvement on *Wightii*. 3s. 6d.

**WILH ZIEGLER**, fiery brown, red centre, with dark veins. 10s. 6d.

**WILLIAM BULL**, dwarf; dark carmine. 5s.

**WILLIAM F. DREER**, splendid crimson leaves, with border of bronzy green. 7/6

**WILLIAM MARSHALL**, a brilliant variety with large very bright rosy-red leaves, stamped with golden green; petiole bright red. 42s.

**WILLIAM PFITZER**, centre dark crimson-red, margined with creamy white. 7s. 6d.

**XENOPHON**, rose, margined bronzy green. 5s.

**XERES**, pearl white with rose veins. 5s.





SINGLE-FLOWERED BEGONIA.



DOUBLE-FLOWERED BEGONIA.

## BEGONIAS.

### HANDSOME FLOWERED TUBEROUS-ROOTED SECTION.

The immense size to which the flowers of this popular race of plants have now attained considerably enhances their value for decorative and bedding purposes. Of nearly every shade of colour, from deepest crimson-scarlet to white, the blooms are produced in the utmost profusion, thus rendering them extremely showy and attractive.

### SINGLE-FLOWERED.

Selections of good single-flowering named varieties can be made by Mr. W. B. at 12s., 18s. and 30s. per dozen.

Single-flowered unnamed Seedlings of various colours can be supplied when dormant, 6s. & 9s. per dozen; 2 and 3 guineas per 100.

### DOUBLE-FLOWERED.

Named Varieties with double flowers, at 30s., 42s. and 60s. per dozen.

Double-flowered unnamed Seedlings of various colours, when dormant, 12s. & 18s. per dozen.

75s. and 100s. per 100.

## BEGONIAS. VARIEGATED-FOLIAGED SECTION.

These are remarkable for their variegated and beautifully coloured ornamental foliage.

ACUMINATA  
SPLENDIDA, 2/6  
ANNETTE, 2/6.  
ARTHUR MALET, 5s.  
COMTESSE LOUISE  
D'ERDODY, 2/6.  
CRYSTALLINA, 2/6.  
DUCHESS, 1s.  
DIADEM, 2/6.  
DR. LE GUILLON, 3/6.  
JULES ERROT, 2/6.  
LA PERLE DE PARIS.  
2/6.  
LE POUSSIN, 2/6.  
LE SCHAH, 2/6.  
LEDA, 5s.  
MADAME CROUSSE,  
3/6.  
— GILKINET, 3/6.



MDME. GRISAR, 3/6  
— HENRI GACHE,  
2/6.  
— ISABELLE  
BELLON, 2/6.  
— JULES LECOCQ,  
2/6.  
MDLLE. EMMA, 3/6.  
MALETTA, 2/6.  
M. DEFEU, 3/6.  
NAOMI MALET, 3/6  
OTTO FORSTER, 2/6.  
PRESIDENT DE  
BOUREUILLES,  
3/6.  
PROGNE, 2/6.  
SATIN BLANC, 2/6.

The following are effective decorative kinds, many of them winter-flowering species and varieties. 18s., 30s. and 42s. per dozen, according to the selection.

ALBO PICTA  
ARGENTEO GUTTATA  
ARGYROSTIGMA ELEGAN-  
TISSIMA  
CARRIERI  
— VILLOSA  
DECORA  
DREGEI  
EGREGIA

FLORIBUNDA ROSEA, 5s.  
HYBRIDA CORBEILLE DE  
FEU, 5s.  
— ILLUSTRATION, 5s.  
IMPERIALIS  
MADAME ISABELLA BELLON  
MARGARITE  
METALLICA  
NELUMBIÆFOLIA RUBRA

OLBIA  
POLYANTHA  
RUBELLA  
SCHARFFII  
SCHMIDTII HYBRIDA ROSEA  
SEMPERFLORENS ELEGANS  
— COMPACTA NANA  
— GIGANTEA ROSEA  
SIEBERIANA

## CHRYSANTHEMUMS.

These popular plants have now become so numerous that to give detailed particulars of each they would of themselves form a catalogue, and by giving descriptions purchasers could form but little idea of the comparative merit of varieties; it has therefore been thought best to give simply a list of the most select of the newer kinds in the various sections. Besides those named Mr. W. B. has a very large collection comprising many hundreds of varieties, which can be supplied at 6d. each. 4s. per dozen or 28s. per 100. When the selection is left to Mr. W. B., the utmost care will be taken to send only varieties of the greatest merit.

For New kinds see next page.



## SELECT NEW CHRYSANTHEMUMS.

### JAPANESE.

ALICE SEWARD, 2s. 6d.  
 AMOS PERRY, 1s.  
 BEAUTY OF CASTLE HILL, 9d.  
 BEAUTY OF EXMOUTH, 1s. 6d.  
 BRIDE OF MAIDENHEAD,  
     5s.  
 BRYDEN, Jr., 2s. 6d.  
 CHAS. BLICK, 2s. 6d.  
 CHAS. DAVIS, 2s. 6d.  
 COL. CHASE, 5s.  
 COL. W. B. SMITH, 1s.  
 C. SHRIMPTON, 2s. 6d.  
 DUKE OF YORK, 2s. 6d.  
 EDA PRASS, 2s. 6d.  
 EDITH ROWBOTTOM, 3s. 6d.  
 EDWIN BECKETT, 9d.  
 ELMER D. SMITH, 1s.  
 EMILY LADENBURG, 2s. 6d.  
 EXCELSIOR, 1s.  
 F. W. FLIGHT, 1s.  
 G. C. SCHWABE, 1s.  
 GENERAL HAWKES, 1s.  
 GEORGE W. CHILDS, 2s. 6d.  
 GOLDEN GATE, 2s. 6d.  
 GOLDEN WEDDING, 1s. 6d.  
 GOOD GRACIOUS, 3s. 6d.  
 HERBERT FOWLER, 5s.

JOHN SHRIMPTON, 2s. 6d.  
 J. P. KENDALL, 1s.  
 LADY BROOKE, 1s. 6d.  
 LE PRINCE DU BOIS, 2s. 6d.  
 LIZZY SEWARD, 1s. 6d.  
 LORD BROOKE, 1s.  
 LORD TENNYSON, 2s. 6d.  
 LOUISE, 5s.  
 MADAME CAMBON, 5s.  
 MADAME EDOUARD REY,  
     2s. 6d.  
 MADAME RICAUD, 1s. 6d.  
 MDLLE. THERESE REY,  
     2s. 6d.  
 M. GUSTAVE GRUNERWALD,  
     5s.  
 MIDDLETON CLARKE, 2s. 6d.  
 MISS DOROTHY SHEA, 2s. 6d.  
 MISS WATSON, 1s.  
 MRS. A. G. HUBBUCK, 2s. 6d.  
 MRS. BAYARD CUTTING, 2s. 6d.  
 MRS. BRUCE FINDLAY, 2s. 6d.  
 MRS. C. MYERS, 1s. 6d.  
 MRS. E. BECKETT, 9d.  
 MRS. E. D. ADAMS, 1s. 6d.  
 MRS. F. L. AMES, 1s. 6d.  
 MRS. HENSZEY, 2s. 6d.

MRS. LIBBIE ALLEN, 1s.  
 MRS. NEVILLE, 1s. 6d.  
 MRS. NISBET, 1s.  
 MRS. P. BLAIR, 5s.  
 MRS. T. DENNE, 3s. 6d.  
 MRS. WALTER CUTTING, 2/6  
 MRS. W. H. FOWLER, 2s. 6d.  
 NIVEUM, 2s. 6d.  
 PRESIDENT BOREL, 2s.  
 PRIMROSE LEAGUE, 2s. 6d.  
 PRINCESS MAY, 2s. 6d.  
 PRINCESS VICTORIA, 2s. 6d.  
 ROBERT OWEN, 3s. 6d.  
 ROSE WYNNE, 5s.  
 RYECROFT GLORY, 2s. 6d.  
 THE TRIBUNE, 2s. 6d.  
 THOMAS HEWITT, 2s. 6d.  
 THOMAS WILKINS, 2s. 6d.  
 VESUVIUS, 1s. 6d.  
 VIOLETTA, 5s.  
 VISCTSS. HAMBLEDON, 3s. 6d.  
 WABAN, 1s.  
 W. H. ATKINSON, 2s.  
 W. H. LINCOLN, 1s.  
 WILFRED MARSHALL, 5s.  
 WILLIAM SEWARD, 2s. 6d.  
 YELLOW LADY SELBORNE, 1/6

Besides the above, Mr. W. B.'s collection comprises hundreds of other varieties, from which selections can be made by Mr. W. B. at 6d. each, 4s. per doz., or 28s. per 100. Any new kinds in commerce supplied at current prices.

### LARGE FLOWERED CHINESE or INCURVED.

ARISTINE ANDERSON, 1s.  
 BARON HIRSCH, 3s. 6d.  
 BROOKLEIGH GEM, 2s. 6d.  
 C. B. WHITNALL, 1s. 6d.  
 GEORGE COCKBURN, 2s. 6d.  
 HENRY PERKINS, 2s. 6d.  
 LORD ROSEBURY, 5s.

LUCY KENDALL, 2s. 6d.  
 M. B. SPAULDING, 2s. 6d.  
 M. L. PARLI, 1s. 6d.  
 MISS M. SIMPKINS, 3s. 6d.  
 MRS. CLIBRAN, 1s.  
 MRS. J. GARDINER, 5s.  
 MRS. LAY, 1s. 6d.

MRS. C. MADEIRA, 1s.  
 MRS. J. MITCHELL, 2s. 6d.  
 OETA, 1s. 6d.  
 ROBERT PETFIELD, 5s.  
 SIR TITUS, 3s. 6d.  
 UTOPIA, 1s. 6d.

Many other varieties can be selected by Mr. W. B. from his large collection at 6d. each, 4s. dozen, or 28s. per 100. Any new kinds in commerce supplied at current prices.

## CHRYSANTHEMUMS—continued.

**HIRSUTE or PLUMOSE VARIETIES.**

ADAM DE CRAPONNE, 3s. 6d.  
 AMI CH. RABUTOT, 3s. 6d.  
 BARON D'HERICOURT, 2s. 6d.  
 BELLE ARLESIENNE, 3s. 6d.  
 CHAMPS ELYSEES, 3s. 6d.  
 CHRYSANTHEMISTE  
 DELAUX, 2s. 6d.  
 EDITH WALTON, 1s. 6d.  
 EMU, 5s.  
 ENFANTS DES GAULES,  
 3s. 6d.  
 ESAU, 5s.  
 FLEUR ENSOLEILLEE, 3s. 6d.  
 GARTEN - INSPECTOR UM-  
 LAUFT, 1s. 6d.  
 GRACE DARLING, 5s.  
 HAIRY BEAUTY, 5s.  
 HAIRY WONDER, 5s.

H. BALLANTINE, 1s.  
 JEAN D'ARC, 2s. 6d.  
 KING OF THE HIRSUTES,  
 5s.  
 LADY OF THE LAKE, 7s. 6d.  
 LOUIS BOEHMER, 6d.  
 MDLE. FERD. CAYEUX,  
 3s. 6d.  
 MDLE. J. MAREAU, 2s. 6d.  
 MDLE. LA VICOMTESSE DE  
 GARDANNE, 2s. 6d.  
 MISS ANNIE MANDA, 1s.  
 MR. W. H. CALDWELL, 7s. 6d.  
 MRS. A. HARDY, 6d.  
 MRS. WM. TRELEASE, 1s. 6d.  
 MRS. DR. WARD, 2s. 6d.  
 M. FERNAND BERTIN, 3s. 6d.  
 M. HENRI JACOTOT, 2s. 6d.

MONSIGNOR GOUTHE-  
 SOULARD, 2s. 6d.  
 NACRE, 1s.  
 PRIMA DONNA, 5s.  
 QUEEN OF THE HIRSUTES,  
 2s. 6d.  
 SAPHO, 2s. 6d.  
 SAUTEL, 1893, 3s. 6d.  
 SOUV. DE BRIENNE, 2s. 6d.  
 SPARTEL, 1s.  
 VAUCANSON, 3s. 6d.  
 WAVERLEY, 5s.  
 W. A. MANDA, 9d.  
 WHITE PLUME (*syn.* L'Enfant  
 des deux Mondes), 1s. 6d.  
 WILLIAM FALCONER, 1s. 6d.  
 ZAMBESI, 1s.

**ANEMONE.**

ADA STRICKLAND, 2s. 6d.  
 ENTERPRISE, 1s. 6d.  
 JOHN BUNYAN, 3s. 6d.

JUDGE HOITT, 2s. 6d.  
 MRS. C. J. SALTER, 3s. 6d.  
 MDLE. NATHALIE BRUN, 1s.

QUEEN ELIZABETH, 3s. 6d.  
 SIR WALTER SCOTT, 3s. 6d.  
 W. W. ASTOR, 3s. 6d.

Many older varieties can be supplied by Mr. W. B. at 6d. each; 4s. per dozen; or 28s. per 100. Any new kinds in commerce supplied at current prices.

**POMPONS.**

ELSIE WALKER, 1s. 6d.

LITTLE PET, 1s. 6d.

Selections from his large collection of all the best kinds can be made by Mr. W. B. at 6d. each; 4s. per dozen; 28s. per 100. Any new kinds in commerce supplied at current prices.

**EARLY-FLOWERING.**

A large collection of all the best kinds. Selections made by Mr. W. B. at 6d. each; 4s. per dozen; or 28s. per 100. Any new kinds in commerce supplied at current prices.

**SINGLE-FLOWERING.**

A large collection of all the best kinds. Selections made by Mr. W. B. at 6d. each; 4s. per dozen; or 28s. per 100. Any new kinds in commerce supplied at current prices.



## NEW AND CHOICE FUCHSIAS.

*Those marked (\*) are double-flowered varieties.*

- \***ADMIRAL RIEUNIER**, tube and sepals bright red; enormous corolla, white, marked at base with rose. 7s. 6d.
- \***ADRIEN MARIE**, short and broad clear red sepals, completely recurved, very large and double; salmon-white corolla. 7s. 6d.
- \***ALBERT DELPIT**, very large scarlet recurved sepals; immense flesh-coloured double corolla. 3s. 6d.
- \***ARAB**, short bright crimson tube and well-reflexed sepals; fine large deep bluish-purple double corolla. 1s. 6d.
- \***BEAUTY OF WEST KENT**, large flowers of great substance; corolla soft carmine, broad reddish-purple sepals. 1s. 6d.
- \***CAPITAINE BINGER**, large recurved rose-carmine sepals; enormous double corolla, with large violet-blue petals. 7s. 6d.
- \***CHARLES SECRETAN**, rose sepals; enormous creamy-white double corolla. 5s.
- \***CHRISTOPHE COLOMB**, scarlet sepals; enormous rosy carmine double corolla. 5s.
- COLONEL ARCHINARD**, large blue corolla, lighter at the base of petals. 5s.
- \***COMTE DE MUN**, enormous double violet, striated with rose at base. 5s.
- \***CORMORANT**, short tube and fine large rosy-crimson sepals; long semi-double bluish-purple corolla. 1s. 6d.
- COUNTESS OF ABERDEEN**, the nearest approach to a totally white *Fuchsia* yet raised, the corolla and sepals being milk-white. 1s.
- \***DOROTHY FRY**, short crimson tube and sepals; large double white corolla. 1s. 6d.
- DUKE OF CONNAUGHT**, tube and sepals bright red; long deep purple corolla. 7s. 6d.
- DUKE OF EDINBURGH**, red tube and sepals, lovely dark plum corolla; good habit. 7/6
- DUKE OF FIFE**, fiery red tube and sepals; corolla magenta-purple. 7s. 6d.
- DUKE OF YORK**, crimson-scarlet tube and sepals, well reflexed; purple corolla tinged violet. 7s. 6d.
- \***EMILE RICHEBOURG**, bright red sepals, short and broad; enormous double metallic violet corolla. 7s. 6d.
- \***EMILE SALLE**, large red sepals; long white corolla, veined violet carmine. 5s.
- \***EUGENE DELAPLANCHE**, bright red sepals; very double violet corolla. 1s. 6d.
- \***EUGENE VERCONSIN**, short red sepals; corolla double, petals shading from rosy-white to lavender-blue. 1s. 6d.
- \***FATMA**, bright crimson tube and reflexed sepals; bluish-purple corolla. 1s. 6d.
- \***FELIX DUBOIS**, large recurved sepals, cerise-red; double rosy-mauve corolla. 7s. 6d.
- \***GAY-LUSSAC**, large spreading double corolla, violet-purple, veined red. 5s.
- \***GENERAL DODDS**, rosy-red sepals, large bluish-lilac double corolla. 5s.
- \***GEORGES FEYDEAU**, large vinous-red sepals; very double bluish-lilac corolla; a pretty variety. 7s. 6d.
- GERTRUDE**, bright rose-carmine tube and sepals; large white corolla, veined carmine from the base. 1s. 6d.
- \***HARRY ALIS**, carmine sepals well recurved; corolla very double and compact, globular in form, clear rose edged with white. 7/6
- \***HENRI DE LA POMMERAYE**, plant very floriferous and of pyramidal habit; sepals coral red, double rosy white corolla. 1s. 6d.
- \***JUMNA**, bright crimson tube and sepals; enormous rich purple double corolla. 1/6
- \***LAMARTINE**, large double corolla, round and of perfect form, bluish-violet. 5s.
- \***LIEUTENANT MARITZ**, very large reflexed scarlet sepals; enormous well-formed double bluish-white corolla. 7s. 6d.
- \***LIEUTENANT MIZON**, brilliant carmine sepals; double corolla, with large clear violet petals. 7s. 6d.
- \***MADAME BRUANT**, sepals bright red; corolla lilac-mauve, veined with rose. 5s.
- \***MARCEL MONNIER**, very floriferous, recurved coral sepals; enormous double salmon-white corolla. 7s. 6d.
- \***MARCEL PREVOST**, bright red reflexed sepals; very double bluish-white corolla, the petals profusely flamed with scarlet. 7s. 6d.
- MARQUESS OF LORNE**, rose-red tube and sepals; large open mauve corolla; dwarf habit. 7s. 6d.
- \***M. HERMITTE**, reddish-crimson sepals; large violet-blue double corolla. 5s.
- \***NANCY**, enormous flowers, very broad coral-red sepals, corolla very large and double, violet-purple with blue reflections. 1s. 6d.
- \***PASTEUR**, large well recurved dark red sepals; long double pure white corolla. 5s.
- \***PATTERN**, short tube and broad rosy-crimson sepals; enormous bluish-purple double corolla, shaded and flaked with rose. 1s. 6d.
- \***PHENOMENAL**, short reddish-crimson tube and sepals; enormous double corolla, azure-violet flaked red. 1s.
- \***PIERRE JOIGNEAUX**, short bright rose sepals, corolla double and of a brilliant dark mauve colour. 5s.
- \***P. RADAELLI**, bright red recurved sepals; enormous double corolla, bluish violet, striated with carmine rose. 5s.
- PRINCESS MAY**, tube and sepals bluish white, corolla bright rosy-carmine; dwarf and free; extra. 7s. 6d.
- \***ROSE PHENOMENAL**, the counterpart of the well-known double variety *Phenomenal* in everything but the colour of the immense corolla, which is of a new shade of rose. 7/6
- \***SYLVANUS**, short tube and long rosy-crimson sepals; bluish-purple corolla. 1s. 6d.
- \***WASHINGTON**, large red sepals; large double rose corolla; a new colour. 5s.
- \***WHITE PHENOMENAL**, a sport from *Phenomenal*, having an immense pure white corolla; a most valuable acquisition. 10s. 6d.

Many other choice varieties can be supplied from Mr. W. B.'s General Collection at 9s. and 12s. per dozen.

## New and Choice Bedding and Soft-Wooded Plants.

ABUTILON, of sorts, *vide* page 41.  
AGERATUM, of sorts, 6s. per dozen.

ALTERNANTHERA, of sorts, 6s. per dozen.  
BOUVARDIAS, from 1s. 6d. to 3s. 6d.

### CALADIUM ESCULENTUM.

An effective plant for sub-tropical gardening. 2s. 6d. and 3s. 6d.



CANNAS.

### CANNAS.

These striking foliage plants are most effective for sub-tropical gardening and border grouping. They are extremely useful for summer decorative purposes, 9s., 12s., 18s. and 30s. per dozen.

ALBERT SCHENKEL, rose and carmine.  
AVENIR, bright cinnabar red.  
COLIBRI, brilliant red, maculated.  
COMMANDANT DUBOIS, cinnabar-red.  
COMMANDANT RIVIÈRE.  
CONQUETTE.  
E. B. ALEGATIERE.  
EDOUARD ANDRE, bright purple amaranth.  
FRANCISQ MOREL, bright cerise purple.  
FREDERICK BENARY, poppy-red.  
GENERAL DE NEGRIER, ruby red.  
GEOFF. ST. HILAIRE.  
IRIDIFLORA EHEMANNI.  
ISAAC CASATI, carmine.  
JACQUEMET BONNEFOND, bright red.  
JOSEPHINE HUBER.  
JOSEPH LOMBARD.  
JULES CHRETIEN.  
LAFORCADE, purple red, leaves purple.  
L. CHRISTEN, dark red, purple leaves.  
LUTEA SPLENDENS.  
MADAME ORIOI, carmine.  
METALLICA.  
MICHEL COULEUVRAT, vermilion red.  
NIGRICANS.  
NIGRICANS MARGINATA.  
PETITE JEANNE, red and yellow.  
PRESIDENT FAIVRE, foliage purple.  
SOUVENIR D'ASA GRAY, salmon red.  
SOUV. D'AUGUSTE PERRIER, bright red.  
SOUVENIR DE THIERS.  
SOUVENIR DE VAN HOUTTE.  
ULRICH BRUNNER.  
VIOLECEA MACROPHYLLA.

CARNATIONS, Tree, of sorts, 30s. and 42s. per doz.

### CHOICE COLEUS.

AILSA, 2s. 6d.  
ALPHONSE BERNOUD, 1s. 6d.  
ANACREON, 1s. 6d.  
AVENIR, 3s. 6d.  
BEAUMARCHAIS, 1s. 6d.  
CEDRUS, 1s. 6d.  
EDITH, 1s. 6d.  
ESPERANCE, 2s. 6d.  
FLAMME, 3s. 6d.  
JAMES BARNSHAW, 1s.

LA ROQUE, 2s. 6d.  
LE RÉVEIL, 3s. 6d.  
LOUIS CHRETIEN, 1s.  
LOUIS PAILLET, 2s. 6d.  
MADEMOISELLE DE LA  
ROCHETTERIE, 1s.  
— AIMEE MOTTIER, 3s. 6d.  
MAGGIE, 1s.  
MARQUIS DE COURCY, 3s. 6d.  
MISS LOVELL, 2s. 6d.

M. MASSON, 3s. 6d.  
MOSAIQUE, 2s. 6d.  
MRS. H. M. STANLEY, 2s. 6d.  
M. THIBAUT, 1s.  
PIERRE GUERRAUD, 3s. 6d.  
PLATON, 1s. 6d.  
POMPADOUR, 1s.  
RECAMIER, 1s. 6d.  
TINTORET, 1s. 6d.  
UTOPIA, 2s. 6d.

### DAHLIAS.

Bouquet or Pompon Varieties, 9s. & 12s. per doz.  
Cactus-Flowered Varieties, 9s., 12s. & 18s. per doz.  
Choice Exhibition Varieties, 9s., 12s. and 18s. per dozen.

Choice Exhibition Varieties, Fancy Flowers, 9s., 12s. and 18s. per dozen.  
Dwarf Bedding Varieties, 9s. & 12s. per dozen.  
Single-Flowered Dahlias, 6s., 9s. & 12s. per dozen.



### ECHEVERIAS.

**ECHEVERIA ORANDISEPALA**, 2s. 6d.

IMBRICATA, 2s. 6d.

PRUTNOSA, 2s. 6d.

RETUSA GLAUCA, 1s. 6d. and 2s. 6d.

**ECHEVERIA SOAPHYLLA**, 2s. 6d.

SCHNEIDERERI, 1s. 6d.

SECUNDA, 9d. each; 6s. per dozen.

— OLAUCA, 9d. each; 6s. per dozen.

### IBERIS SEMPERVIRENS FLORE-PLENO.

This pretty double variety of the well-known perennial Candytuft will be found a most desirable and welcome addition. Its beautiful white flowers are borne in the greatest profusion, and being most persistent, will be found of the greatest value for cut purposes. 9d. each.

**LANTANAS**, of sorts, 18s. per dozen.

### LOBELIA, BARNARD'S PERPETUAL.

This distinct novelty is no doubt one of the most useful and best of Lobelias. The flowers are of the most brilliant ultramarine blue, strikingly ornamented with a pure white marking at the base of each of the two lower petals. It is of compact habit, and alike useful for bedding or growing in pots, its brightness and perpetual blooming character making it exceptionally useful for parterres and ribbon borders. It was awarded a Certificate of Merit by the Royal Horticultural Society, when exhibited in May, 1892, at the Temple Show. In pots, 9s. per dozen; in boxes for bedding purposes, 40s. per 100.

### MIMULUS.

The new and improved varieties of this showy flower are very handsome, many of them blotched or freckled and spotted, on white, sulphur and yellow grounds; the lobes margined with crimson and maroon. Selections at 9s., 12s. and 18s. per dozen.

**MIMULUS MOSCHATUS FLORE-PLENO**, 1s.

### PENTSTEMONS.

The modern varieties of Pentstemons are exceedingly attractive as decorative plants, either for flower-beds or borders, their cultivation being of the easiest description, while they are suitable to almost any soil, and their large and showy flowers are given with a remarkable redundancy from June to September. Choice sorts, 12s. and 18s. per dozen.

### PETUNIA SNOWDRIFT.

A very beautiful double variety, producing in the freest possible manner an abundance of pure snow-white flowers of medium size, most elegantly fringed and fimbriated. The blossoms are borne on unusually long stalks, thus making this variety of special value where cut flowers are in request. 3s. 6d.

### PETUNIAS.

For Greenhouse and Conservatory decoration these lovely plants can hardly be surpassed, affording as they do, all through the summer and autumn, a wealth of bloom of the most diversified character, combined with a delicious fragrance. Both double and single varieties can be supplied as under.

Choice Selections of Double-flowered kinds, including blotched, fringed and variegated varieties, 12s. and 18s. per dozen.

Choice Selections of Single-flowered kinds, including striped and blotched varieties, 12s. & 18s. per doz.

### PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12s. and 18s. per dozen.

### PYRETHRUMS.—SINGLE AND DOUBLE-FLOWERING.

Selections of good kinds, 6s., 9s. and 12s. per dozen.

**SALVIA BETHLEHII**, 1s.

GESNERIFLORA, 1s.

M. ISSANOHOU, 1s.

INGENIEUR CLAVENAD, 2s. 6d.

**SALVIA PATENS**, 9d.

PATENS ALBA, 1s.

PITCHERI, 1s.

RUTILANS, 1s.

**SALVIA SPLENDENS**, 1s.

SPLENDENS BRUANTII, 1s.

**SEMPERVIVUM HAWORTHII**, 1s.

### PLANTS FOR SUB-TROPICAL GARDENS.

These have either ornamental and attractive foliage, or are of graceful habit and growth, such as Bamboos, Cannas, Musas, &c., and are very effective when planted in groups; many of them forming striking objects as single specimens. Good Selections made at 30s. and 42s. per dozen.

WILLIAM BULL, F.L.S.,  
 RESPECTFULLY INVITES THE NOBILITY AND GENTRY ABOUT TO FURNISH  
 CONSERVATORIES TO AN INSPECTION OF THE  
**MAGNIFICENT SPECIMEN ORNAMENTAL PLANTS**

IN HIS

WINTER GARDEN,  
 SOME OF WHICH ARE THE MOST HANDSOME IN EUROPE,

COMPRISING

PALMS, CYCADS, ENCEPHALARTOS,  
 DRACÆNAS, ARAUCARIAS, &c.,

AND

THE LARGEST AND BEST STOCK IN EUROPE

OF

**TREE FERNS,**

Well Established, with Handsome and Graceful Heads.

THE COLLECTION OF

✧ CYCADACEOUS \* PLANTS ✧

*Is unequalled in extent, and in the Size and Beauty of the Specimens.*

**NEW PLANTS**

Introduced and sent out for the first time in 1892.

BEGONIA FLORIBUNDA ROSEA  
 BOWKERIA TRIPHYLLA

IXORA SALMONEA  
 LÆLIA PRÆSTANS ALBA

PRIMULA IMPERIALIS  
 TRADESCANTIA DECORA

**NEW PLANTS**

Introduced and sent out for the first time in 1893.

AGLAONEMA VERSICOLOR  
 ANTHURIUM SCHERZERIANUM  
 ——— ROSEUM  
 ——— SANGUINEUM  
 CYRTANTHUS INTERMEDIUM  
 DAVALLIA CONCINNA

DAVALLIA LUCIDA  
 ——— EPIPHYLLA  
 GEONOMA ACAULIS  
 HELICONIA ILLUSTRIS  
 HOPLOPHYTUM LINEATUM  
 HYPOLYTRUM SCHRADERIANUM

LAMPROCOCCUS SPECIOSUS  
 ONCOSPERMA FASCICULATUM  
 PTERIS TREMULA VARIEGATA  
 SELAGINELLA USTA  
 VRIESIA PURPURASCENS

**NEW PLANTS**

Introduced and sent out for the first time in 1894.

DIANELLA TASMANICA VARIEGATA  
 GESNERA, CALYPSO

HEMANTHUS CANDIDUM  
 PHYLLANTHUS ELONGATUM

PTYCHOSCOCCUS PARADOXUS  
 TODEA MOOREI





# BULL'S FOOD FOR PLANTS.

Contains in a concentrated form all the essential elements of plant life. It is of immense benefit applied as a top-dressing to plants and bulbs of all sorts grown in pots, especially when pot-bound, completely restoring exhausted energy, a few applications ensuring vigorous healthy growth, the flowers being produced in a most luxurious manner, combined with great richness of colouring. It can also be mixed with ordinary soil in potting, or may be used with most beneficial effect for Chrysanthemums, Shrubs, Vines, and all kinds of Fruits, whether in pots or planted in the open air.

**FOR TESTIMONIALS** see next page.

## ANALYSTS' REPORT.

The analysis shows this to be a complete Plant Food, and of the highest quality. The material not only contains an abundance of all the constituents necessary for plant growth, but the analysis shows also that the four chief constituents are each in that combination which renders them in the most beneficial and available form for the healthy development of plants.

For these reasons, users of this Plant Food in the proper quantities cannot fail to produce the very best results within the capability of their plants.

**CANNON & NEWTON,**

Analytical and Consulting Chemists, 39, Mining Lane, London, E.C.

## DIRECTIONS FOR USE.

**For POT PLANTS AND BULBS.**—Sprinkle on the surface of the soil, about every three weeks, at the rate of a small teaspoonful to a 5-inch pot, so that when the plants are watered, the Plant Food will be gradually absorbed into the soil.

**For CHRYSANTHEMUMS.**—At the time of potting, some of the Plant Food should be thoroughly mixed with the compost, and afterwards, when the buds begin to swell, frequent top-dressings should be given, the quantity used being estimated according to the size of the pots and vigour of the plants.

**For ROSES, SHRUBS, VINES, &c., in Pots.**—Use about a tablespoonful to a 12-inch pot several times during the season.

**For PLANTS, FRUITS, ROSES, and all Plants in Borders and the Open Ground.**—Apply about 2 ozs. to the square yard as often as occasion may require, raking and watering it in.

**For LAWN.**—Scatter broadcast at the rate of 2 ozs. to the square yard, and well water.

Sold in Tins, containing about 1½ lbs., price 1s. each. Larger Size, containing about 5 lbs., 2s. 6d. each.

Also in Bags, 14 lbs., 4s. 6d.; 28 lbs., 7s. 6d.; 56 lbs., 12s. 6d.; 112 lbs., 20s.

MANUFACTURED SOLELY BY

**WILLIAM BULL, F.L.S.,**  
**ESTABLISHMENT FOR NEW & RARE PLANTS,**  
536, KING'S ROAD, CHELSEA, LONDON, S.W.



# BULL'S FOOD FOR PLANTS.

## TESTIMONIALS.

CROFTON, AIGBURTH, LIVERPOOL, 20th February, 1894.  
Dear Sir,—After giving your Food for Plants a fair trial for over two years, I must say that I like it better than any Artificial Manure I have ever used. In 1892 I grew my Chrysanthemums with it, which won the 10-Guinea Cup at Grassendale and Aigburth Shows, also the First Prize at Liverpool. In 1893 I was again successful in carrying off like honours. I have used it on hard and soft wooded plants, and the results were everything that could be desired. It has no unpleasant odour, so that, unlike many Manures, is not offensive in the Conservatory.

Yours truly, DONALD FORBES.

HARKSTEAD RECTORY, near Ipswich, May 10th, 1894.  
Dear Sir,—Having used your Plant Food on Chrysanthemums with such good results, I have no hesitation in saying that it is the best Artificial Manure I have ever used, producing flowers of great size and depth, indeed, it is invaluable to those who have to exhibit blooms of the finest quality. One thing greatly in its favour is, that if applied in moderation, anyone may use it without running the risk of injuring the roots or the flowers damping, which is often the case with other Manures.

I am, Sir, yours respectfully, GEORGE JORDAN, Gardener to the Rev. HUGH BERNERS.

IMPNEY HALL, DROITWICH, 13th February, 1893.

Dear Sir,—I am very pleased with the results from using your Plant Food. I grew my Chrysanthemums with it last season, which won the City of Edinburgh Silver Cup, also the three First Prizes for cut-blooms in the large Open Classes at Birmingham, and the First Prizes at Sheffield. I have also used it with excellent results for Strawberries, Melons, Pines, &c. I am now using it on Vine and Peach Borders with every confidence of its producing good results. I shall be glad if you will kindly forward another 5 cwt. and oblige,

Yours truly, RICHARD PARKER, Gardener to J. CORBETT, Esq.

CROSWOOD PARK, ABERYSTWYTH, 17th March, 1894.

Dear Sir,—I am delighted with your Food for Plants, I find it is excellent for Chrysanthemums, Pelargoniums, Fuchsias, Cinerarias, &c., in fact for all soft wooded plants. I also used it on my Vine borders and it enabled young Vines to carry remarkably heavy crops that ripened up well, while the flavour was everything that could be desired. A great advantage is that it has no unpleasant smell, so can be used in the Conservatory.

I am, yours faithfully, R. C. WILLIAMS, Gardener to Rt. Hon. Earl of LISBURN.

OAKLANDS, AIGBURTH, LIVERPOOL, 12th March, 1894.

Dear Sir,—I have much pleasure in stating that I have used your Food for Plants with great success on Vines, Peaches, Roses, &c., in fact, I never had better results. For hard and soft wooded plants I can confidently recommend it as a safe and excellent Fertilizer. Yours truly, JOHN BOUNDS, Gardener to ALFRED L. JONES, Esq.

THE GARDENS, KEIR, DUNBLANE, BRIDGE OF ALLAN, N.B., 8th September, 1893.

Dear Sir,—Your Plant Food is the best I have ever used. I have tried it on various plants with excellent effect, and for stimulating and imparting colour to Crotons and other foliage plants, it is all that can be desired. I tried it on Cyclamens, and the results were marvellous. I took First Prize with these at Edinburgh last year. Kindly send me double the quantity, obliging

Yours truly, THOMAS LUNT, Gardener to ARCHIBALD STIRLING, Esq.

MANOR HOUSE, STRATTON AUDLEY, BICESTER, 9th November, 1893.

Dear Sir,—I have used your Food for Plants for nearly two years, and like it better than any artificial Manure I have ever had. I have used it on my Vines and never had such a good crop. It is excellent for Chrysanthemums, Primulas, Forns, &c. Please forward me another cwt., and oblige,

Yours faithfully, W. PARKER, Gardener to the Right Hon. Lady ROSE LEIGH.

ST. ANNE'S, CLONTARE, DUBLIN, 2nd March, 1893.

Dear Sir,—I have used many Artificial Manures for plants in the past 36 years, but none that I like so well as your "Plant Food." Not only is it a quick Fertilizer, but it has no unpleasant odour—a great desideratum.

Yours faithfully, CHARLES SMITH, Gardener to the Right Hon. Lord ARDILAUN.

THE DEN, BELFAST, 27th January, 1893.

Dear Sir,—You will doubtless be interested to know that last season I won twenty-three First and ten Second Prizes for plants and fruit grown with your Food for Plants, which has proved a most excellent stimulant, and is certainly the best Manure I have ever used. It is cleanly to use, creates no fungus, and has no unpleasant odour; in fact, no gardener should be without it. Please send me another cwt. and oblige,

Yours truly, WM. MCILROY, Gardener to G. W. WOLFF, Esq.

LEIGHTON GARDENS, WELSHPOOL, 7th January, 1892.

Now that I have used Mr. William Bull's Food for Plants over twelve months, I have very great pleasure in stating that I believe it to be the best Plant Manure in the market. It produces fine foliage, large flowers, and gives a good healthy appearance to Stove and Greenhouse Plants in general. I have also used it on Melons, Cucumbers, Tomatoes and Vines with good results, and it is excellent for Chrysanthemums.

WILLIAM ROTHWELL, Gardener to Mrs. NAYLOR.

THE NURSERY, LOWTON, NEWTON-LE-WILLOWS, 15th December, 1893.

Dear Sir,—Please send me 5 cwt. of your Plant Food at your earliest convenience. I must say it is the best Fertilizer I have tried on soft-wooded Plants, especially for Chrysanthemums and Pelargoniums.

Yours truly, JOSEPH LEIGH.

FORDE ABBEY, CHARD, 27th January, 1894.

Dear Sir,—I think most highly of your Plant Food. It is splendid for all kinds of pot-stuff, and especially that which needs a strong Manure. It is grand for Chrysanthemums and all kinds of Winter-blooming plants.

Yours truly, JOHN CROOK, Gardener to W. H. EVANS, Esq.

For Full Particulars see preceding page.



## INDEX.

	PAGE		PAGE		PAGE
ABELIA .. .. .	28	BARLERIA .. .. .	12	COCOS WEDDELLIANA ..	105
ABROMA .. .. .	7	BATATAS .. .. .	12	COELOGYNE .. .. .	61
ABYSSINIAN BANANA ..	35 & 52	BAUHINIA .. .. .	12	— ORISTATA HOLOLEUCA	
ABUTILON .. .. .	41	BEDDING PLANTS ..	121 & 122	(ALBA) .. .. .	61
ACACIA .. .. .	28	BEGONIA .. .. .	116 & 117	COFFEA .. .. .	13 & 52
ACALYPHA .. .. .	7	BEGONIA FLORIBUNDA ROSEA	117	COLAX .. .. .	61
ACHIMENES .. .. .	85	— HANDSOME-FLOWERED	116	COLEUS .. .. .	121
ACINETA .. .. .	54	— VARIEGATED FOLIAGED	117	COMPARETTIA .. .. .	61
ACMENA OVATA .. .. .	28	— WINTER-BLOOMING ..	117	CORNUS .. .. .	43
ACROPERA .. .. .	54	BELOPERONE .. .. .	12	CORYANTHES .. .. .	61
ADA .. .. .	54	BERBERIS .. .. .	43	CORYPHA, <i>vide</i> LIVISTONA ..	106
ADANSONIA .. .. .	7	BERTOLONIA .. .. .	12	COSTUS .. .. .	13
ADIANTUM .. .. .	93 & 99	BIGNONIA .. .. .	12, 29 & 43	CHATEAGUS .. .. .	43
— ASSIMILE ORISTATUM ..	99	BILBERGIA .. .. .	12	CRINUM .. .. .	13, 31 & 43
ÆCHMEA .. .. .	7	BLANDFORDIA .. .. .	29 & 30	CROCOSMIA .. .. .	43
ÆRIDES .. .. .	54 & 55	BLETIA .. .. .	56	CROTON .. .. .	13 to 15
AGAPANTHUS .. .. .	28	BOMAREA .. .. .	29	— ELEGANTISSIMUS ..	13
AGAVE .. .. .	7	BORONIA .. .. .	29	— FLAMINGO .. .. .	14
AGLAONEMA .. .. .	6 & 7	BOUGAINVILLEA ..	12	— INSIGNIS .. .. .	14
— VERSICOLOR .. .. .	6	— REFULGENS .. .. .	12	— JUNIUS .. .. .	14
ALBERTA MAGNA .. .. .	28	BOUVARDIA .. .. .	121	— MAGNIFICENT .. .. .	14
ALLAMANDA .. .. .	7	BOWKERIA TRIPHYLLA	29	— MEMPHIS .. .. .	14
ALOCASIA .. .. .	7	BRASSAVOLA .. .. .	56	— NESTOR .. .. .	14
— SANDERIANA .. .. .	8	BRASSIA .. .. .	56	— ORNATUS .. .. .	14
ALPINIA .. .. .	7	BREDIA .. .. .	29	— PRINCE OF ORANGE ..	14
ALSOPIHIA .. .. .	93 & 99	BROUGHTONIA .. ..	56	— REIDII .. .. .	14
ALTHEA, <i>vide</i> HIBISCUS ..	44	BROWNEA .. .. .	13	— SUNBEAM .. .. .	14
AMARYLLIS .. .. .	7, 9 & 42	BRUGMANSIA .. .. .	29	— VICTORY .. .. .	15
AMASONIA .. .. .	9	BRUNSVIGIA .. .. .	29	CRYPTANTHUS .. .. .	15
AMOMUM .. .. .	9	BULBOPHYLLUM .. ..	56	CRYPTOCHILUS .. .. .	61
AMORPHOPHALLUS .. ..	9 & 28	BURCHELLIA .. .. .	13	CUPANIA .. .. .	15
AMPELOPSIS .. .. .	42	BURLINGTONIA .. ..	56	CURCULIGO .. .. .	15
ANANASSA .. .. .	9	CALADIUM .. .. .	109 to 115	CURMERIA .. .. .	15
ANCHOMANES .. .. .	9	CALAMUS .. .. .	103	CYANOPHYLLUM .. .. .	15
ANDROMEDA .. .. .	42	CALANTHE .. .. .	56	CYATHEA .. .. .	99
ANEMIDICTYON .. .. .	93	CALLIPHURIA .. .. .	13	— DEALBATA .. .. .	99
ANEMONE .. .. .	42	CALODENDRON .. .. .	29	— DREGEI .. .. .	99
ANGRECEUM .. .. .	55	CALPICARPUM .. .. .	13	CYCAS .. .. .	31 & 105
ANGULO .. .. .	55	CAMELLIA .. .. .	29	CYCLAMEN .. .. .	31 & 44
ANGECTOCHILUS .. .. .	55	CAMOËNSIA MAXIMA ..	13	CYCNOCHES .. .. .	61
ANSELLIA HUMILIS .. ..	55	CANNA .. .. .	121	CYMBIDIUM .. .. .	61 & 62
ANTHURIUM .. .. .	9 to 12	CAPPARIS .. .. .	13	CYPERUS .. .. .	15
— INSIGNE .. .. .	9	CARLUDOVICA .. .. .	103	CYPRIPEDIUM .. .. .	62 to 64
— SCHERZERIANUM ..	9 & 11	CARPENTERIA .. .. .	43	— HARDY VARIETIES ..	44
— ROSEUM .. .. .	9	CATASETUM .. .. .	57	CYRTANTHUS INTERMEDIUM	31
— SANGUINEUM .. .. .	9	CATTLEYA .. .. .	57 to 60	CYRTODEIRA .. .. .	15
ANTIGONON .. .. .	12	CAVENDISHIA .. .. .	31	CYRTOPODIUM .. .. .	64
APHELANDRA .. .. .	12	CERATOZAMIA .. .. .	103	CYTISUS .. .. .	44
ARALIA .. .. .	12, 28 & 42	CESTRUM .. .. .	31	DÆMONOROPS, <i>vide</i> CALAMUS	
ARAUCARIA .. .. .	28	CHAMÆCLADON .. .. .	13	DAHLIA .. .. .	31 & 121
ARDISIA .. .. .	12	CHAMÆDOREA .. .. .	105	DAIS .. .. .	33
AREOA .. .. .	103	CHAMEROPS .. .. .	105	DALECHAMPIA .. .. .	15
ARENGA .. .. .	103	CHEVALLIERA .. .. .	13	DAVALLIA .. .. .	94, 96 & 100
ARISEMA .. .. .	42	CHIRITA .. .. .	13	— CONCINNA .. .. .	96
ARISTOLOCHIA .. .. .	12	CHIRYSANTHEMUM, CHINESE OR		— LUCIDA .. .. .	96
— ELEGANS .. .. .	12	LARGE-FLOWERED .. ..	118	— EPIPHYLLA .. .. .	94
ARPOPHYLLUM .. .. .	55	— NEW .. .. .	118 & 119	DENDROBIUM .. .. .	64 to 67
ARTOCARPUS .. .. .	12	— JAPANESE .. .. .	118	DENDROCHILUM, <i>vide</i> PLATY-	
ARUMS .. .. .	42 & 43	— POMPON .. .. .	119	CLINIS .. .. .	
ARUNDO .. .. .	43	CHYSIS .. .. .	60	DEUTZIA .. .. .	44
ASPARAGUS .. .. .	28	CIBOTIUM .. .. .	93 & 99	DEYEUXIA .. .. .	33
— PLUMOSUS NANUS ..	28	CINNAMOMUM .. .. .	13, 52 & 53	DIACRIUM .. .. .	67
ASPIDISTRA .. .. .	43	CIRRHOPELALUM .. ..	61	DIANELLA TASMANICA	
ASPLENIUM .. .. .	93 & 99	CISSUS .. .. .	13 & 31	VARIEGATA .. .. .	3
ASTROCARYUM .. .. .	103	CLEMATIS .. .. .	31 & 43	DICHÆA .. .. .	67
AUOUBA .. .. .	43	CLERODENDRON .. .. .	13	DICKSONIA .. .. .	100
AZALEA .. .. .	28, 29 & 43	— MACROSIPHON .. .. .	13	— ANTARCTICA .. .. .	100
— BALSAMINEFLORA ..	28	— NUTANS .. .. .	13	DIEFFENBACHIA .. .. .	15
— HYBRID .. .. .	29	CLEYERA .. .. .	31	— TRIUMPHANS .. .. .	15
BAMBUSA .. .. .	29 & 43	CLIMBING PLANTS for Stove	27	DIONÆA MUSCIPULA ..	33
BARKERIA .. .. .	56	— — — for Greenhouse ..	27	DIOON EDULE .. .. .	105

## INDEX—continued.

	PAGE		PAGE		PAGE
DIOSCOREA .. .. .	15	GOODYERA .. .. .	67	LIBERTIA .. .. .	35 & 46
DIPLADENIA .. .. .	15	GRAMMANGIS .. .. .	68	LICUALA GRANDIS .. .. .	5
— BRASILEYANA .. .. .	15	GRAMMATOPHYLLUM .. .. .	68	LILAOS, new double .. .. .	50 & 51
DIPLARRIENA MOREÆ .. .. .	33	GREENHOUSE PLANTS .. .. .	28 to 41	LILIUM .. .. .	46 to 48
DIPTERIX .. .. .	15	GREVILLEA .. .. .	33	— AURATUM .. .. .	46
DISA .. .. .	67	GRIFFINIA .. .. .	17	— LONGIFLOREM HARRISII .. .. .	47
DOODIA ASPERA MULTIFIDA .. .. .	100	GROBYA .. .. .	68	LIMATODIS .. .. .	70
DORSTENIA .. .. .	15 & 52	GUNNERA .. .. .	44	LIPARIS .. .. .	70
DORYANTHES .. .. .	33	GYMNOGRAMMA .. .. .	95 & 96	LIVISTONA .. .. .	106
DOUBLE-FLOWERED EPACRIS .. .. .	32	— ELEGANTISSIMA .. .. .	95	LOBELIA, BARNARD'S PER- PETUAL .. .. .	122
— IVY-LEAVED PELARGONIUMS .. .. .	90	HABENARIA .. .. .	68	LOMARIA .. .. .	96 & 100
— ZONAL .. .. .		HABROTHAMNUS .. .. .	33	LYCASTE .. .. .	70
PELARGONIUMS .. .. .	92	HÆMANTHUS .. .. .	3, 17 & 33	— SKINNERI .. .. .	70
DRACENA .. .. .	15, 16 & 33	— CANDIDUM .. .. .	3	LYCOPODIUM, <i>vide</i> SELAGINELLA .. .. .	101
— ARGENTEO-STRATA .. .. .	15	HARDY PLANTS .. .. .	42 to 51	MACRAYA BELLA .. .. .	35
— FRAGRANS VARIEGATA .. .. .	15	HEDERA .. .. .	44	MACROZAMIA .. .. .	106
— GOLDFEANA .. .. .	15	HEDYCHUM .. .. .	17 & 33	MAGNOLIA .. .. .	21, 35 & 48
— LINDENI .. .. .	16	HELICONIA .. .. .	17 & 18	MALUS .. .. .	48
DRACONTIUM .. .. .	16	— ILLUSTRIS .. .. .	18	MANETTIA .. .. .	21
DROSERA .. .. .	33	HEMEROCALLIS .. .. .	44	MARANTA .. .. .	21
DRYMONIA .. .. .	16	HEMIGRAPHIS .. .. .	17	MARCGRAVIA .. .. .	21
ECHEVERIA .. .. .	122	HIBISCUS .. .. .	17, 19, 34 & 44	MASDEVALLIA .. .. .	70 to 73
ECHITES .. .. .	16	— ROSA SINENSIS .. .. .	17 & 19	— HARRYANA .. .. .	
ELEOCHARIS .. .. .	17	— SYRIACUS .. .. .	44	ACANTHIFOLIA .. .. .	71
ELYMUS .. .. .	44	HIPPEASTRUM, <i>vide</i> AMARYLLIS .. .. .	7 & 9	— CONCHIFLORA .. .. .	71
ENCEPHALARTOS .. .. .	105	HOFFMANNIA .. .. .	19	— REGALIS .. .. .	72
— REGALIS .. .. .	105	HOPLOPHYTUM LINEATUM .. .. .	19	MAXILLARIA .. .. .	73
ENCHOLIRION .. .. .	17	HOULETTIA .. .. .	68	MEDICINAL AND OFFICINAL PLANTS .. .. .	52 & 63
EPACRIS .. .. .	32 & 33	HOWEA .. .. .	106	MEDINILLA .. .. .	21
— DOUBLE .. .. .	32	HOYA .. .. .	19	MESOSPINDIUM .. .. .	73
EPIDENDRUM .. .. .	67	HUNTLEYA .. .. .	68	MICROSTYLIS .. .. .	74
EPIPRENUM MIRABILE .. .. .	17	HYDRANGÆA .. .. .	34 & 44	MILTONIA .. .. .	74
ERANTHEMUM .. .. .	17	HYMENOCALLIS .. .. .	19	MONSTERA .. .. .	21
ERIA .. .. .	67	HYMENOSPORUM .. .. .	19	MONTBRETIA .. .. .	48
ERYTHRINA .. .. .	17 & 33	HYPERICUM .. .. .	44	MORMODES .. .. .	74
ERYTHROXYLON COCA .. .. .	17 & 52	HYPOLYTRUM SCHRADERI- ANUM .. .. .	20	MUSA .. .. .	21, 35 & 52
EUADENIA .. .. .	17	IMANTOPHYLLUM .. .. .	34	MUSSENDÆ .. .. .	21
EUCALYPTUS .. .. .	33	IMPATIENS .. .. .	19	— ERYTHROPHYLLA .. .. .	21
EUCHARIS .. .. .	17	— HAWKERII .. .. .	19	MYRTUS .. .. .	35
EUCODONIA .. .. .	85	IPOMÆA .. .. .	19	NEOECLA, <i>vide</i> GESNERA .. .. .	85
EUGENIA .. .. .	17, 52 & 53	IPSEA .. .. .	68	NAPOLEONA .. .. .	21
EULALIA .. .. .	44	IRIS .. .. .	34 & 45	NANODES .. .. .	74
EUONYMUS .. .. .	44	— GERMAN .. .. .	45	NELLIA .. .. .	48
EUPHORBIA .. .. .	17	— KEMPFERI .. .. .	45	NEPENTHES .. .. .	21
EURYCLES .. .. .	16	IVY-LEAVED PELARGONIUMS .. .. .	90	NEPHRODIUM .. .. .	96 & 100
EXOSTEMMA .. .. .	17	IXORA .. .. .	19	NEPHROLEPIS .. .. .	96
FERNS .. .. .	93 to 101	— SALMONEA .. .. .	19	NEPHRHYTIS .. .. .	21
FIGUS .. .. .	17, 33, 52 & 53	— SPECIOSA .. .. .	19	NERINE .. .. .	35 & 36
FITTONIA .. .. .	17	JACARANDA .. .. .	19	NERIUM .. .. .	36
FLAX, NEW ZEALAND .. .. .	36	JASMINUM .. .. .	19 & 34	NEW PLANTS .. .. .	123
FOOD FOR PLANTS .. .. .	124	JATROPHA .. .. .	19	— announced for the first time .. .. .	3 & 4
FRANCOISCEA .. .. .	17	JUNCUS ZEBRINUS, <i>vide</i> SCIRPUS .. .. .		NEW GREENHOUSE PLANTS .. .. .	
FRAXINUS .. .. .	44	JUSTIOIA .. .. .	19	— HARDY PLANTS .. .. .	42 to 51
FREESIAS .. .. .	33	KENTIA .. .. .	106	— STOVE PLANTS .. .. .	7 to 27
FUCHSIA .. .. .	120	KEMPFERIA .. .. .	19	NIDULARIUM .. .. .	21 & 23
GALACTODENDRON .. .. .	17 & 53	KNIPHOFIA .. .. .	46	— INNOCENTII STRIATUM .. .. .	23
GALEANDRA .. .. .	67	LELIA .. .. .	68 & 69	NOSEGAY PELARGONIUMS .. .. .	90
GARONIA .. .. .	17 & 53	LAMPROCOCOCUS .. .. .	19 & 21	ODONTOGLOSSUM .. .. .	74 to 78
GARDENIA .. .. .	17	— SPECIOSUS .. .. .	21	— CRISPUM (ALEXANDRE) .. .. .	75
GEODORUM .. .. .	67	LANDOLPHIA .. .. .	21	— VEXILLARIUM .. .. .	78
GEONOMA .. .. .	104 & 105	LAPAGERIA .. .. .	34 & 35	— INSIGNE .. .. .	78
GERANIUM, <i>vide</i> PELARGONIUMS .. .. .	87	— ALBA .. .. .	34	OFFICINAL AND MEDICINAL PLANTS .. .. .	52 & 53
GESNERA .. .. .	3, 17 & 85	— ROSEA .. .. .	34	ONCIDIUM .. .. .	78 to 80
— CALYPSO .. .. .	3	LAPORTEA .. .. .	21	— MAORANTHUM .. .. .	79
GLEICHENIA .. .. .	96 & 97	LASIANDEA .. .. .	35	ONCOSPERMA FASCICULATUM .. .. .	106
GLORIOSA .. .. .	17	LASTREA .. .. .	96 & 100		
GLOXINIA .. .. .	86	LATANIA .. .. .	106		
GONGORA .. .. .	67	LEPTOTES .. .. .	70		
GONIOPHLEBIUM .. .. .	96	LESPEDEZA .. .. .	46		



## INDEX—continued.

	PAOR		PAGE		PAGE
OPHIPOGON .. ..	36	POLYSTICHUM ..	99 & 100	SKIMMIA .. ..	49
OPHISMENUS .. ..	21	PORTLANDIA ..	25	SMILAX .. ..	25 & 53
OPUNTIA .. ..	48	POTHOS .. ..	25	SOBRALIA .. ..	82
ORCHIDS .. ..	54 to 84	— AROENTRUS ..	25	SONERILA .. ..	25
OXALIS .. ..	21	— FLEXUOSUS ..	25	SOPHRONITIS ..	82 & 83
PALISOTA .. ..	21	— NITENS .. ..	25	SPARMANNIA ..	37
PALMS, CYCADES, &c. ..	103	PRIMULA .. ..	36 & 49	SPATHIPHYLLUM ..	25
PALUMBINA .. ..	81	— IMPERIALIS ..	36	SPATHOOLOTTIS ..	83
PANAX .. ..	21	PROMENÆA .. ..	82	SPIRÆA .. ..	49 & 50
PANORATIUM 21, 24, 36 &	48	PRUNUS .. ..	49	— ASTILBOIDES ..	49
PANDANUS .. ..	24	PSIDIUM .. ..	25 & 53	STADMANNIA .. ..	25
PANICUM, <i>vide</i> OPHISMENUS	21	PTERIS .. ..	98, 99 & 100	STANGERIA .. ..	108
PAPHINIA .. ..	81	— VICTORIÆ .. ..	98	STANHOPEA .. ..	83
PASSIFLORA 24, 36, 48, 52 &	53	PTYCHOCOCCLUS PARADOXUS	4	STEPHANOTIS .. ..	25
PAULLINIA .. ..	24	PTYCHOSPERMA ..	108	STEVENSONIA .. ..	108
PAVETTA .. ..	24	PUNICA .. ..	37	STOVE PLANTS ..	7 to 27
PAVONIA .. ..	24	PUYA .. ..	25	STRELITZIA .. ..	25
PEONIA .. ..	48	RAVENALA .. ..	25 & 53	STREPTOCARPUS ..	25
PELARGONIUM BRONZE AND		REGAL PELARONIUMS ..	87	STYRAX .. ..	50
— GOLD .. ..	92	REIDIA .. ..	25	SYNGONIUM .. ..	25
— CHELSEA GEM .. ..	92	REINWARDTIA ..	37	SYRINOA .. ..	50 & 51
— DOUBLE - FLOWERED		RENANTHERA .. ..	82	TACSONIA .. ..	25 & 37
— ZONAL .. ..	92	RESTREPIA .. ..	82	TAINIA .. ..	83
— — IVY-LEAVED .. ..	90	RHAPIS .. ..	108	TRECOMA .. ..	37
— FANCY .. ..	90	RHEUM .. ..	49	— SMITHII .. ..	37
— IVY-LEAVED .. ..	90	RHODEA .. ..	37	TERMINALIA .. ..	25
— — with double flowers		RHODODENDRON 38 to 40 &	49	THE DOVE FLOWER ..	81
— — — — — 4 & 90		— ALBESCENS .. ..	38	— IRISH FERN .. ..	101
— NOSEOGAY .. ..	90	— CLARINDA .. ..	38	THRINAX .. ..	108
— RECAL .. ..	4 & 87	— DIADEM .. ..	38	THRIXSPERMUM ..	83
— SHOW .. ..	4 & 88	— JUNO .. ..	40	THUNBERGIA ..	25 & 26
— SPOTTED .. ..	4 & 89	— PINK BEAUTY ..	39	THUNIA .. ..	83
— TRICOLOR .. ..	92	— PLATO .. ..	40	TILLANDSIA .. ..	25 & 27
— VARIEGATED .. ..	92	RHOPALOLASTE HEXANDRA		— LINDENIANA VERA ..	25
— ZONAL .. ..	91	107 & 108		TODEA .. ..	100 & 101
PELLIONIA .. ..	24	RHOPALOSTYLIS ..	108	— MOOREI .. ..	4
PENTAS .. ..	24	RHYNCOSTYLIS ..	82	TONOA .. ..	17 & 53
PENTSTEMON .. ..	122	RHUS .. ..	49	TRACHYCARPUS ..	108
PEPEROMIA .. ..	24	RICHARDIA .. ..	37	TRADESCANTIA DECORA	27
PERISTERIA ELATA .. ..	81	RODRIGUEZIA .. ..	82	TREE FERNS .. ..	93
PESCATORIA .. ..	81	ROSEIRA .. ..	25 & 37	TRICHOPIA .. ..	83
PETUNIA .. ..	122	RONDELETIA .. ..	25	TRICHOSMA .. ..	83
PHAIUS .. ..	81	Rosa .. ..	49	TRIOONIDIUM .. ..	83
PHALENOPSIS .. ..	81	RUBUS .. ..	49	TRITOMA, <i>see</i> KNIPHOFIA	46
PHILADELPHUS .. ..	48 & 49	RUELLIA .. ..	25	TRITONIA .. ..	51
PHILODENDRON .. ..	24	SABAL .. ..	108	TROPEOLUM .. ..	51
— NOBILE .. ..	24	SACCHARUM .. ..	25 & 53	TROPICAL FRUITS ..	52 & 53
PHLOX .. ..	49 & 122	SACCOLABIUM .. ..	82	TUBEROSES .. ..	37
PHENIX .. ..	106 & 108	SALVIA .. ..	122	TYDÆA .. ..	86
— RUPICOLA .. ..	108	SANCHEZIA .. ..	25	UROPEDIUM .. ..	83
PHOLIDOTA .. ..	81	SANSEVEIRA .. ..	25	UTRICULARIA .. ..	27
PHORMIUM .. ..	36	SARCOCHILUS .. ..	82	VALLOTA .. ..	37
PHYLLANTHUS .. ..	24	SARCOPODIUM .. ..	82	VANDA .. ..	83 & 84
— ELONOTATUM .. ..	3	SARRACENIA .. ..	37	VANILLA .. ..	27 & 84
PHYLLLOCATUS .. ..	36	SAXIFRAGA .. ..	49	VERONICA .. ..	51
PHYLLOTÆNIUM .. ..	24	SCHISMATOOLOTTIS ..	25	VITIS .. ..	37 & 51
PIERIS .. ..	49	SCHOMBURGKIA .. ..	82	VRIESIA .. ..	27
PILUMNA .. ..	81	SCHUBERTIA .. ..	25	— PURPURASCENS ..	27
PINANOA .. ..	108	SCINDAPSUS .. ..	25	WALLICHIA .. ..	108
PIPER .. ..	24, 52 & 53	SCIRPUS .. ..	49	WARREA .. ..	84
PITCAIRNIA .. ..	24 & 25	SOUTICARIA .. ..	82	WARSCIEWICZELLA ..	84
PITTIOSPORUM .. ..	36	SEAFORTHIA .. ..	108	WEIGELA .. ..	51
PLANT FOOD .. ..	124	SEDUM .. ..	49	WISTARIA .. ..	51
PLATYCLINIS .. ..	81	SELAONELLA .. ..	101	XANTHOCERAS .. ..	51
PLEIONE .. ..	81	— FLACELLIFERA ..	101	XYLOBIUM .. ..	84
PLEOPELTIS .. ..	99	— TASSELLATA .. ..	101	XYLOPHYLLA .. ..	27
PLEUROTHALLIS .. ..	81 & 82	— USTA .. ..	102	YUCCA .. ..	37 & 51
PLUMBAGO .. ..	25 & 36	SEMPERVIVUM .. ..	122	ZAMIA .. ..	108
POOSTEMON .. ..	25 & 53	SENECIO .. ..	37 & 49	ZINOBER .. ..	27 & 53
POINCIANA .. ..	25	SHOW PELARONIUMS ..	88	ZYOOPTALUM .. ..	84
POLYGONUM .. ..	49	SHEUBS, <i>vide</i> HARDY PLANTS	42		


## MR. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower Seeds, saved from extra fine carefully selected stocks. Also Ornamental-foliaged Plants, so much used for sub-tropical gardening.

Descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

## MR. WILLIAM BULL'S BULB CATALOGUE,

Published in September, contains Priced Lists of all the finest Dutch and other Flower Roots, selected from the Stocks of the best Continental Bulb Growers, including Hyacinths, Tulips, Crocus, Narcissi, Liliiums, &c., with a choice selection of other Bulbous and Tuberous-rooted Plants.



### FOREIGN ORDERS.

Plants, seeds, &c., for transmission abroad, selected and packed with the greatest possible care in Bull's Patent Plant Cases or closed boxes, according to the nature of the goods, and despatched by the best Routes, Mail Steamers, Clipper Ships and Railways to any part of the world.

Owing to the great difficulty of collecting accounts abroad, Mr. W. B. respectfully intimates that

**A REMITTANCE MUST ACCOMPANY ALL FOREIGN ORDERS,** sufficient in amount to cover cost of order and of packing, or an order must be sent for payment in London.

### EXPORTING.

Mr. W. B. is continually receiving the most gratifying accounts of the excellent condition in which both the plant and seed orders entrusted to him reach their destinations, and the satisfaction given by the selections made.

Post-office Orders to be made payable at 510, KING'S ROAD, CHELSEA, S.W.

*Cheques to be crossed "LONDON JOINT STOCK BANK."*

Nearly 100,000 Superficial Feet of Glass at Mr. WILLIAM BULL'S Establishment filled with New and Rare Plants.